ORAL SALINE LAXATIVE- dibasic sodium phosphate, monobasic sodium phosphate liquid Walgreen Co

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Oral Saline Laxative Cherry

Drug Facts

Active ingredients (in each tablespoon)	Purpose
Dibasic sodium phosphate 1.4 g	Saline laxative
Monobasic sodium phosphate 6.2 g	Saline laxative

Use

• for relief of occasional constipation

Warnings

Dosage warning

Taking more than the recommended dose in 24 hour can be harmful.

Do not use

- if you have a previous kidney problem, congestive heart failure, impaired renal functions, decreased intervascular volume, dehydration, uncorrected electrolyte abnormalities
- in children under 5 years old
- for bowel cleansing

Ask a doctor before use if you have

- abdominal pain, nausea, or vomiting
- kidney disease
- heart problems
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than a week
- dehydration

Ask a doctor or pharmacist before use if you are

- on a sodium restricted diet
- under a doctor's care for any medical condition
- taking any other prescription or non-prescription medications. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if you

- have any rectal bleeding
- do not have a bowel movement within 6 hours
- have any symptoms that your body is losing more fluid than you are drinking
- have early symptoms of dehydration including
 - thirstiness
 - dizziness
 - urinating less often than normal

vomiting

These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately 1-800-222-1222.

Directions

- Use as a laxative for relief of occasional constipation
- **dilute dose in the table below** with one glass (8 fl. oz.) of cool water. Drink, then follow with at least one additional glass (8 fl. oz.) of cool water. **There is significant loss of liquid when using this product.** To prevent dehydration, drink plenty of clear liquid after use.
- Do not use for bowel cleansing.
- Do not take more unless directed by a doctor. See Warnings. There are three teaspoons in one tablespoon.

Ages (years)	Dosage	Maximum Dose
12 & older	3 Teaspoons	6 or 9 Teaspoons*
10 & 11	3 Teaspoons*	3 Teaspoons*
5 to 9	1 ½ Teaspoons*	1 ½ Teaspoons*
Under 5	Do Not Use	Do Not Use

^{*} SINGLE DAILY DOSAGE. DO NOT TAKE MORE OF THIS PRODUCT IN A 24-HOUR PERIOD

Other information

- Each Teaspoon contains: sodium 549 mg
- Saline laxatives increase retention of water in the intestines, promoting bowel movements.
- this product generally produces a bowel movement in 30 minutes to 6 hours
- this product is sugar free
- do not freeze
- store at 15 30°C (59 86F°)

Inactive ingredients

Cherry flavor, glycerin, purified water, saccharin sodium, sodium benzoate

Questions?

1-866-323-0107

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015

PRINCIPAL DISPLAY PANEL - 44 mL Bottle Carton

NDC 0363-0127-12

Well at Walgreens

WALGREENS PHARMACIST RECOMMENDED[‡]

SUGAR FREE

SINGLE DOSE

Oral Saline Laxative Phosphate

• For the relief of occasional constipation

SUGAR FREE 1.5 FL OZ

(44 mL)

CHERRY FLAVOR



5 years old for bowel cleansing

n 24 hour can be harmful

nore than a week adehydration

her drugs work

y rectal bleeding ■ do not e any symptoms that your ■ have early symptoms of e uninating less often

ition.

- 3	Maximum Dose
- 12	6 or 9 Teaspoons*
	3 Teaspoons*
*	1 1/2 Teaspoons*
Г	Do Mot Hea

Drink, then follow with at least one

constipation

FTHIS PRODUCT INA 24-HOUR PERIOD

Drug Facts (continued) Use ■for relief of occasional constipation Warnings Dosage warning Taking more than the recommended dose is Do not use ■ if you have a previous kidhey; impaired renal functions, decreased intervascelectrolyte abnormalifies ■ in children under than 2 weeks ■ already used a laxafive for r. Ask a doc tor be fore use if you have ■ abd ■ kidney disease ■ heart problems ■ a sudd than 2 weeks ■ already used a laxafive for r. Ask a doc tor or pharmacist before use if you mader a doctor's care for any medical condit or non-prescription medications. Take this pro after other drugs. Laxatives may affect how of after other drugs. Laxatives may affect how of Stop use and ask a doctor if you ■ have an have a bowell movement within 6 hours ■ have a bowell movement within 6 hours ■ have a bowell movement within 6 hours ■ have a have losing more fluid than you are drinking dehydration including • thirstiness • dizzinee than normal • vomiting	Drug Facts (continued) If pregnant or breast-feeding, aska health reach of children. In case of overdose, get m Center immediately 1-800-222-1222. ■ Use as a laxative for relief of occasional the below with one glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (8 ft. ∞.) of cool water. I additional glass (9 ft. ∞.) of cool water. I additional glass (9 ft. ∞.) of cool water. I additional glass (9 ft. ∞.) of cool water. I additional glass (9 ft. ∞.) of cool water. I here additional glass (9 ft. ∞.) of cool water. I here additional glass (9 ft. ∞.) of cool water. I additional glass (9 ft. ∞.) of cool water. I here additional glass (9 ft.
---	---

ORAL SALINE LAXATIVE

dibasic sodium phosphate, monobasic sodium phosphate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0127
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
SO DIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74) (PHO SPHATE ION - UNII: NK08 V8 K8 HR)	SODIUM PHOSPHATE, DIBASIC	1.4 g in 15 mL		
SO DIUM PHO SPHATE, MO NO BASIC, UNSPECIFIED FORM (UNII: 3980 JIH2SW) (PHO SPHATE ION - UNII: NK0 8 V8 K8 HR)	SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM	6.2 g in 15 mL		

Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				

]	Packaging				
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0363-0127-12	1 in 1 CARTON	10/05/2012		
1		45 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	10/05/2012	

Labeler - Walgreen Co (008965063)

Establishment				
Name	Address	ID/FEI	Business Operations	
Natureplex LLC		062808196	MANUFACTURE(0363-0127)	

Revised: 1/2017 Walgreen Co