

**ALLERGY CHILDRENS- loratadine liquid
MEIJER, INC.**

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - runny nose
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose

When using this product,

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- each teaspoonful contains: **sodium 1 mg**
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

butylated hydroxyanisole, citric acid, glycerin, grape flavor, propylene glycol, purified water, sodium benzoate, sucralose

Questions or Comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Children's Claritin® Allergy active ingredient†

CHILDREN'S

Allergy

Loratadine Oral Solution 5 mg | 5mL

Antihistamine

24 HOUR RELIEF OF

Indoor & Outdoor Allergies

Sneezing, Runny Nose,

Itchy, Watery Eyes,

Itchy Throat or Nose

For ages 2 Years and over

Non-drowsy*

Dye free

Alcohol free

Sugar-Free

Grape Flavor

*When taken as directed See Drug Facts panel.

FL OZ (mL)

†This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Children's Claritin® Allergy.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE IS BROKEN OR MISSING.

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

Product Label

NDC 41250-539-04

Compare to Children's Claritin® Allergy active ingredient!

meijer

CHILDREN'S allergy

Loratadine Oral Solution
5 mg | 5 mL
Antihistamine

24 HOUR RELIEF OF

Indoor & Outdoor Allergies

Sneezing, Runny Nose,
Itchy, Watery Eyes,
Itchy Throat or Nose
For ages 2 years and over

Non-drowsy*
Dye free
Alcohol free
Sugar free



Grape
Flavor

*When taken
as directed
See Drug
Facts panel.

4 fl oz (120 mL)

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com



7 19283 28156 2

PLD-B368C FC005319

Lot No.:

Exp. Date:

Drug Facts

Active ingredient (in each 5 mL teaspoonful)	Purpose
Loratadine 5 mg.....	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - runny nose
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product, do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- each teaspoonful contains: sodium 1 mg
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients butylated hydroxyanisole, citric acid, glycerin, grape flavor, propylene glycol, purified water, sodium benzoate, sucralose

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Children's Claritin® Allergy.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE IS BROKEN OR MISSING.

MEIJER Children's Allergy Grape Flavor

ALLERGY CHILDRENS

loratadine liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-539
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-539-04	1 in 1 BOX	02/28/2018	02/28/2025
1		120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077421	02/28/2018	02/28/2025

