

LORATADINE- loratadine tablet
Walgreen Company

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine, USP 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- store between 20° to 25° C (68° to 77° F)
- protect from excessive moisture
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**

INACTIVE INGREDIENTS

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

QUESTIONS?

Call **1-800-406-7984**

**DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015**

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Blister Pack Carton

NON-DROWSY*

Wal-itin[®]

24 Hour Allergy

Loratadine Tablets, USP 10 mg

Antihistamine

- Relief of runny nose, sneezing, itchy throat or nose & itchy, watery eyes

5 TABLETS

Actual Size

Well at

Walgreens

WALGREENS PHARMACIST RECOMMENDED[‡]

NDC 0363-0522-56

INDOOR &

OUTDOOR

ALLERGIES

24

HOUR

Compare to Claritin[®]

active ingredient^{††}

*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

NON-DROWSY*

Wal-itin

24 Hour Allergy

Loratadine Tablets, USP 10 mg
Antihistamine

Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED†

***WHEN TAKEN AS DIRECTED, SEE DRUG FACTS PANEL.**

Relief of runny nose, sneezing, itchy throat or nose & itchy, watery eyes

NON-DROWSY*

Wal-itin

24 Hour Allergy

Loratadine Tablets, USP 10 mg
Antihistamine

Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED†

- Relief of runny nose, sneezing, itchy throat or nose & itchy, watery eyes



Actual Size

5 TABLETS

Compare to Claritin® active ingredient**

***WHEN TAKEN AS DIRECTED, SEE DRUG FACTS PANEL.**

Walgreens
Way to Well
Commitment

Support local preventive wellness with Walgreens. With each purchase of Walgreens Brand Health & Wellness Product, 1¢ goes to the Walgreens Way to Well Fund, up to \$9 million annually. Visit Walgreens.com/waytoWell

NDC 0363-0522-56

†Walgreens Pharmacist Survey Study, November 2012.
**All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Claritin®.
Batch No. Expiration Date:

Non Varnish Area

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens
100% SATISFACTION GUARANTEED

walgreens.com ©2014 Walgreen Co.


ITEM 367491




ORG0714-F

<p>Directions</p> <p>adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours</p> <p>children under 6 years of age ask a doctor</p> <p>consumers with liver or kidney disease ask a doctor</p>	<p>Other information</p> <ul style="list-style-type: none"> store between 20° to 25° C (68° to 77° F) protect from excessive moisture <p>■ TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.</p>	<p>Inactive ingredients</p> <p>corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch</p>	<p>Warnings</p> <ul style="list-style-type: none"> runny nose itchy, watery eyes sneezing itching of the nose or throat <p>Do not use if you have ever had an allergic reaction to this product or any of its ingredients.</p> <p>Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p>When using this product do not take more than directed. Taking more than directed may cause drowsiness.</p> <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p>
--	--	---	--

Questions? call 1-800-406-7984





LORATADINE

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0522
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white (White to Off-White)	Score	no score
Shape	ROUND	Size	6 mm
Flavor		Imprint Code	RX526
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0522-71	1 in 1 CARTON	12/05/2013	
1		70 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-0522-55	1 in 1 CARTON	12/05/2013	
2		150 in 1 BOTTLE; Type 0: Not a Combination Product		

3	NDC:0363-0522-78	1 in 1 CARTON	12/05/2013	
3		300 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:0363-0522-21	2 in 1 CARTON	12/05/2013	
4		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:0363-0522-69	1 in 1 CARTON	12/05/2013	
5		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
6	NDC:0363-0522-30	1 in 1 CARTON	12/05/2013	
6		30 in 1 BOTTLE; Type 0: Not a Combination Product		
7	NDC:0363-0522-43	1 in 1 CARTON	12/05/2013	
7		45 in 1 BOTTLE; Type 0: Not a Combination Product		
8	NDC:0363-0522-56	1 in 1 CARTON	12/05/2013	
8		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	12/05/2013	

Labeler - Walgreen Company (008965063)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		051565745	manufacture(0363-0522)

Revised: 6/2018

Walgreen Company