# MAXIMUM STRENGTH LIDOCAINE PATCH- lidocaine patch Velocity Pharma LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Maximum Strength Lidocaine Patch- Odorless-RA**

## **Active Ingredient**

Lidocaine 4%

### Purpose

Topical Anesthetic

#### Uses

Temporarily relieves minor pain

#### Warnings

For external use only

#### Do Not Use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

#### When Using This Product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

### Stop Use and Ask a Doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

#### If Pregnant or Breast Feeding

ask a health professional before use.

## **Keep Out of Reach of Children and Pets**

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

### Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours

#### children 12 years or younger: ask a doctor

#### **Directions**

#### Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours

#### children 12 years or younger: ask a doctor

#### **Inactive Ingredients**

dihydroxyaluminium aminoacetate, disodium EDTA, glycerin, methylparaben, polyvinyl alcohol, propyl paraben, propylene glycol, purified water, sodium carboxymethyl cellulose, sodium polyacrylate, tartaric acid, titanium dioxide.

## Package label- Odorless Patch



## MAXIMUM STRENGTH LIDOCAINE PATCH

lidocaine patch

P	ro	duct	Information
---	----	------	-------------

Product Type HUMAN OTC DRUG Item Code (Source) NDC:76168-325

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

Ingredient NameBasis of StrengthStrengthLIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII: 98 PI200987)LIDO CAINE40 mg

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		
TARTARIC ACID (UNII: W4888I119H)		
EDETATE DISO DIUM ANHYDRO US (UNII: 8 NLQ36 F6 MM)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
DIHYDRO XYALUMINUM AMINO ACETATE (UNII: DO 250 MG0 W6)		
GLYCERIN (UNII: PDC6A3C0OX)		
SO DIUM PHO SPHATE, DIBASIC, ANHYDRO US (UNII: 22ADO 53M6 F)		

WATER (UNII: 059QF0KO0R)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
METHYLPARABEN (UNII: A2I8 C7HI9 T)		
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)		
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679 OBS 311)		

F	Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:76168-325-05	5 in 1 CARTON	09/24/2019					
1		1 in 1 POUCH; Type 0: Not a Combination Product						

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
OTC monograph not final	part348	09/24/2019					

## Labeler - Velocity Pharma LLC (962198409)

Revised: 10/2019 Velocity Pharma LLC