

SUGAR FREE MENTHOL COUGH DROPS- menthol lozenge

Freds

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Menthol 5.8 mg

Active ingredient (in each drop)

Menthol 5.8 mg

Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

cough as may occur with a cold

occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have:

persistent or chronic cough such as occurs with smoking, asthma, or emphysema

cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

sore throat is severe, or irritation, pain or redness lasts or worsens

sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

adults and children 5 years and over - dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.

children under 5 years - ask a doctor

Other information

6 calories per drop

Excess consumption may cause a laxative effect.

Inactive ingredients: Acesulfame potassium (non-nutritive sweetener), corn starch, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic, isomalt, maltitol syrup, medium chain triglycerides, natural and artificial flavors, potassium sorbate, soybean oil, sucralose (non-nutritive sweetener), and water.

Do not use if bag
is torn or open

Resealable Bag

← Tear here

Tear here →

1. Tear here 2. Separate to open 3. Press to reseal

fred's[®]

SUGAR FREE

Menthol Cough Drops [®]

Menthol Cough Suppressant /
Oral Anesthetic

- Soothes Sore Throats
- Temporarily Relieves Coughs



fred's

LAB TESTED

Lab Tested for Quality,
Fred Tested for Satisfaction

Compare To The Active Ingredient in

Halls[™]
Cough Drops⁺

25 Drops

PN 501943



fred's Promise
Not Happy With This Product?
Just Bring It Back For a Refund!

www.fredsin.com

DISTRIBUTED BY: fred's, Inc.
4300 NEW GETWELL RD, MEMPHIS, TN 38118

Gluten-Free



Directions
adults and children
5 years and over
dissolve 1 lozenge slowly in
mouth. Repeat every 2 hours
as needed or as directed by
a doctor.
children under 5 years
ask a doctor.

Other information ■ 6 calories per drop
■ Excess consumption may cause a laxative effect.

Inactive ingredients: Acesulfame potassium
(non-nutritive sweetener), corn starch, eucalyptus oil,
FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic,
isomalt, maltitol syrup, medium chain triglycerides, natural
& artificial flavors, potassium sorbate, soybean oil,
sucralose (non-nutritive sweetener) and water.


Questions? Or to report an adverse event call
1-800-245-2898, Monday - Friday, 9AM to 4PM EST

Ask a doctor before use if you have:
■ persistent or chronic cough such as occurs with
smoking, asthma, or emphysema
■ cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if
■ cough persists for more than 7 days, tends to recur, or
is accompanied by fever, rash, or persistent headache.
These could be signs of a serious condition.
■ sore throat is severe, or irritation, pain or redness lasts
or worsens
■ sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional
before use. **Keep out of reach of children.**

symptoms may be serious.
In 7 days, see your dentist or doctor promptly. These
doctor promptly. If sore mouth symptoms do not improve
in 7 days, see your dentist or doctor promptly. These



SUGAR FREE MENTHOL COUGH DROPS

menthol lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-037
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5.8 mg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue (Light Blue with Blue Flakes)	Score	no score
Shape	OVAL	Size	17mm
Flavor	MENTHOL	Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-037-25	25 in 1 BAG; Type 0: Not a Combination Product	01/24/2018	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/24/2018	

Labeler - Freds (005866116)

Registrant - Bestco Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(55315-037)

