SULFAPLEX- sulfathiazole powder Seachem Laboratories Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

SulfaplexTM

SulfaPlexTM is an effective and safe treatment for many bacterial, fungal and protozoan infestations in the aquarium. It is easily removed with carbon and does not impair nitrification.

DIRECTIONS: Use 2 to 3 measures (included, each about 100 mg) to every 40 L (10 US gallons). This dose may be increased up to four-fold if symptoms do not subside. Repeat every 3 days for up to 3 weeks or until symptoms disappear. Do not use UV, ozone, or chemical filtration during use.

Active ingredients: sulfathiazole (69%).

Inactive ingredients: excipients (31%)

For use in ornamental aquariums only. Not for human consumption.

Seachem Laboratories Inc. • 1000 Seachem Drive, Madison, GA 30650

www.seachem.com • support@seachem.com

PRINCIPAL DISPLAY PANEL - 10 g Vial Carton

SulfaPlexTM

BACTERIAL FUNGAL & PROTOZOAN INFESTATIONS

Treats Many Bacterial, Fungal and Protozoan Infestations

Marine & Freshwater

Net Contents: 10 g (0.35 oz)

Seachem[®]



Treats Many Bacterial, Fungal and Protozoan Infestations

Marine & Freshwater



Net Contents: 10 g (0.35 oz)

BACTERIAL FUNGAL & **PROTOZOAN**

INFESTATIONS

Seachem



Seachem Laboratories Inc. • 1000 Seachem Drive, Madison, GA 30650 www.seachem.com • support@seachem.com

siguememo sexied /sorieupe. Proibido para consumo humano. Para uso somente em

Ingredientes ativos: excipientes (31%) Ingredientes Inativos: excipientes (31%) (%69) loseitetlue

dnimica durante a utilização. ościnih uo onozo , VU edilizu oż M . mspenega eb 3 dia p ara a te manas ou até que se q seib & vez es seos sintomas não desaparecem. Repita a cada csqs 40 L Esta dose pode ser aumentada até quatro MODO DE USAR: Use 2 to 3 medida (inclusa) para

no squário. Fad imente remo vido com o carb ono, não prejud icando a nitrificação. eneq onuges e seo fe dinemastr mu è «maele alue-TP profession qe so gruit, asmene bed se òpets et ni astrum

bet besci da acquano / omamentali. Non per il consumo umano. Utilizzare esclusivamente

ingredienti atilvi: sodpienti (31%) ingredienti inatilvi: eccipienti (31%) (%69) OIOZEITEIJOS utilizzare fitrazione drimica, UV o ozono durantel'uso.

fino a3 settmaneo fino alla scomparsa dei simbmi. Non se i sintom non diminuiscono. Ripetere ogni 3 giorri

e te administé jusqu'à quate tois ladose normale. MODE D'EMPLOI: Utiliser2 to 3meeures (incluse) tous les 40 L. Si les symptômes ne se disalpent pas, il peut

nitrileation.

facilement à l'àide de carbone et ne vient pas nuire à la te senisozotorq anoltat setni te sentatosa sesu endmon eb eniser er étu eq il unun sups nu ansb setnes étys eupignot FR-SulfaPlax ** est un traitement efficace et súr contre

acuario sipeces omamentales. No es para el consumo humano. Solo es para usar en

In gredientes activos: sulfatiazol In gredientes inactivos: excipientes (31%)

filtración química durante el uso. cada 3 días hasta3 semanaso hasta que desaparezcan los síntomas. No utilice luz ultravioleta, ozono o para cada 40 L. Si los sintomas no desaparecen, se puede aumentar esta dosis hasta cuatro veces. Repita INSTRUCCIONES: Emplosit 2 to 3 medidas (se incluye)

ca pou à uo ae qua la nitulicacion. protozo arias en el acuario. Se elimina Ecilmente con para muchas infestacion es bacterianas, fundioss y 1 04 ingo req (osulon) en misure car Sosu :NOISURTRI andov orteum a critica intra musa en es en una sobre a un

TF-SulfaRev $^{\rm IM}$ é un tratamento efficace e sécuro nel caso di ante dale inferazioni di bate hi, funghi e probzoi nell'acquarbo. È facilmente innovibile con il probzoi nell'acquarbo. È facilmente interitazione carbonice non alterati lival lo di intrificazione.

Ne convient pas à l'alimentation humaine. Destiné uniquement à une utilisation pour poissons d'aquarium/ d'omement.

chim quelor sde l'utilisation. Ingrédients actits: autarhiazol (89%) Ingrédients inactits: exciplents (31 %)

-es£ eb mumbram nu ruoq sruo! £ eup arb ne levuonen A Ineael araqelb semidq myasel eupeo s'upauj uo sentam agari ili eb uo enozo'b, VU ano yar eb neyolome sag e M coustnubuou:

Active ingredients: substitutions (8'8').
Inactive ingredients:excipients (8'18').
Inactive ingredients:excipients of tor for human and to tor in seu ro-

DIRECTIONS Use 2 to 3 measures (included, each about 100 mg) to every 40 L(10 US glonny) This does may be hort 10d iff symptomacon not subside. Repeat every 3 days for up to 3 weeks or untill symptoms disappear. Do not use UV, coone, or chamical fittiation during use.

SulfaPlex™ is an effective and safe treatment for many bacteriel, fungal and prob zoen infectations in the aquatum, it is easily removed with carbon and does not impair nitritication.

SULFAPLEX

sulfathiazole powder

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:55999-085

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthSulfathiazole (UNII: Y7FKS2XWQH) (Sulfathiazole - UNII:Y7FKS2XWQH)Sulfathiazole694 mg in 1 g

Product Characteristics

2 10 4 4 5 1 4 4 5 1 5 1 5 1 5 1 5 1 5 1 5 1				
Color	WHITE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55999-085-56	6 in 1 CASE		
1	NDC:55999-085-57	1 in 1 CARTON		
1	NDC:55999-085-13	10 g in 1 VIAL, PLASTIC		
2	NDC:55999-085-15	100 g in 1 VIAL, PLASTIC		
3	NDC:55999-085-20	4000 g in 1 VIAL, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		0 1/0 1/20 0 7	

Labeler - Seachem Laboratories Inc. (133041806)

Establishment					
Name	Address	ID/FEI	Business Operations		
Seachem Laboratories Inc.		133041806	MANUFACTURE, API MANUFACTURE		

Revised: 7/2018 Seachem Laboratories Inc.