

SALICYLIC ACID- liquid wart remover liquid
Hudson Health LLC

Comfortzone Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Use

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart exists only on the bottom of the foot and interrupts footprint pattern.

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- irritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-877-237-0194

Principal Display Panel

comfortzone

maximum strength

liquid wart remover

salicylic acid

- removes common & plantar warts
- convenient brush applicator
- safe & effective

NET 0.31 FL OZ (9mL)



comfortzone[™] maximum strength
liquid wart remover
 NET 0.31 FL OZ (9 mL)

53-160AM



comfortzone[™] maximum strength
liquid wart remover
 NET 0.31 FL OZ (9 mL)

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W[®].
 Distributed By:
 Hudson Health LLC
 Hudson, NY 12534
 ©2018
 Questions? Call 1-877-237-0194
 MADE IN USA WITH U.S. AND IMPORTED PARTS



DO NOT USE IF NECKBAND IS BROKEN

Drug Facts
Active ingredient
 Salicylic acid 17% w/w
 Wart remover

Purpose
 Wart remover

Use
 For the removal of common and genital warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Genital wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings
 For external use only.
 Flammable
 ■ keep away from fire or flame
 ■ cap bottle tightly and store at room temperature away from heat

Do not use
 ■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
 ■ on genital warts and warts on the face
 ■ on moles, birthmarks and warts with hair growing from them
 ■ on mucous membranes ■ on irritated, infected or reddened skin

When using this product
 ■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly
 ■ apply small amount of wart remover with applicator to sufficiently cover each wart ■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information
 ■ store between 20°–25°C (68°–77°F)
 ■ close tightly to prevent solidification ■ store in a cool place

Inactive ingredients
 nitrocellulose camphor, castor oil, ethanol, ethyl ether.

Questions? Call 1-877-237-0194

Care
 ■ Wipe top of bottle clean after each use
 ■ For optimal use, discard when signs of wart no longer appear

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

NDC 00000-000-00

DO NOT USE IF NECKBAND IS BROKEN

Active ingredient: Salicylic acid (17% w/w) **Purpose:** Wart remover **Use:** For the removal of common and plantar warts. The common wart is easily recognized by the rough cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat.



maximum strength

liquid wart remover

salicylic acid

- removes common warts & plantar warts safely & easily

CLOSE CAP TIGHTLY AFTER USE

NET 0.31 FL. OZ (9 mL)

Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist. **Do not use** on irritated, infected or reddened skin or on moles; birthmarks; warts with hair growing from them; genital warts; warts on the face and mucous membranes. **When using this product** avoid contact with eyes; if product gets into the eye, flush with water for 15 minutes. Avoid inhaling vapors. **Stop use and ask a doctor** if discomfort persists. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area, may soak wart in warm water for 5 minutes. Dry area thoroughly. Apply small amount of wart remover with applicator to sufficiently cover each wart. Let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks. **Other information:** Store between 20° – 25°C (68° – 77°F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose **Questions? Call 1-877-237-0194** **Keep packaging for complete drug facts information.**

Distributed By:
Hudson Health, LLC
Hudson, NY 12534
©2018
Directions? Call 1-877-237-0194
MADE IN USA WITH U.S. AND IMPORTED PARTS

NO VARNISH AREA
0.5315"

50-160AM

SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72446-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72446-006-09	9 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	09/01/2018	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M028	09/01/2018	

Labeler - Hudson Health LLC (081276171)

Revised: 10/2024

Hudson Health LLC