

CICATRIX SKIN PROTECTANT- glycerin cream
Catalysis, SL

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cicatrix

ACTIVE INGREDIENTS PURPOSE

Glycerin 3%..... Skin Protectant

Tube_CICATRIX_Crema_50ml_USA_v.5

cicatrix[®]
CREAM Skin protectant

DRUG FACTS	
Active Ingredient	Purpose
-Glycerin 3%	Skin protectant
Uses	
-Helps to reduce the scars and marks in the skin	
Warnings	
For external use only Do not use on damaged or broken skin Stop use and ask a Doctor if rash occurs Keep out of reach of children	
When using this product	
-Avoid contact with eyes -Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.	
Directions	
-Clean and dry the affected area. Apply the product and massage the affected area -Following the instructions of the insert. -Apply at least twice a day	
Other information	
-Keep the product in a cool and dry place	
Inactive Ingredients: Aqua, cyclopentasiloxane, cetearyl alcohol, PEG-11 Stearyl Ether, steareth-2, Ceramide NP, Phytosphingosine, Cholesterol, Sodium Lauryl Lactylate, Carbomer, Xanthan Gum, Gentiana Asiatica Leaf Extract, Maltodextrin, stearic acid, palmitic acid, Phenoxethylalcohol, Ethylhexylglycerin, C12-C15 Alkyl Benzoate, steareth-20, Pinus Sylvestris Bud Extract, Sodium Benzoate, Potassium Sorbate, Sodium Hyaluronate, Diazolidinyl Urea, Perfume	
QUESTIONS OR COMMENTS ?: +34 913456902 Monday to Friday: 9:00 am to 5:00 pm (UTC+GMT +1).	



Imported by: GUNA, Inc.
3724 Crescent Court West -
Whitehall, PA 18052, USA
Phone: (484) 223-3500
Fax: (484) 223-3505
E-mail: info@gunainc.com

catalysis
Catalysis, S.L.
Macarena, 14 • 28016 Madrid
ESPAÑA / SPAIN
FABRICADO EN ESPAÑA

e 50 ml • 1.7 fl.oz.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of the eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

Children under 6 months: ask a doctor.

WARNINGS

Stop use and ask a doctor if rash occurs

Children under 6 months: ask a doctor

Warnings

Keep out of reach of children

Questions or comments?

+ 34 M-F 9:00 am to 5:00 pm

Other Information

. keep the product in a cool and dry place

Directions

. clean and dry the affected area.

. apply the product and massage the affected area

. follow the instructions on the insert

. apply at least twice a day

Prospecto Cicatrix Crema USA V.2



What is CICATRIX®?

CICATRIX® is a specific cream made from natural ingredients that helps to reduce the scars.

The active ingredients of CICATRIX® are Centella asiatica and Fraxinolytic. Centella asiatica promotes and accelerates skin recovery. On the one hand, it acts by incorporating into and binding to collagen two amino acids - asialic and proline - fundamental for the biosynthesis of structural proteins, thus stimulating the formation of granulation tissue.

What is a scar?

A scar is the final result of the healing process of an injury. The new tissue formed (scar tissue) is weaker, less elastic, less vascularized, and a little more pigmented than the original tissue. Moreover, it can have aesthetic and functional effects on the person.

How should CICATRIX® be used?

Cleanse and dry the affected area. Apply a thin layer of CICATRIX® and massage the affected area following the instructions on this insert. The application and the massage should be carried out at least twice a day and for a minimum of one month or until the complete disappearance of the scar.

INGREDIENTS (INCI)

Aqua, cyclopentasiloxane, Cetearyl alcohol, PPG-11 Stearyl Ether, steareth-2, Ceramide NP, Phytosphingosine, Cholesterol, Sodium Lauryl Lactylate, Carbomer, Xanthan Gum, Centella Asiatica Leaf Extract, Maltodextrin, stearic acid, palmitic acid, Phenoxyethanol-Ethylhexylglycerin, C12-C15 Alkyl Benzoate, steareth-20, Pinus Sylvestris Bud Extract, Sodium Benzoate, Potassium Sorbate, Sodium Hyaluronate, Diazolydinil Urea, Parfum.

PRECAUTIONS


- For external use only
- Avoid contact with eyes
- Do not use on damaged or broken skin
- Stop use and ask a Doctor if rash occurs
- If swallowed get medical help or contact a Poison Control Center right away
- Keep out of the reach of children

PRESENTATION

1 fl.oz. and 1.7 fl.oz. containers

MASSAGE with CICATRIX®

Each one of the nine massage movements should be repeated 10 times on the affected area.



To end the massage, apply again a thin layer of CICATRIX® and use your fingers to make some feather-light strokes on the area near the affected area. (These feather-light strokes produce a vibration that facilitates the absorption of the cream.)



MADE IN SPAIN

Catalysis, S.L. • Macarena, 14 • 28016 Madrid • SPAIN

- clean and dry the affected area.
- apply the product and massage the affected area
- follow the instructions on the insert
- apply at least twice a day

Uses

. helps to reduce the scars and marks in t he skin

Inactive Ingredients

Aqua, Cyclopentasiloxane, Cetearyl Alcohol, PPG-11 Stearyl Ether, Steareth-2, Ceramide 3, Ceramide 6II, Ceramide 1, Phytosphingosine, Cholesterol, Sodium Lauroyl Lactylate, Carbomer, Xanthan Gum, Centella Asiatica Leaf Extract, Maltodextrin, Stearic Acid, Palmitic Acid, Phenoxyethanol, Ethylhexylglycerin, C12-C15 Alkyl Benzoate, Steareth-20, Pinus Sylvestris Bud Extract, Sodium Benzoate, Potassium Sorbate, Sodium Hyaluronate, Carbomer, Diazolydinil Urea, Parfum(coumarin, hexyl cinnamal,linalool,d-limonene/dipentene/l-limonene,Geraniol,hydroxycitronellal), Sodium Hydroxide

Uses

- helps to reduce the scars and marks in t he skin

Package Label



CICATRIX SKIN PROTECTANT

glycerin cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64539-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
COUMARIN (UNII: A4VZ22K1WT)	0.1 mg in 1 mL
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	0.2 mg in 1 mL
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	0.12 mg in 1 mL
PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y)	0.12 mg in 1 mL
PPG-11 STEARYL ETHER (UNII: S4G2J0Y0LG)	3 mg in 1 mL
STEARETH-2 (UNII: V56DFE46J5)	2.4 mg in 1 mL
CERAMIDE 3 (UNII: 4370DF050B)	0.25 mg in 1 mL
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	0.25 mg in 1 mL
CERAMIDE 6 II (UNII: F1X8L2B00J)	0.25 mg in 1 mL
CHOLESTEROL (UNII: 97C5T2UQ7J)	0.25 mg in 1 mL
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	0.25 mg in 1 mL
WATER (UNII: 059QF0KO0R)	100 mg in 1 mL
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	0.45 mg in 1 mL
XANTHAN GUM (UNII: TTV12P4NEE)	0.25 mg in 1 mL
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	3 mg in 1 mL
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	0.8 mg in 1 mL
SODIUM HYDROXIDE (UNII: 55X04QC32I)	0.07 mg in 1 mL
STEARETH-20 (UNII: L0Q8IK9E08)	0.6 mg in 1 mL
SODIUM BENZOATE (UNII: OJ245FE5EU)	0.14 mg in 1 mL
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	7 mg in 1 mL
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	0.2 mg in 1 mL
MALTODEXTRIN (UNII: 7CVR7L4A2D)	0.5 mg in 1 mL
PALMITIC ACID (UNII: 2V16EO95H1)	0.5 mg in 1 mL
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	0.5 mg in 1 mL
STEARIC ACID (UNII: 4ELV7Z65AP)	0.5 mg in 1 mL
PHENOXYETHANOL (UNII: HIE492ZZ3T)	0.5 mg in 1 mL
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	0.5 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:64539-011-02	1 in 1 BOX	02/03/2018	
1	NDC:64539-011-01	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	01/28/2018	

Labeler - Catalysis, SL (862795119)

Registrant - Catalysis, SL (862795119)

Establishment

Name	Address	ID/FEI	Business Operations
Catalysis, SL		862795119	manufacture(64539-011)

Revised: 1/2018

Catalysis, SL