MARK 3- benzocaine gel Cargus International, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

Benzocaine, 20%

Purpose

Oral Anesthetic

Uses

For the temporary relief of pain associated with canker sores and minor dental procedures.

Warnings

Allergy alert Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "-caine" anesthetics.

Do not

use this product for more than 7 days unless directed by a dentist or doctor. If sore mouth symptoms do not improve in 7 days; if irritation, pain, or redness persists or worsens; or if swelling, rash or fever develops, see your dentist or doctor promptly

Do not

exceed recommended dosage.

Keep out of reach of children.

If more than used for pain is accidentially swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply to the affected area. Use up to 4 times daily or as directed by a dentist or doctor
- Children under 12 years of age should be supervised in the use of the product.
- Children under 2 years of age: Consult a dentist or doctor.

Other Information

Store at room temperature 59 - 86°F (15 - 30°C). Protect from freezing and heat.

Inactive Ingredients

FD&C Red No. 40, Flavor, Polyethylene glycol 3350, Polyethylene glycol 400, Saccharine sodium, Tocopheryl acetate, Xylitol

Distributed by

Mark 3, 135 North Rt. 9W, Congers, NY 10920

1.888.732.2913

Mark 3

Oral Anesthetic Gel

Cherry

Gluten Free


with Vitamin E and Xylitol

NDC 61509-101-32

Net Wt. 1.12 oz. (32 g)

Distributed by Mark 3, 135 North Rt. 9W, Congers, NY 10920

Made in USA



MARK 3

benzocaine gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:61509-101

Route of Administration ORAL, DENTAL

Active Ingredient/Active Moiety

| • | | |
|--|--------------------------|---------------|
| Ingredient Name | Basis of Strength | Strength |
| BENZOCAINE (UNII: U3RSY48IW5) (BENZOCAINE - UNII:U3RSY48IW5) | BENZOCAINE | 6.4 g in 32 g |

Inactive Ingredients Ingredient Name Strength FD&C RED NO. 40 (UNII: WZB9127XOA) POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) SACCHARIN SODIUM (UNII: SB8ZUX40TY) .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) XYLITOL (UNII: VCQ006KQ1E)

| Product Characteristics | | | |
|-------------------------|--------|--------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | CHERRY | Imprint Code | |
| Contains | | | |

| l | P | Packaging | | | |
|---|---|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | | NDC:61509-101- 32 | 32 g in 1 BOTTLE; Type 0: Not a Combination Product | 03/23/2021 | |

| Marketing Information | | | | |
|---|---|---|--|--|
| Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| part356 | 02/28/2014 | | | |
| | Application Number or Monograph Citation | Application Number or Monograph Marketing Start Citation Date | | |

Labeler - Cargus International, Inc. (096191093)

EstablishmentNameAddressID/FEIBusiness OperationsDharma Research, Inc.078444642manufacture(61509-101)

Revised: 3/2021 Cargus International, Inc.