FIRST AID ANTIBIOTIC BACITRACIN WITH ZINC- bacitracin zinc ointment First Aid Research Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

First Aid Research Bacitraycin Plus 1oz 49003 & 89770V (2019)

Active ingredient (each gram contains)

Bacitracin zinc 500 units

Purpose

First Aid Antibiotic

Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use in case of deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

• store at 15° to 25° C (59° to 77° F)

Inactive ingredients

aloe vera gel, light mineral oil and white petrolatum

Distributed by:

FIRST AID RESEARCH CORP.

LOT & EXP

)

First Aid Antibiotic





Lot:

Exp:

Drug Facts

Active ingredient (In each gram) Purposes Bacitracin Zinc 500 units.....

...First Aid Antibiotic

Uses
first aid to help prevent infection in minor:
■ cuts ■ scrapes ■ burns

Warnings For external use only

Do not use if you are allergic to any of the ingredients in the eyes over large areas of the body or bandage

Ask a doctor before use if you have

■ deep or puncture wounds ■ animal bites ■ serious burn

Stop use and ask a doctor if
■ you need to use longer than 1 week ■ condition persists or gets worse
■ rash or other allergic reaction develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact
a Poison Control Center (1-800-222-1222) right away.

Directions
■ clean the affected area ■ apply a small amount of this product
(an amount equal to the surface area of the fip of a finger) on the area
1 to 3 times daily ■ may be covered with a sterile bandage

Other information
■ store at room temperature 20-25°C (68-77°F)

Inactive ingredient

aloe vera oil, light mineral oil, petrolatum

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION. TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR FOIL UNDER CAP IS BROKEN OR MISSING.





BACITRACIN ZINC 500 UNITS (First Aid Antibiotic)



Helps to Heal Burns, Scrapes, and Cuts



NET WT 1 OZ (28 g)







Distributed bu: FIRST AID RESEARCH CORP. Jupiter, FL 33478 Made in China











NET WT 1 OZ (28 g)

Distributed by: FIRST AID RESEARCH CORP. Jupiter, FL 33478 Made in China



Inactive ingredient aloe vera oil, light mineral oil, petrolatum Other information atore at room temperature 20-25°C (68-77°F) area 1 to 3 times daily

DILECTIONS - clear the street area sides street area at subspired that should be subspired that the street street of the subspired that should be subspired to subspired to subspired that should be su out of reach of children. If swallowed, get medical help or contact a Polson Control Center (1-800-222-1222) right away. pregnant or preast-reeding, ask a nearth professional before use.

Stop nee surg sak a doctor it a you need to nee louger than 1 week a condition persists or gets worse at sah or other siledic reaction develops Ask a doctor before use if you have

deep or puncture wounds

snimsl bites
serious burn Do not use if you are allergic to any of the ingredients in the eyes over large areas of the body

First aid Antibiotic Active ingredient (in each gram) Purpose
Bacitracin Zinc 500 units......

Drug Facts

First Aid Antibiotic



FIRST AID ANTIBIOTIC BACITRACIN WITH ZINC

bacitracin zinc ointment

LOT & EXP

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:75983-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO 52I)	BACITRACIN	500 [USP'U] in 1 g	

Inactive Ingredients			
Ingredient Name	Strength		
LIGHT MINERAL OIL (UNII: N6 K5787QVP)			
ALOE VERA LEAF (UNII: ZY81Z83H0 X)			
PETROLATUM (UNII: 4T6H12BN9U)			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:75983-001-14	1 in 1 CARTON	02/14/2017			
1		14 g in 1 TUBE; Type 0: Not a Combination Product				
2	NDC:75983-001-28	1 in 1 CARTON	02/14/2017			
2		28 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part333B	0 2/14/20 17			

Labeler - First Aid Research Corp. (089405927)

Revised: 10/2020 First Aid Research Corp.