

INFANTS GAS RELIEF- simethicone suspension

Family Dollar (FAMILY WELLNESS)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 0.3 mL)

Simethicone 20 mg

Purpose

Antigas

Uses

relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods

Warnings

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- shake well before using
- mL=milliliter
- measure only with enclosed syringe provided. Do not use any other dosing device
- keep dosing device with product
- replace cap tightly to maintain child resistance
- remove cap and insert syringe into hole at top of the bottle and turn upside down
- pull back syringe until filled to the prescribed level. If you pass the prescribed level, simply push syringe back until have reached the desired level. Slowly dispense the liquid into your child's mouth (towards inner cheek)
- dosage can also be mixed with 1 oz, cool water, infant formula, or other suitable liquids
- clean syringe well after use
- all dosages may be repeated as needed, after meals and at bedtime, or as directed by a physician. Do not exceed 12 doses per day
- find the right dose on chart below. If possible, use weight to dose; otherwise, use

age

Weight (lb)	Age (yr)	Dose (mL)
under 24 lbs	under 2 years	0.3 mL
over 24 lbs	over 2 years	0.6 mL

Other information

- store between 20-25°C (68-77°F)
- do not freeze

Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, flavor, maltitol, microcrystalline cellulose, purified water, sodium benzoate, sodium citrate, xanthan gum

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN MYLICON® GAS RELIEF*

Infants Gas Relief

Simethicone 20 mg - antigas

- Gently breaks down baby's gas bubbles
- Safe enough to use at every feeding**

Dye-Free

Alcohol-Free

Non-staining

Saccharin free

FL OZ (mL)

Dosing syringe

Use only with enclosed syringe

**use as directed

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND THE BOTTLE IS BROKEN OR MISSING

*This product is not manufactured or distributed by McNeil Consumer Healthcrae, distributor of Mylicon® Gas Relief

DISTRIBUTED BY:

MIDWOOD BRANDS, LLC
 10611 MONROE RD.,
 MATTHEWS, NC 28105

Package Label

Drug Facts

Active ingredient (in each 0.3 mL) Purpose
 Simethicone 20 mgAntigas

Uses relieves the discomfort of infant gas frequently caused by air swallowing or certain formulas or foods

Warnings
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- shake well before using
- mL = milliliter
- measure only with enclosed syringe provided. Do not use any other dosing device.
- keep dosing device with product
- replace cap tightly to maintain child resistance
- remove cap and insert syringe into hole at top of bottle and turn upside down
- pull back syringe until filled to the prescribed level. If you pass the prescribed level, simply push syringe back until you have reached the desired level. Slowly dispense the liquid into your child's mouth (towards inner cheek).
- dosage can also be mixed with 1 oz. cool water, infant formula, or other suitable liquids
- clean syringe well after each use
- all dosages may be repeated as needed, after meals and at bedtime, or as directed by a physician. Do not exceed 12 doses per day.
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.

Weight (lb)	Age (yr)	Dose (mL)
under 24 lbs	under 2 years	0.3 mL
over 24 lbs	over 2 years	0.6 mL

Drug Facts (continued)

Other information

- store between 20-25°C (68-77°F)
- do not freeze

Inactive ingredients anhydrous citric acid, carboxymethylcellulose sodium, flavor, maltitol, microcrystalline cellulose, purified water, sodium benzoate, sodium citrate, xanthan gum

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Mylicon® Gas Relief.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR PRINTED SAFETY SEAL AROUND THE BOTTLE IS BROKEN OR MISSING.

Use only with enclosed syringe

DISTRIBUTED BY:
 MIDWOOD BRANDS, LLC
 10611 MONROE RD.
 MATTHEWS, NC 28105

NOT 100% SATISFIED?
 Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

COMPARE TO THE ACTIVE INGREDIENT IN MYLICON® GAS RELIEF™

NDC 55319-325-61

FAMILY wellness™

Dosing syringe



Infants' Gas Relief
 Simethicone 20 mg - Antigas

- Gently Breaks Down Baby's Gas Bubbles
- Safe Enough To Use At Every Feeding**

Dye-Free
 Alcohol Free
 Non-Staining
 Saccharin Free

1 FL OZ (30 mL) **Use As Directed

SKU 0902284



PLD-C272B F0804358

Lot No:

Exp. Date:

FAMILY WELLNESS Infant's Gas Relief

INFANTS GAS RELIEF

simethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-325
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
MALTITOL (UNII: D65DG142WK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-325-01	1 in 1 BOX	02/28/2017	04/26/2024
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	02/28/2017	04/26/2024

Labeler - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 10/2021

Family Dollar (FAMILY WELLNESS)