

CALCIUM CARBONATE 10 GR (648 MG) (ANTACID)- calcium carbonate 10gr (648 mg) tablet
Ulai Health LLC

Drug Facts

Active ingredient (in each tablet)

Calcium Carbonate 10 gr (648 mg)

Purpose

Antacid

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Do not use

- more than 4 tablets in 24 hours
- the maximum dosage for more than two weeks, unless directed by a doctor

Ask a doctor before use if you have

- kidney stones
- a calcium-restricted diet

Ask a doctor or pharmacist before use if you are

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

adults and children 12 years and over

take 1 to 4 tablets daily or as directed by a doctor

Other information

- each tablet contains: **calcium 260 mg**
- store at 20-25 °C (68-77 °F)

Inactive ingredients

acacia, croscarmellose sodium, magnesium stearate, maltodextrin, microcrystalline cellulose, stearic acid

Questions or comments?

(866) 562-2756 (Mon- Fri 8 AM to 4 PM EST)

PHARBEST

NDC 73057-377-11

Manufactured in the USA

Calcium

Carbonate

Antacid

10 gr (648 mg)

1000 TABLETS

PHARBEST
NDC 73057-377-11

Manufactured in the USA

Calcium Carbonate

Antacid

10 gr (648 mg)

1000 TABLETS

THIS PACKAGE FOR HOUSEHOLD WITHOUT YOUNG CHILDREN

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet)
Calcium Carbonate 10 gr (648 mg).....Antacid

Uses
for the relief of ■ acid indigestion ■ heartburn ■ sour stomach
■ upset stomach associated with these symptoms

Warnings
Do not use
■ more than 4 tablets in 24 hours ■ the maximum dosage for more than two weeks, unless directed by a doctor

Ask a doctor before use if you have
■ kidney stones
■ a calcium-restricted diet

Ask a doctor or pharmacist before use if you are ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions
adults and children ■ take 1 to 4 tablets daily or as directed by a doctor
12 years and over ■ doctor

Other information
■ each tablet contains: calcium 260 mg ■ store at 20-25°C (68-77°F)

Inactive ingredients acacia, croscarmellose sodium, magnesium stearate, maltodextrin, microcrystalline cellulose, stearic acid

Questions or comments? (866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)

Distributed by:
ULAI HEALTH LLC
Alexandria, VA 22312

Org. 06/19

3 7 3 0 5 7 11 3 7 7 1 1 2

CALCIUM CARBONATE 10 GR (648 MG) (ANTACID)

calcium carbonate 10gr (648 mg) tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73057-377
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	648 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N260)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	PH046
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73057-377-11	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2019	
2	NDC:73057-377-08	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	07/01/2019	

Labeler - Ulai Health LLC (081181535)