

STOMACH RELIEF ULTRA- bismuth subsalicylate liquid
EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)

Drug Facts

Active ingredient (in each 15 mL)

Bismuth subsalicylate 525 mg

Purpose

Upset stomach reliever/Antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - fullness
 - belching

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 8 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- mL = milliliter
- shake well before using
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- adults and children 12 years and over:
 - 15 mL (1 dose) every 1/2 or 30 mL (2 doses) every hour as needed
diarrhea/traveler's diarrhea
 - 15 mL (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- children under 12 years of age: ask a doctor

Other information

- **each 15 mL contains:** sodium 5 mg
- **each 15 mL contains:** salicylate 206 mg
- low sodium
- keep tightly closed

- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

Questions or comments?

Call **1-8898-287-1915**

Principal Display Panel

*Compare to the active ingredient in Pepto-Bismol® Ultra

ULTRA STRENGTH

Stomach Relief

Bismuth Subsalicylate 525 mg

Upset Stomach Reliever/Antidiarrheal

Relieves

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

2x Strength Per Ouncet

Alcohol Free

Sugar Free

FL OZ (mL)

†This product is not manufactured or distributed by The Procter & Gamble Company. Pepto-Bismol® is a registered trademark of The Procter & Gamble Company.

TAMPER EVIDENT; DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY:

WalMart Inc.,

Bentonville, AR 72716

Package Label

NDC 4903-293-2

equate™

Compare to Pepto-Bismol® Ultra active ingredient

ULTRA STRENGTH

Stomach Relief

Bismuth Subsalicylate 525mg

**Upset Stomach Reliever/
Antidiarrheal**

Relieves

- Heartburn
- Indigestion
- Nausea
- Upset stomach
- Diarrhea

2X STRENGTH PER OUNCE*

Alcohol-free
Sugar-free

1 BOTTLE

525 mg per 15mL

12 FL OZ (355mL)

PLD-A494A L809937

Drug Facts

Active ingredient (in each 15 mL dose) Purpose
Bismuth subsalicylate 525 mgUpset stomach
relieves/Antidiarrheal

Uses relieves ■ diarrhea ■ travelers' diarrhea
■ upset stomach due to overindulgence in food and drink,
including ■ heartburn ■ gas ■ indigestion
■ nausea ■ fullness ■ belching

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL
AROUND DOSEAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

Satisfaction guaranteed - For questions
or comments please call 1-888-287-1915.

DISTRIBUTED BY: Walmart Inc.,
Bentonville, AR 72716
PRODUCT OF GERMANY

*This product is not manufactured or
distributed by The Procter & Gamble Company.
Pepto-Bismol® is a registered trademark of
The Procter & Gamble Company.
*vs. Original Pepto-Bismol®

Discard Seal,
Break &
Reseal Cap

PLASTIC BOTTLE PLASTIC CUP

483524

6 8 1131 36223 8

PLD-A494A L809937

PEEL CORNER FOR MORE DRUG FACTS

Drug Facts (continued)

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
Allergy alert: Contains salicylate.

Do not take if you are:
■ allergic to salicylates (including aspirin)
■ taking other salicylate products

Do not use if you have ■ an ulcer
■ a bleeding problem
■ bloody or black stool

Ask a doctor before use if you have
■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for
■ diabetes ■ gout ■ arthritis
■ anticoagulation (thinning the blood)

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if
■ symptoms get worse or last more than 2 days
■ ringing in the ears or loss of hearing occurs
■ diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
■ do not take more than 8 doses (120 mL) in 24 hours
■ use until diarrhea stops but not more than 2 days
■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea
■ mL = milliliter
■ shake well before using
■ measure only with dosing cup provided. Do not use any other dosing device.
■ keep dosing cup with product
■ adults and children 12 years and over:
■ 15 mL (1 dose) every ½ hour or 30 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea
■ 15 mL (1 dose) every ½ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
■ children under 12 years of age: ask a doctor

Other information
■ each 15 mL contains: sodium 5 mg
■ each 15 mL contains: salicylate 206 mg
■ low sodium ■ keep tightly closed
■ protect from freezing
■ avoid excessive heat (over 104°F or 40°C)

Inactive ingredients benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

Questions or comments?
1-888-287-1915

EQUATE Ultra Strength Stomach Relief

STOMACH RELIEF ULTRA

bismuth subsalicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-293
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-293-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2020	02/01/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	02/01/2020	02/01/2027

Labeler - EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC) (051957769)

Revised: 12/2025

EQUATE (Wal-Mart Stores, Inc.) (see also WAL-MART INC)