LIL DRUG STORE TYLENOL PM EXTRA STRENGTH- acetaminophen and diphenhydramine hydrochloride tablet, film coated TYLENOL PM EXTRA STRENGTH, CVP HEALTH- acetaminophen and diphenhydramine hydrochloride tablet, film coated Lil' Drug Store Products, Inc.

Tylenol [®] PM Extra Strength, Lil' Drug Store [®], CVP _® HEALTH, Travel BASIX

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Nighttime sleep aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	 take 2 caplets at bedtime do not take more than 2 caplets of this product in 24 hours
children under 12 years	do not use

Other information

- store between 20-25°C (68-77°F)
- do not use if pouch is torn or damaged

Inactive ingredients

carnauba wax, crospovidone, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

Product distributed by: JOHNSON & JOHNSON CONSUMER INC.

McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA

Repackaged and distributed by: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW

Cedar Rapids, IA 52402

PRINCIPAL DISPLAY PANEL - 6 Caplet Pouch Carton

Extra Strength TYLENOL [®] PM

Acetaminophen, Diphenhydramine HCl Pain Reliever, Nighttime Sleep Aid Non-habit forming

6
Caplets
3 POUCHES OF 2 CAPLETS EACH

Lil' DrugStore ®



DO NOT USE IF POUCH IS TORN OR DAMAGED

Drug Facts

Active ingredients (in each caplet)
Acetaminophen 500 mg.

Purpose

Diphenhydramine HCI 25 mg

.Nighttime sleep aid

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

more than 4,000 mg of acetaminophen in 24 hours

with other drugs containing acetaminophen
 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may

■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaming ask a doctor or pharmacist.

with any other product containing diphenhydramine, even one used on skin

■ in children under 12 years of age
■ if you have ever had an allergic reaction to this product or any of its

LIFT PANEL FOR CONTINUED DRUG FACTS

e Caplets



Drug Facts (continued)

do not take more than directed (see overdose warning)

adults and children 12 years and over

■ take 2 caplets at bedtime
■ do not take more than 2 caplets of this product

in 24 hours

children under 12 years do not use

Other information

■ store between 20-25°C (68-77°F) ■ do not use if pouch is torn or damaged

Inactive ingredients carnauba wax, crospovidone, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

call 1-877-895-3665 (toll-free) or 215-273-8755 (collect)

Contains No Aspirin

Product distributed by: JOHNSON & JOHNSON CONSUMER INC. McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA @J&JCI 2015 Visit us at www.tylenol.com or call toll-free 1-877-TYLENOL (1-877-895-3665)

Repackaged and distributed by: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW Cedar Rapids, IA 52404 1-877-507-6516 (M-F 8AM-4:30PM CST) www.lildrugstore.com 97173C-US-08-17-A

Caplets

Drug Facts (continued)

Ask a doctor before use if you have

■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland

glaucoma

Ask a doctor or pharmacist before use if you are
taking the blood thinning drug warfarin
taking sedatives or tranquilizers

When using this product
■ drowsiness will occur
■ avoid alcoholic drinks

do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks.
 Insomnia may be a symptom of serious underlying medical illness.

pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days ■ redness or swelling is present

new symptoms occur
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Ι

I



Extra Strength Tylenol ® PM, CVP ® HEALTH, 4ct - PDP/Package

Extra Strength
TYLENOL ®
PM

Acetaminophen, Diphenhydramine HCl Pain Reliever, Nighttime Sleep Aid Non-habit forming

[caplets image]

4

Caplets

2 POUCHES OF 2 CAPLETS EACH

[CVP ® HEALTH logo]



Tylenol [®] PM Extra Strength, Travel BASIX

Extra Strength TYLENOL ® PM

Acetaminophen, Diphenhydramine HCl Pain Reliever, Nighttime Sleep Aid Non-habit forming [caplets image]

4

Caplets

2 POUCHES OF 2 CAPLETS EACH

[Travel BASIX logo]



LIL DRUG STORE TYLENOL PM EXTRA STRENGTH

acetaminophen and diphenhydramine hydrochloride tablet, film coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9817	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg	

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSPOVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

POLYSORBATE 80 (UNII: 60ZP39ZG8H)

MAGNESIUM STEARATE (UNII: 70097M6I30)

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)

STARCH, CORN (UNII: 08232NY3SJ)

SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)

STEARIC ACID (UNII: 4ELV7Z65AP)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics				
Color	blue (Light Blue)	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	TY;PM	
Contains				

Packaging				
#	# Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:66715- 9817-2	2 in 1 CARTON	10/20/2017	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715- 9817-3	3 in 1 CARTON	08/15/2019	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Marketing Start Marketing I Category Citation Date Date			Marketing End Date
OTC Monograph Drug	M013	10/20/2017	

TYLENOL PM EXTRA STRENGTH, CVP HEALTH

acetaminophen and diphenhydramine hydrochloride tablet, film coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6517	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	500 mg	

25 mg

Inactive Ingredients			
Ingredient Name	Strength		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
STARCH, CORN (UNII: O8232NY3SJ)			
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
CARNAUBA WAX (UNII: R12CBM0EIZ)			
CROSPOVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
ALUMINUM OXIDE (UNII: LMI26O6933)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POLYSORBATE 80 (UNII: 60ZP39ZG8H)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			

Product Characteristics				
Color	blue (Light Blue)	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	TY;PM	
Contains				

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:66715- 6517-2	2 in 1 CARTON	05/06/2022		
1	2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	05/06/2022		

TYLENOL PM EXTRA STRENGTH, CVP HEALTH

acetaminophen and diphenhydramine hydrochloride tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6417

ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	500 mg	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	

Inactive Ingredients	
Ingredient Name	Strength
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSPOVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics				
Color	blue (Light Blue)	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	TY;PM	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715- 6417-2	2 in 1 CARTON	10/11/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715- 6417-7	25 in 1 CARTON	04/19/2022	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715- 6417-8	30 in 1 CARTON	04/19/2022	
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	04/19/2022		

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 11/2024 Lil' Drug Store Products, Inc.