# LORATADINE- loratadine tablet Cardinal Health 107, LLC

-----

### **Loratadine Tablets**

# **Active ingredient**

**Drug Facts** 

Loratadine Tablets USP, 10 mg

### **Purpose**

**Antihistamine** 

#### Uses

Non-Drowsy\* 24 Hour

\*When taken as directed. See Drug Facts Panel.

Indoor and Outdoor Allergies

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: · itching of the nose or throat · runny nose · itchy, watery eyes · sneezing

# **Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

This package is intended for institutional use only.

This unit-dose package is not child-resistant. If dispensed for outpatient use, a child-resistant container should be utilized.

# Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

# When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

# Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

### If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24	
	hours	
children under 6 years of age	ask a doctor	
consumers with liver or kidney disease	ask a doctor	

FOR YOUR PROTECTION: Do not use if blister is torn or broken.

#### Other Information

store between 20 and 25°C (68 and 77°F) · protect from excessive moisture.

# **Inactive ingredients**

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

# **Questions?**

Questions? for Ranbaxy/Ohm Laboratories call 1-800-406-7984

The drug product contained in this package is from NDC#51660-526, Ohm Laboratories Inc.

Packaged and Distributed by: American Health Packaging Columbus, Ohio 43217

americanhealthpackaging.com

An AmerisourceBergen Company

AMERICAN HEALTH PACKAGING is a trademark owned by its respective owner.

# Distributed by:

#### **Cardinal Health**

Dublin, OH 43017

L4955647-10124

### **Principal Display Panel**

Non-Drowsy\* 24 Hour Allergy Relief Loratadine Tablets, USP 10 mg **Antihistamine** 

10 Tablets



#### NON-DROWSY\* 24 Hour Allergy Relief LORATADINE TABLETS, USP 10 mg **Antihistamine**

10 TABLETS

**Indoor & Outdoor Allergies** 

\* When taken as directed. See Drug Facts Panel.

**Drug Facts** 

Active ingredient (in each tablet)

Loratadine, USP 10 mg

**Antihistamine** 

Inactive Ingredients corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch.

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: 
itching of the nose or throat 
runny nose ■ itchy, watery eyes ■ sneezing

STORAGE: Store between 20° to 25° C (68° to 77° F)

■ protect from excessive moisture

WARNING: This Unit Dose package is not child resistant and is Intended for Institutional Use Only.
KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

If dispensed for outpatient use, a child-resistant container should

be utilized.

Questions? for Ohm Laboratories call 1-800-406-7984 The drug product contained in this package is from NDC # 51660-526, Ohm Laboratories Inc.

Packaged and Distributed by: American Health Packaging,

Columbus, Ohio 43217 americanhealthpackaging.com An AmerisourceBergen Company AMERICAN HEALTH PACKAGING®

Distributed by Cardinal Health

Dublin, OH 43017

L4955647-10124 Lot: Exp: Distributed by Cardinal Health

**Dublin, OH 43017** 

L4955647-20124

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease.

Your doctor should determine if you need a different dose. When using this product do not take more than directed.

Taking more than directed may cause drowsiness Stop use and ask a doctor if an allergic reaction to this

product occurs. Seek medical help right away.

adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours

children under 6 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

FOR YOUR PROTECTION: Do not use if blister is torn or broken.

# LORATADINE

loratadine tablet

### **Product Information**

**Route of Administration** 

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:55154-4976(NDC:68084-248)

**Active Ingredient/Active Moiety** 

**ORAL** 

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: O8232NY3SJ)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			

Product Characteristics			
Color	WHITE	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	RX526
Contains			

F	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:55154- 4976-0	10 in 1 BAG	06/14/2013			
1	L	1 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA076134	06/14/2013		

# Labeler - Cardinal Health 107, LLC (118546603)

Revised: 1/2024 Cardinal Health 107, LLC