

**BROAD SPECTRUM SUNSCREEN SPF 30- avobenzene, homosalate, octisalate spray
Old East Main Co.**

**Studio Selection D48.000/D48AA
Sunscreen Spray SPF 30**

Active Ingredients

Avobenzene 3%

Homosalate 10%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protections measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable:

Keep away from fire or flame.

- after application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., diethylhexyl 2,6-naphthalate, acrylates/octylacrylamide copolymer, diisopropyl adipate, neopentyl glycol diheptanoate, butyloctyl salicylate, fragrance, tocopheryl acetate

Disclaimers

May stain or damage some fabrics or surfaces

OCTINOXATE FREE, OXYBENZOE FREE

*This product is not manufactured or distributed by Sun Bum LLC, distributor of Sun Bum[®] Premium Moisturizing Sunscreen Spray Broad Spectrum SPF 30.

Adverse Reaction

Disturbed by OLD EAST MAIN CO.

100 Mission Ridge

Goodlettsville, TN 37072

100% Satisfaction Guaranteed!

(888) 309-9030

Principal Panel Display

Studio Selection[®] Sun

SUNSCREEN SPRAY

BROAD SPECTRUM SPF 30

Compare to Sun Bum[®] Sunscreen Spray Broad Spectrum SPF 30*

SPF 30

Dermatologist Tested

Hypoallergenic

Water Resistant (80 min)

Banana Scent

NEW WT. 5.5 OZ (156 g)

STUDIO SELECTION[®] SUN

SUNSCREEN SPRAY
BROAD SPECTRUM SPF 30

Compare to Sun Bum[®] Sunscreen Spray Broad Spectrum SPF 30*

SPF 30

Dermatologist-Tested
Hypoallergenic
Water-Resistant (80 minutes)
Banana Scent

NET WT 5.5 OZ (156 g)

Active Ingredients	Purpose
Azobenzene 5%	Sunscreen
Homosalate 10%	Sunscreen
Octylate 5%	Sunscreen

Uses
Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Keep away from fire or flame. After application, wait a full product dried before approaching a source of heat or flame, or before smoking.
Do not use on damaged or broken skin.
When using this product, keep out of eyes. Rinse with water to remove.
Do not use under pressure. Do not puncture or incise into. Do not store at temperature above 120°F.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Spray liberally and spread evenly by hand 15 minutes before sun exposure.
Apply to all skin exposed to the sun. Hold container 4 to 6 inches from the skin to apply.
Do not spray directly into face. Spray on hands then apply to face.
Do not apply in windy conditions. Use in a well-ventilated area and avoid inhalation.
Reapply every 80 minutes of swimming or sweating. Immediately after towel drying.
At least every 2 hours.
Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
Limit time in the sun, especially from 10 a.m. to 4 p.m.
Wear long-sleeved shirts, pants, hats and sunglasses.
Children under 6 months of age: Ask a doctor.

Other Information
Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients alcohol denat., diethylhexyl 2,6-naphthylate, acrylates/cyclohexanediol copolymer, disodium edetate, neopentyl glycol diethylhexanoate, butylacetyl salicylate, fragrance, tocopheryl acetate.

May stain or damage some fabrics or surfaces.
OCTYLSALICYLATE FREE, OXYBENZONE FREE.
*This product is not manufactured or distributed by Sun Bum U.S., distributor of Sun Bum[®] Premium Moisturizing Sunscreen Spray Broad Spectrum SPF 30.
DISTRIBUTED BY OLD EAST MAIN CO.,
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed! (888) 309-9030

BROAD SPECTRUM SUNSCREEN SPF 30

avobenzone, homosalate, octisalate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75712-948
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75712-948-14	156 g in 1 CAN; Type 0: Not a Combination Product	07/15/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/15/2024	

Labeler - Old East Main Co. (006946172)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(75712-948)

