

**LORATADINE- loratadine tablet, chewable**  
**WALGREEN COMPANY**

-----  
**Loratadine**

***Drug Facts***

**Active ingredient (in each tablet)**

Loratadine USP, 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- chew or crush tablets completely before swallowing.

---

adults and children 6 years	chew 2 tablets daily; not more than 2 tablets in 24
--------------------------------	--

and over	hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

### Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

### Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at **1-800-406-7984**.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

### PRINCIPAL DISPLAY PANEL - 30 Tablet Blister Pack Carton

Walgreens

children's  
ALLERGY

Wal-itin<sup>®</sup>

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Compare to Children's Claritin<sup>®</sup>  
Chewables active ingredient ††

NDC 0363-0752-30

NEW

CHEWABLE  
NON-DROWSY\*  
24-HOUR RELIEF

- 24-hour relief of sneezing, runny nose,

itchy throat or nose, & itchy, watery eyes

- Indoor & outdoor allergies

30 CHEWABLE  
TABLETS

The chewable tablets are to be chewed before swallowing.

\*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

GRAPE  
FLAVOR

ACTUAL SIZE

AGES  
2  
YEARS &  
OLDER

children's  
ALLERGY

Walgreens

Wal-itin®

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

children's  
ALLERGY

Walgreens

Wal-itin®

LORATADINE CHEWABLE TABLETS USP, 5 mg / ANTIHISTAMINE

Compare to Children's Claritin®  
Chewables active ingredient!†

NDC 0363-0752-30

NEW

Non Varnish Area

Batch No.

Expiration Date:

PHARMACIST

Walgreens

Trusted since 1901™

RECOMMENDED

Health expertise  
you rely on.

CHEWABLE

NON-DROWSY\*

24-HOUR RELIEF

- 24-hour relief of sneezing, runny nose, itchy throat or nose, & itchy, watery eyes
- Indoor & outdoor allergies



GRAPE ACTUAL SIZE  
FLAVOR



AGES  
2  
YEARS &  
OLDER

30 CHEWABLE  
TABLETS

The chewable tablets are to be chewed before swallowing.

\*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

Walgreens  
100% SATISFACTION  
GUARANTEED

walgreens.com ©2019 Walgreen Co.

ITEM 848643 W00000-0000-0



†Walgreens Pharmacist Survey  
††All trademarks are property of  
their respective owners. This  
product is not affiliated with  
the makers of Children's  
Claritin® Chewables.

ORG0318-F  
REV-0619

Drug Facts

Active ingredient (in each tablet) Purpose  
Loratadine USP, 5 mg ..... Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

- chew or crush tablets completely before swallowing.
- adults and children 6 years and over chew 2 tablets daily; not more than 2 tablets in 24 hours
- children 2 to under 6 years of age chew 1 tablet daily; not more than 1 tablet in 24 hours
- children under 2 years of age ask a doctor
- consumers with liver or kidney disease ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions? call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.

Keep the carton. It contains important information. See end panel for expiration date.

GLUE - NO COATING

LORATADINE

loratadine tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0752
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

## Product Characteristics

<b>Color</b>	purple (light purple to dark purple)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	753
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0752-30	3 in 1 CARTON	07/26/2019	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA210088	07/26/2019	

**Labeler** - WALGREEN COMPANY (008965063)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Ohm Laboratories Inc.		184769029	manufacture(0363-0752)

Revised: 12/2024

WALGREEN COMPANY