

MUCUS RELIEF DM- guaifenesin, dextromethorphan hbr tablet
Advanced Rx LLC

MUCUS RELIEF DM

Active ingredient (in each tablet)

Dextromethorphan HBr 20 mg
Guaifenesin 400 mg

Purpose

Cough suppressant
Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough is accompanied by excessive phlegm (mucus)

Ask a doctor or pharmacists before use if you are taking sedatives or tranquilizers

When using this product do not use more than directed

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222).

Directions

- **Adults and children 12 years of age and older:** Take 1 tablet every 4 hours with a full glass of water. Do not exceed 6 doses in 24 hours.
- **Children under 12 years of age:** Do not use

Other information

- store between 20° - 25°C (68° - 77°F)
- Keep in dry place and do not expose to heat
- do not use if imprinted safety seal under the cap is broken or missing.

Inactive ingredients

Colloidal Silicon Dioxide, Hypromellose 5 & 15, Magnesium Stearate, Maltodextrin, Microcrystalline Cellulose, PEG 400, PVP K30, Purified Water, Sodium Starch Glycolate, Stearic Acid Powder.

Questions?

call toll free 1-800-630-8895

Distributed by:

ADVANCED RX LLC

1942 NE 163ST North Miami Beach,
FL 33162 U.S.A

PRINCIPAL DISPLAY PANEL

NDC 80513-407-09

**Compare to Mucine[®] DM active ingredients*

Mucus Relief DM

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Cough Suppressant & Expectorant

90 Tablets

***This product is not manufactured or distributed by Reckitt Benckiser, distributor of Mucinex[®] DM Tablets.**



*Compare to Mucinex®
DM active ingredients
NDC 80513-407-09

MUCUS RELIEF DM

DEXTROMETHORPHAN HBR 20 MG
GUAIFENESIN 400MG

**COUGH SUPPRESSANT
& EXPECTORANT**

- ✓ Controls cough
- ✓ Thins and loosens mucus
- ✓ Relieves chest congestion

90 TABLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active Ingredient (in each tablet)
Dextromethorphan Hbr 20mg..... Cough suppressant
Guaifenesin 400 mg..... Expectorant

Purpose
Cough suppressant and expectorant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive ■ temporarily relieves ■ cough due to minor throat and bronchial irritation as may occur with a common cold or inhaled irritants ■ the intensity of coughing ■ the impulse to cough to help you get sleep

Warnings
Do not use ■ for children under 12 years of age ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before using this product.

Ask a doctor before use if you have ■ persistent or chronic cough, such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough is accompanied by excessive phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product ■ do not use more than directed

Stop use and ask a doctor if cough persists for more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be sign of serious illness.

If pregnant or breast-feeding, ask a health professional before use. **KEEP OUT OF REACH OF CHILDREN.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222).

Directions
Adults and children ■ Take 1 tablet every 4 hours with a full glass of water. Do not exceed 6 doses in 24 hours.
Children under 12 years of age ■ Do not use

Other information ■ store between 20-25°C (68-77°F) ■ Keep in dry place and do not expose to heat ■ do not use if imprinted safety seal under the cap is broken or missing.

Inactive ingredients: Colloidal Silicon Dioxide, Hypromellose 5 & 15, Methylcellulose, Magnesium Stearate, Maltodextrin, Microcrystalline Cellulose, PEG 400, PVP K30, Purified Water, Sodium Starch Glycolate, Stearic Acid Powder.

Questions? call toll-free 1-800-630-8895



This product is not manufactured or distributed by Reckitt Benckiser, distributor of Mucinex® DM Tablets.
Distributed by: **ADVANCED RX LLC**
1942 NE 163ST North Miami Beach, FL 33162 U.S.A.

MUCUS RELIEF DM

guaifenesin, dextromethorphan hbr tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80513-407
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
HYPROMELLOSE 2910 (15 MPA.S) (UNII: 365FW2JZOW)	
METHYLCELLULOSE, UNSPECIFIED (UNII: Z944H5SN0H)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)	
POVIDONE K30 (UNII: U725QWY32X)	
WATER (UNII: 059QF0KO0R)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
--------------	-------	--------------	----------

Shape	OVAL	Size	16mm
Flavor		Imprint Code	ET16
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80513-407-09	90 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2025	

Labeler - Advanced Rx LLC (042795108)

Establishment

Name	Address	ID/FEI	Business Operations
ELYSIUM PHARMACEUTICALS LIMITED		915664486	manufacture(80513-407)

Revised: 1/2025

Advanced Rx LLC