

UP AND UP 5-SYMPTOM DIGESTIVE RELIEF- bismuth subsalicylate tablet

Target Corporation

5 Symptom Digestive Relief

Drug Facts

Active ingredient (in each caplet)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever and anti-diarrheal

Uses

relieves

- heartburn
- indigestion
- nausea
- upset stomach
- diarrhea

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:

Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever

- mucus in the stool

Ask a doctor before use if you are taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears occurs or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.1-800-222-1222.

Directions

- swallow with water, do not chew
- **adults and children 12 years and older:** 2 caplets every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each caplet contains:** calcium 27 mg
- sodium 3 mg
- salicylate 99 mg
- low sodium
- sugar free
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

calcium carbonate, crospovidone, D&C red#27 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium lauryl sulfate.

PRINCIPAL DISPLAY PANEL -

NDC 11673-125-20

Compare to active ingredient in **Pepto-Bismol® Caplets***

5- symptom digestive relief

relief of upset stomach, nausea, heartburn, indigestion, diarrhea

40 CAPLETS

***This product is not manufactured or distributed by Procter & Gamble Inc. the distributor of PEPTO-BISMOL®**

TAMPER EVIDENT DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

245 05 0375 R01 ID285492

Dist.by Target Corp., Mpls ., MN 55403

©2017 Target Brands, Inc.

Shop Target.com

Guest Services 1-800-910-6874



UP AND UP 5-SYMPTOM DIGESTIVE RELIEF

bismuth subsalicylate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-125
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Basic of

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
calcium carbonate (UNII: H0G9379FGK)	
CROSPROVIDONE (120 .MU.M) (UNII: 68401960MK)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
magnesium stearate (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

Product Characteristics

Color	PINK (mottled light pink)	Score	no score
Shape	OVAL (Oblong Caplet)	Size	16mm
Flavor		Imprint Code	RP125
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-125-20	40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/07/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	09/07/2015	

Labeler - Target Corporation (006961700)