

**UP AND UP 5-SYMPTOM DIGESTIVE RELIEF- bismuth subsalicylate tablet**  
**Target Corporation**

-----  
**5 Symptom Digestive Relief**

***Drug Facts***

**Active ingredient (in each caplet)**

Bismuth subsalicylate 262 mg

**Purpose**

Upset stomach reliever and anti-diarrheal

**Uses**

relieves

- heartburn
- indigestion
- nausea
- upset stomach
- diarrhea

**Warnings**

**Reye's syndrome**

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:**

**Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool

**Ask a doctor before use if you are taking any drug for**

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

**When using this product**a temporary, but harmless, darkening of the stool and/or tongue may occur.

**Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears occurs or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast feeding**,ask a health professional before use.

**Keep out of reach of children. In case of overdose**, get medical help or contact a Poison Control Center immediately.1-800-222-1222.

**Directions**

- swallow with water, do not chew
- **adults and children 12 years and older:**2 caplets every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 caplets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:**ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information**

- **each caplet contains:**calcium 27 mg
- sodium 3 mg
- salicylate 99 mg
- low sodium
- sugar free
- avoid excessive heat (over 104°F or 40°C)

**Inactive ingredients**

calcium carbonate, crospovidone, D&C red#27 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium lauryl sulfate.

**PRINCIPAL DISPLAY PANEL -**

NDC 11673-125-20

**Compare to**active ingredient in **Pepto-Bismol® Caplets\***

**5- symptom digestive relief**

relief of upset stomach, nausea, heartburn, indigestion, diarrhea

**40 CAPLETS**

**\*This product is not manufactured or distributed by Procter & Gamble Inc.  
the distributor of PEPTO-BISMOL®**

**TAMPER EVIDENT DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR  
MISSING.**

**245 05 0375 R01 ID285492**

**Dist.by Target Corp., Mpls ., MN 55403**

**©2017 Target Brands, Inc.**

**Shop Target.com**

**Guest Services 1-800-910-6874**



## UP AND UP 5-SYMPTOM DIGESTIVE RELIEF

bismuth subsalicylate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-125
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Basic of

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CROSPROVIDONE (120 .MU.M)</b> (UNII: 68401960MK)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	

### Product Characteristics

<b>Color</b>	pink (mottled light pink)	<b>Score</b>	no score
<b>Shape</b>	OVAL (Oblong Caplet)	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	RP125
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-125-20	40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/07/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	09/07/2015	

**Labeler** - Target Corporation (006961700)

Revised: 11/2025

Target Corporation