

**CLARINS EVERLASTING CUSHION LONG WEARING AND HYDRATING FOUNDATION  
BROAD SPECTRUM SPF 50 112 RETAIL REFILL WITH SPONGE- ensulizole, titanium  
dioxide emulsion  
LABORATOIRES CLARINS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

**CLARINS - EVERLASTING CUSHION LONG-WEARING & HYDRATING FOUNDATION -  
BROAD SPECTRUM SPF 50 - 112 Retail refill with sponge**

***Drug Facts***

***Active Ingredients:***

ENSULIZOLE: 2.7 %

TITANIUM DIOXIDE: 6.2 %

***Purpose:***

Sunscreen

***Uses:***

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings:***

**For external use only.**

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions:***

- apply liberally 15 minutes before sun exposure.
- apply to all skin exposed to the sun.
- children under 6 months: Ask a doctor.
- **Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this

risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses.
- reapply at least every 2 hours.
- use a water resistant sunscreen if swimming or sweating.

***Inactive Ingredients:***

AQUA/WATER/EAU . CYCLOPENTASILOXANE . PHENYL TRIMETHICONE .  
CYCLOHEXASILOXANE . BUTYLENE GLYCOL . DIPENTAERYTHRITYL HEXA C5-9 ACID  
ESTERS . TRIETHYLHEXANOIN . CETYL PEG/PPG-10/1 DIMETHICONE . GLICERIN .  
DIMETHICONE . NIACINAMIDE . TROMETHAMINE . 1,2-HEXANEDIOL . SORBITAN  
SESQUIOLEATE . STEARIC ACID . DIMETHICONE/PEG-10/15 CROSSPOLYMER . NYLON-12 .  
PEG-30 DIPOLYHYDROXYSTEARATE . SODIUM CHLORIDE . ZINC STEARATE . ALUMINUM  
HYDROXIDE . DISTEARYLDIMONIUM CHLORIDE . PARFUM/FRAGRANCE . TOCOPHERYL  
ACETATE . BIS-VINYL DIMETHICONE/DIMETHICONE COPOLYMER . DISTEARDIMONIUM  
HECTORITE . TRIETHOXYCAPRYLYLSILANE . ADENOSINE . PALMITOYL PROLINE .  
TRIETHOXYSIPLYETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE .  
CHENOPODIUM QUINOA SEED EXTRACT . MAGNESIUM PALMITOYL GLUTAMATE .  
SODIUM PALMITOYL SARCOSINATE . CERAMIDE 3 . PALMITIC ACID . HYDROGENATED  
LECITHIN . LAPSANA COMMUNIS FLOWER/ LEAF/STEM EXTRACT . DIPROPYLENE  
GLYCOL . GLYCERETH-20 . CAMELLIA SINENSIS LEAF EXTRACT . PEG-10  
RAPESEED STEROL . GLYCERYL STEARATE . SODIUM BENZOATE . PHENOXYETHANOL.  
+/-MAY CONTAIN/PEUT CONTENIR : MICA . SILICA . CI 77891/TITANIUM DIOXIDE . CI  
77491/CI 77492/CI 77499/IRON OXIDES. [MS3256A2]


***Other information:***

- protect this product from excessive heat and direct sun.


***Questions or comments?***

Call 1-866-252-7467 (In the US) Monday-Friday 8 a.m. to 5 p.m.

**Package Labeling: (58668-1731-0)**



**Package Labeling: (58668-1731-1)**



# CLARINS EVERLASTING CUSHION LONG WEARING AND HYDRATING FOUNDATION BROAD SPECTRUM SPF 50 112 RETAIL REFILL WITH SPONGE

ensulizole, titanium dioxide emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58668-1731
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9D11W42) (ENSULIZOLE - UNII:9YQ9D11W42)	ENSULIZOLE	27 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	62 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIPENTAERYTHRITYL HEXA C5-9 ACID ESTERS (UNII: D818OLQ51Z)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
NIACINAMIDE (UNII: 25X51I8RD4)	
TROMETHAMINE (UNII: 023C2WHX2V)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
NYLON-12 (UNII: 446U8J075B)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ZINC STEARATE (UNII: H92E6QA4FV)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ADENOSINE (UNII: K72T3FS567)	
PALMITOYL PROLINE (UNII: I49727TDYF)	
MAGNESIUM PALMITOYL GLUTAMATE (UNII: DH37YM1F48)	
SODIUM PALMITOYL SARCOINATE (UNII: 7297LY09YF)	
WATER (UNII: 059QF0KO0R)	
CERAMIDE 3 (UNII: 4370DF050B)	
PALMITIC ACID (UNII: 2V16EO95HI)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	

<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERETH-20</b> (UNII: GJ57297I4F)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PEG-10 RAPESEED STEROL</b> (UNII: 258O76T85M)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58668-1731-0	1 in 1 BOX	08/01/2018	
1		13 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:58668-1731-1	1 in 1 BOX	08/01/2018	
2		13 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/01/2018	

**Labeler** - LABORATOIRES CLARINS (266317555)

Revised: 12/2019

LABORATOIRES CLARINS