#### ASPIRIN- aspirin tablet, delayed release Strategic Sourcing Services LLC

-----

HMT - 1080B - 2019-1003

**Drug Facts** 

#### Active ingredient (in each tablet)

Aspirin 81 mg (NSAID)\*

\* nonsteroidal anti-inflammatory drug

#### **Purpose**

Pain reliever

#### Uses

- for the temporary relief of minor aches and pains or as recommended by your doctor. Because of its delayed action, this product will not provide fast relief of headaches or other symptoms needing immediate relief.
- ask your doctor about other uses for this product

#### **Warnings**

#### Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

#### Allergy alert

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

#### Stomach bleeding warning

This product contains an NSAID, which may cause severe stomach bleeding.

The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug

- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer

#### Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

#### Ask a doctor or pharmacist before use if you are taking a prescription drug for:

- diabetes
- gout
- arthritis

#### Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- pain gets worse or lasts for more than 10 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or loss of hearing occurs

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: consult a doctor

#### Other information

- store between 20°-25°C (68°-77°F) in a dry place
- retain carton for complete product information and warnings

#### **Inactive ingredients**

anhydrous lactose, carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C yellow #10 aluminum lake, iron oxide ochre, methacrylic acid copolymer, microcrystalline cellulose, polysorbate 80, simethicone, sodium hydroxide, sodium lauryl sulfate, starch, talc, titanium dioxide, triethyl citrate

#### PRINCIPAL DISPLAY PANEL

NDC 62011-0019-1

Compare to Bayer(R) Low Dose Active Ingredient

Health Mart

SAFETY COATED

Low Dose Aspirin

Pain Reliever (NSAID)

**ACTUAL SIZE** 

Aspirin Regimen\*\*

120 ENTERIC COATED TABLETS - 81MG EACH



Aspirin 81 mg (NSAID)\*..... \* nonsteroidal anti-inflammatory drug Uses

ask your doctor about other uses for this product Warnings for the temporary relief of minor aches and other symptoms needing immediate relief. Because of its delayed action, this product will not provide fast relief of headaches or pains or as recommended by your doctor.

# stomach bleeding warning applies to you you have a history of stomach problems, such as you are taking a diuretic Ask a doctor before use if

Reye's syndrome: Children and teenagers who

■ you have high blood pressure, heart disease liver cirrhosis, or kidney disease

taking a prescription drug for: Ask a doctor or pharmacist before use if you are ■ gout ■ arthritis you have asthma

 you experience any of the following signs of stomach bleeding:

feel faint an allergic reaction occurs. Seek medical help Stop use and ask a doctor if

nactive ingredients

right away.

have bloody or black stools
 wornit blood
 have stomach pain that does not get better
 pain gets worse or lasts for more than 10 days

Stomach bleeding warning: This product contains an NSAID, which may cause severe

tomach bleeding.

The chance is higher if you:

are age 60 or older

take a blood thinning (anticoagulant) or

have had stomach ulcers or bleeding problems

steroid drug

eaction which may include:

Illergy alert: Aspirin may cause a severe allergic

asthma (wheezing)

■ shock facial swelling and vomiting occur, consult a doctor because his product, if changes in behavior with nausea symptoms should not use this product. When using have or are recovering from chicken pox or flu-like

hese symptoms could be an early sign of Reye's

Indrome, a rare but serious illness

 redness or swelling is present ringing in the ears or loss of hearing occurs hese could be signs of a serious condition.

Aspirin is not appropriate for everyone, so be sure to talk to your doctor before you begin an aspirin regimen. sulfate, starch, talc, titanium dioxide, triethyl citrate aluminum lake, iron oxide ochre, methacrylic acid copolymer, microcrystalline cellulose, polysorbate anhydrous lactose, carnauba wax, colloidal silicor dioxide, croscarmellose sodium, D&C yellow #10

simethicone, sodium hydroxide, sodium lauryl

ACTUAL SIZE

new symptoms occur

Drug Facts

Active ingredient (in each tablet) Pain reliever Purpose

> This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Bayer® Low Dose Aspirin. take other drugs containing prescription or Drug Facts (continued) naproxen, or others) nonprescription NSAIDs (aspirin, ibuprofen,



**EXPIRATION STAMPING** FOR LOT AND INK AND COATING FREE

Drug Facts (continued)

Do not use if you are allergic to aspirin or any other

take more or for a longer time than directed

pain reliever/fever reducer

have 3 or more alcoholic drinks every day

while using this product

unborn child or complications during delivery.

Keep out of reach of children. In case of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the professional before use. It is especially important not to use aspirin during the last 3 months of Control Center right away (1-800-222-1222) werdose, get medical help or contact a Poison f pregnant or breast-feeding, ask a health Directions

drink a full glass of water with each dose
 adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets

 children under 12 years: consult a doctor Other information in 24 hours unless directed by a doctor

 retain carton for complete product information store between 20°-25°C (68°-77°F) in a dry place

Health Mart.

NDC 62011-0019-1 Compare to Bayer® Low Dose Aspirin active ingredient †

SAFETY COATED

Low Dose Aspirin

Pain Reliever (NSAID)

Aspirin Regimen\*\*

120 ENTERIC COATED TABLETS - 81MG EACH

Distributed by McKesson One Post Street, San Francisco, CA 94104 Money Back Guarantee healthmart.com

(UIAZN) YavailaR nis9 niriqsA

SAFETY COATED

TOM DORG

**W**EKE220N

Health Mart,

### **ASPIRIN**

aspirin tablet, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0019
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg	

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
ALUMINUM OXIDE (UNII: LMI2606933)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STARCH, CORN (UNII: O8232NY3SJ)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics			
Color	yellow	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	heart
Contains			

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:62011- 0019-1	1 in 1 CARTON	11/01/2011	12/31/2025	
1		120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			
2	NDC:62011- 0019-2	1 in 1 CARTON	06/01/2017	09/30/2024	
2		300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End	
Category	Citation	Date	Date	

OTC Monograph Drug	M013	11/01/2011	12/31/2025

## Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 10/2023 Strategic Sourcing Services LLC