

**YUNNAN BAIYAO PAIN RELIEVING- camphor, menthol, and methyl salicylate patch**  
**YUNNAN BAIYAO GROUP CO., LTD.**

-----  
***Drug Facts***

***Active ingredients***

Camphor 3.5%

Menthol 4.5%

Methyl Salicylate 10%

***Purpose***

External analgesic

External analgesic

External analgesic

***Uses***

For the temporary relief of minor aches and pains of muscles and joints due to:  
simple backache

arthritis

strains

bruises

sprains

***Warnings***

**For external use only**

**Allergy alert:** This product contains natural rubber latex which may cause allergic reactions

**Do not use**

on irritated or damaged skin

on wounds

otherwise than as directed

**When using this product**

avoid contact with the eyes or mucous membranes

do not bandage tightly

**Stop use and ask a doctor if**

condition worsens

symptoms persist for more than 7 days

symptoms clear up and occur again within a few days

excessive irritation of the skin develops  
nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs  
when using for pain of arthritis:  
    pain persists for more than 10 days  
    redness is present  
    in conditions affecting children under 12 years of age

**Keep out of reach of children** to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

adults and children 3 years of age and older: remove the attached film from the patch. Apply to affected area not more than 3 to 4 times daily

children under 3 years of age: do not use, consult your physician

refer to the above warnings; use otherwise than as directed may be dangerous

***Other information***

keep tightly closed  
store at 15 to 30 C (59 to 86 F)

***Inactive ingredients***

Ampelopsis delavayana root, capsicum, Chinese yam rhizome, corydalis yanhusuo rhizome, dong-quai root, fragrant angelica root, Japanese dioscorea rhizome, lanolin, rosin, san-qi ginseng root and rhizome, Sichuan lovage rhizome, and zinc oxide, on a natural latex rubber pad.

***Questions or comments?*** (888) 221-3496 M-F 9 am to 5 pm  
you may also report serious side effects to this phone number

**Yunnan Baiyao Pain Relieving Patch**

External Analgesic

NDC 61658-005-01

6 patches  
each patch 6.5 x 10 cm (2.56 x 3.94 in)  
1 patch per pouch

## Drug Facts

Active Ingredients	Purpose
Camphor 3.5%.....	External analgesic
Menthol 4.5%.....	External analgesic
Methyl salicylate 10%.....	External analgesic
<b>Uses</b> For the temporary relief of minor aches and pains of muscles and joints due to: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
<b>Warnings</b> For external use only	
<b>Allergy alert</b> : This product contains natural rubber latex which may cause allergic reactions	
<b>Do not use</b>	
■ on irritated or damaged skin	■ on wounds
■ otherwise than as directed	
<b>When using this product</b>	
■ avoid contact with the eyes or mucous membranes	
■ do not bandage tightly	
<b>Stop use and ask a doctor if</b>	
■ condition worsens	
■ symptoms persist for more than 7 days	
■ symptoms clear up and occur again within a few days	
■ excessive irritation of the skin develops	
■ nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs	
■ when using for pain of arthritis:	
■ pain persists for more than 10 days	
■ redness is present	
■ in conditions affecting children under 12 years of age	
<b>Keep out of reach of children</b> to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ adults and children 3 years of age and older: remove the attached film from the patch. Apply to affected area not more than 3 to 4 times daily	
■ children under 3 years of age: do not use, consult your physician	
■ refer to the above warning; use otherwise than as directed may be dangerous	
<b>Other Information</b>	
■ keep tightly sealed	
■ store at 15° to 30° C (59° to 86° F)	
<b>Inactive ingredients</b> Ampelopsis delavayana root, capsicum, Chinese yam rhizome, corydalis yanhusuo rhizome, dong-quai root, fragrant angelica root, Japanese discoscara rhizome, lanolin, rosin, san-qi ginseng root and rhizome, Sichuan lovage rhizome, and zinc oxide, on a natural latex rubber pad.	
<b>Questions or Comments?</b> (888) 221-3496 M-F, 9 am to 5 pm	
■ you may also report serious side effects to this phone number.	

U.S. Distributor 美國總代理：  
**SOLSTICE MEDICINE COMPANY**  
 美國 萊氏藥業有限公司  
 215 W. Arvin Street  
 Los Angeles, CA 90012  
 Toll Free: 1-888-221-3496  
[www.solsticeinc.com](http://www.solsticeinc.com)

Manufactured by 製造商：  
**雲白國際有限公司**  
 YUNBI INTERNATIONAL LIMITED  
 No. 3688 Yunnan Baiyao Street  
 Chengde District, Kunming, Yunnan  
 People's Republic of China  
 Product of China



**YNBY**<sup>®</sup>

**SOLSTICE**  
 MEDICINE COMPANY

EXTERNAL ANALGESIC  
 NDC 61658-005-01

# Yunnan Baiyao<sup>®</sup> Pain Relieving Patch



- Stiff Neck
- Sore Shoulder
- Backache
- Joint Pain

Camphor 3.5% • Menthol 4.5% • Methyl Salicylate 10%

**6 Patches**  
 each patch 6.5 x 10cm  
 (2.5 x 3.94 inches)  
 1 patch per pouch

 **雲白國際有限公司**  
 YNBY INTERNATIONAL LIMITED

Lot No. 批號: \_\_\_\_\_ Exp. Date 有效期: \_\_\_\_\_

**Yunnan Baiyao Pain Relieving Patch**

External Analgesic

NDC 61658-005-02

12 patches

each patch 6.5 x 10 cm (2.56 x 3.94 in)

1 patch per pouch

<p><b>U.S. Distributor:</b> 美國總代理: SOLSTICE MEDICINE COMPANY 美國藥劑藥業有限公司 215 W. Ann Street Los Angeles, CA 90012 Tel/Fax: 1-800-221-3486 www.solstice.com</p>	<p><b>Manufactured by:</b> 製造商: Yunnan Baiyao Group Co., Ltd. 雲南白藥集團股份有限公司 No. 3686 Yunnan Baiyao Street Chengde District, Kunming, Yunnan People's Republic of China</p>
--	---

Product of China

<p><b>Drug Facts</b></p> <p><b>Active Ingredients</b></p> <p>Camphor 3.5%..... External analgesic Menthol 4.5%..... External analgesic Methyl salicylate 10%..... External analgesic</p> <p><b>Purpose</b></p> <p>Use: For the temporary relief of minor aches and pains of muscles and joints due to: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains</p> <p><b>Warnings</b> For external use only</p> <p><b>Allergy alert:</b> This product contains natural rubber latex which may cause allergic reactions</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"><li>■ on irritated or damaged skin</li><li>■ on wounds</li><li>■ otherwise than as directed</li></ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"><li>■ avoid contact with the eyes or mucous membranes</li><li>■ do not bandage tightly</li></ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"><li>■ condition worsens</li><li>■ symptoms persist for more than 7 days</li><li>■ symptoms clear up and occur again within a few days</li><li>■ excessive irritation of the skin develops</li><li>■ nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs when using for pain of arthritis:</li><li>■ pain persists for more than 10 days</li><li>■ redness is present</li><li>■ in conditions affecting children under 12 years of age</li></ul> <p><b>Keep out of reach of children</b> to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>■ adults and children 3 years of age and older: remove the attached film from the patch. Apply to affected area not more than 3 to 4 times daily</li><li>■ children under 3 years of age: do not use, consult your physician</li><li>■ refer to the above warning; use otherwise than as directed may be dangerous</li></ul> <p><b>Other Information</b></p> <ul style="list-style-type: none"><li>■ keep tightly sealed</li><li>■ store at 15° to 30° C (59° to 86° F)</li></ul> <p><b>Inactive Ingredients</b> Angelopsis delavayana root, capsicum, Chinese yam rhizome, corydalis yanhusuo rhizome, dong-quai root, fragrant angelica root, Japanese disocoria rhizome, linolin, rosin, sai-qi ginseng root and rhizome, Sichuan lovage rhizome, and zinc oxide, on a natural latex rubber pad.</p> <p><b>Questions or Comments?</b> (888) 221-3486, M-F, 9 am to 5 pm ■ you may also report serious side effects to this phone number.</p>
---

0 49987 01432 7

**YNBY®** SOLSTICE MEDICINE COMPANY

EXTERNAL ANALGESIC  
NDC 61658-005-02

**Yunnan Baiyao®  
Pain Relieving Patch**

**APPLY FOR 12 HOURS**

- Stiff Neck
- Sore Shoulder
- Backache
- Joint Pain

Camphor 3.5% • Menthol 4.5% • Methyl Salicylate 10%

**12 Patches**  
each patch 6.5 x 10cm  
(2.5 x 3.94 inches)

雲白國際有限公司

Lot No. 批號: \_\_\_\_\_  
Exp. Date 有效期: \_\_\_\_\_

1 patch per pouch

TSEI INTERNATIONAL LIMITED

**YUNNAN BAIYAO PAIN RELIEVING**

camphor, menthol, and methyl salicylate patch

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61658-005
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	40.74 mg
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	51.84 mg
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	117.998 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>AMPELOPSIS DELAVAYANA ROOT</b> (UNII: N93790DMR5)	
<b>CAPSICUM</b> (UNII: 00UK7646FG)	
<b>CHINESE YAM</b> (UNII: 29CIF30B1Z)	
<b>CORYDALIS YANHUSUO WHOLE</b> (UNII: DX4V4VDT5J)	
<b>ANGELICA SINENSIS ROOT</b> (UNII: B66F4574UG)	
<b>ANGELICA DAHURICA ROOT</b> (UNII: 1V63N2S972)	
<b>DIOSCOREA JAPONICA WHOLE</b> (UNII: 110396UIN0)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>ROSIN</b> (UNII: 88S87KL877)	
<b>PANAX NOTOGINSENG WHOLE</b> (UNII: E7XOU43ESD)	
<b>LIGUSTICUM SINENSE SUBSP. CHUANXIONG WHOLE</b> (UNII: CAX256379F)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>NATURAL LATEX RUBBER</b> (UNII: 2LQ0UUW8IN)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61658-005-01	6 in 1 BOX	03/19/2024	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

2	NDC:61658-005-02	12 in 1 BOX	03/19/2024	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part348	03/19/2024	

**Labeler** - YUNNAN BAIYAO GROUP CO., LTD. (654223122)

## Establishment

Name	Address	ID/FEI	Business Operations
YUNNAN BAIYAO GROUP CO., LTD.		654223122	manufacture(61658-005)

Revised: 7/2024

YUNNAN BAIYAO GROUP CO., LTD.