

## **ALBENDAMAX- 11.36% albendazole oral suspension** **Vetr, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

### **Albendamax (albendazole oral suspension)**

#### **Important**

Accurate estimates of the weight of the cattle, sheep, and goats to be treated are essential for effective results. Animals consistently exposed to internal parasites should be retreated as necessary.

#### **Residue Warnings**

Cattle must not be slaughtered within 27 days following last treatment. Sheep and Goats must not be slaughtered within 7 days following last treatment. A withdrawal time in milk has not been established; Do not use in female breeding dairy cattle. Do not use in lactating female sheep or goats.

#### **Other Warnings**

Parasite resistance may develop to any dewormer, and has been reported for most classes of dewormers. Treatment with a dewormers AND parasite management practices appropriate to the region and the animal(s) treated may slow the development of parasite resistance. Fecal examinations or other diagnostic tests should be used to determine if this product is appropriate, prior to the use of any dewormer. Following the use of any dewormer, effectiveness of treatment should be monitored, e.g., fecal egg count reduction test. A decrease in a drug's effectiveness over time as calculated by fecal egg count reduction tests may indicate the development of resistance to the dewormer administered. Your parasite management plan should be adjusted accordingly.

#### **Precaution**

Do not administer to female cattle during first 45 days of pregnancy or for 45 days after removal of bulls. Do not administer to ewes or does during the first 30 days of pregnancy or for 30 days after removal of rams or bucks. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.

Albendamax Suspension should be administered to cattle and goats at the recommended rate of 4 mL/100 lb of body weight (equivalent to 4.54 mg of albendazole/lb, 10 mg/kg) and to sheep at the recommended rate of 0.75 mL/25 lb of body weight (equivalent to 3.4 mg of albendazole/lb, 7.5 mg/kg). Do not underdose. Ensure each animal receives a complete dose based on a current body weight. Underdosing may result in ineffective treatment, and encourage the development of parasite resistance.

**NOT FOR HUMAN USE. KEEP AWAY FROM CHILDREN. Use only as directed.**

Store at Controlled Room Temperature 20° - 25°C (68° - 77°F)

Protect From Freezing

Albendazole 11.36% oral suspension (113.6 mg/mL)

STORE AT ROOM TEMPERATURE      CAUTION: FOR ANIMAL USE ONLY      SHAKE WELL BEFORE USE

### Indication

**AlbendaMax** is a broad-spectrum anthelmintic that is highly effective against major roundworms in cattle (inhibited *Ostertagia*). Albendazole dewormer is an oral suspension containing 11.36% Albendazole for use in cattle, sheep, horses, and goats for the removal and control of adult liver flukes, tapeworms, stomach worms, intestinal worms, and lungworms. It is also used for adult liver flukes in nonlactating goats.

### Directions

**AlbendaMax** should be administered to cattle and goats at the recommended rate of 4 mL / 100 lb of body weight (equivalent to 4.54 mg of albendazole/lb, 10 mg/kg) and to sheep at the recommended rate of 0.75 mL / 25 lb of body weight (equivalent to 3.4 mg of albendazole/lb, 7.5 mg/kg).

# Vetr

## AlbendaMax<sup>®</sup>

Albendazole 11.36% Oral Solution

### Broad-Spectrum Dewormer

240 mL / 8 oz

### Dosage Chart

**HORSES:** 3.5 mL of AlbendaMax per 100 lb body weight.

**CATTLE AND GOATS:** 4 mL of AlbendaMax per 100 lb body weight.

**SHEEP:** 0.75 mL of AlbendaMax per 25 lbs of body weight

### Warning

Do not underdose. Ensure each animal receives a complete dose based on a current body weight. Underdosing may result in ineffective treatment, and encourage the development of parasite resistance.



7 27252 84390 1



MANUFACTURED BY VETR



Grants Pass  
OR 97526  
(503) 269-0760  
www.vetr.com  
@vetr\_official  
#vetr\_official



www.vetr.com

STORE AT ROOM TEMPERATURE

CAUTION: FOR ANIMAL USE ONLY

SHAKE WELL BEFORE USE

### Indication

**AlbendaMax** is a broad-spectrum anthelmintic that is highly effective against major roundworms in cattle (inhibited Ostertagia). Albendazole dewormer is an oral suspension containing 11.36% Albendazole for use in cattle, sheep, horses, and goats for the removal and control of adult liver flukes, tapeworms, stomach worms, intestinal worms, and lungworms. It is also used for adult liver flukes in nonlactating goats.

### Directions

**AlbendaMax** should be administered to cattle and goats at the recommended rate of 4mL/100 lb of body weight (equivalent to 4.54 mg of albendazole/lb, 10 mg/kg) and to sheep at the recommended rate of 0.75 mL/25 lb of body weight (equivalent to 3.4 mg of albendazole/lb, 7.5 mg/kg).

# Vetr

## AlbendaMax<sup>®</sup>

Albendazole 11.36% Oral Solution

### Broad-Spectrum Dewormer

500 mL / 16.9 oz

### Dosage Chart

**HORSES:** 3.5 mL of AlbendaMax per 100 lb body weight.

**CATTLE AND GOATS:** 4 mL of AlbendaMax per 100 lb body weight.

**SHEEP:** 0.75 mL of AlbendaMax per 25 lbs of body weight

### Warning

Do not underdose. Ensure each animal receives a complete dose based on a current body weight. Underdosing may result in ineffective treatment, and encourage the development of parasite resistance.



MANUFACTURED BY VETR



Groves Pass  
OR 97526  
(503) 259-0760  
@vetr\_official  
vetr\_official  
www.vetr.com

STORE AT ROOM TEMPERATURE

CAUTION: FOR ANIMAL USE ONLY

SHAKE WELL BEFORE USE

### Indication

**AlbendaMax** is a broad-spectrum anthelmintic that is highly effective against major roundworms in cattle (inhibited Ostertagia). Albendazole dewormer is an oral suspension containing 11.36% Albendazole for use in cattle, sheep, horses, and goats for the removal and control of adult liver flukes, tapeworms, stomach worms, intestinal worms, and lungworms. It is also used for adult liver flukes in nonlactating goats.

### Directions

**AlbendaMax** should be administered to cattle and goats at the recommended rate of 4mL/100 lb of body weight (equivalent to 4.54 mg of albendazole/lb, 10 mg/kg) and to sheep at the recommended rate of 0.75 mL/25 lb of body weight (equivalent to 3.4 mg of albendazole/lb, 7.5 mg/kg).

# Vetr

## AlbendaMax<sup>®</sup>

Albendazole 11.36% Oral Solution

### Broad-Spectrum Dewormer

960 mL

### Dosage Chart

**HORSES:** 3.5 mL of AlbendaMax per 100 lb body weight.

**CATTLE AND GOATS:** 4 mL of AlbendaMax per 100 lb body weight.

**SHEEP:** 0.75 mL of AlbendaMax per 25 lbs of body weight.

### Warning

Do not underdose. Ensure each animal receives a complete dose based on a current body weight. Underdosing may result in ineffective treatment, and encourage the development of parasite resistance.



MANUFACTURED BY VETR



Groves Pass  
OR 97526  
(503) 259-0760  
@vetr\_official  
vetr\_official  
www.vetr.com

STORE AT ROOM TEMPERATURE CAUTION: FOR ANIMAL USE ONLY SHAKE WELL BEFORE USE

**Indication**  
 Albendazole is a broad-spectrum antihelminthic that is highly effective against major roundworms in cattle and horses. Albendazole is an oral suspension containing 0.30% albendazole for use in cattle, sheep, horses, and goats for the control and treatment of adult and young roundworms, tapeworms, and lungworms. It is also used for adult deer. It is not for use in ruminating goats.

**Directions**  
 Albendazole should be administered by oral and gavage to the animal. The volume of 100 mL of 100 mg/mL oral suspension is 100 mg of albendazole. The recommended oral dose of 0.05 mg/kg (0.5 mL of 100 mg/mL oral suspension) is 50 mg of albendazole. 100 mg/kg of albendazole is 100 mg of albendazole. 100 mg/kg

**Dosage Chart**  
**HORSES:** 3.0 mL of AlbendaMax per 100 lb body weight.  
**CATTLE AND GOATS:** 4 mL of AlbendaMax per 100 lb body weight.  
**DEER:** 0.75 mL of AlbendaMax per 20 lbs of body weight.

**Warning**  
 Do not administer this product to animals that are pregnant or lactating. Do not administer this product to animals that are pregnant or lactating. Do not administer this product to animals that are pregnant or lactating. Do not administer this product to animals that are pregnant or lactating.

**Vetr**  
 Vetr  
 1-800-441-4444  
 www.vetr.com

1893 mL / 1/2 Gal.

MANUFACTURED BY VETR

STORE AT ROOM TEMPERATURE CAUTION: FOR ANIMAL USE ONLY SHAKE WELL BEFORE USE

**Indication**  
 Albendazole is a broad-spectrum antihelminthic that is highly effective against major roundworms in cattle and horses. Albendazole is an oral suspension containing 0.30% albendazole for use in cattle, sheep, horses, and goats for the control and treatment of adult and young roundworms, tapeworms, and lungworms. It is also used for adult deer. It is not for use in ruminating goats.

**Directions**  
 Albendazole should be administered by oral and gavage to the animal. The volume of 100 mL of 100 mg/mL oral suspension is 100 mg of albendazole. The recommended oral dose of 0.05 mg/kg (0.5 mL of 100 mg/mL oral suspension) is 50 mg of albendazole. 100 mg/kg of albendazole is 100 mg of albendazole. 100 mg/kg

**Dosage Chart**  
**HORSES:** 3.0 mL of AlbendaMax per 100 lb body weight.  
**CATTLE AND GOATS:** 4 mL of AlbendaMax per 100 lb body weight.  
**DEER:** 0.75 mL of AlbendaMax per 20 lbs of body weight.

**Warning**  
 Do not administer this product to animals that are pregnant or lactating. Do not administer this product to animals that are pregnant or lactating. Do not administer this product to animals that are pregnant or lactating. Do not administer this product to animals that are pregnant or lactating.

**Vetr**  
 Vetr  
 1-800-441-4444  
 www.vetr.com

3875 mL / 1 Gal.

MANUFACTURED BY VETR

## ALBENDAMAX

11.36% albendazole oral suspension

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:86213-442
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALBENDAZOLE</b> (UNII: F4216019LN) (ALBENDAZOLE - UNII:F4216019LN)	ALBENDAZOLE	113.6 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	6 mg in 1 mL
<b>GLYCERIN</b> (UNII: PDC6A3COOX)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZ4)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86213-442-01	240 mL in 1 BOTTLE, PLASTIC		
2	NDC:86213-442-02	500 mL in 1 BOTTLE, PLASTIC		
3	NDC:86213-442-03	960 mL in 1 BOTTLE, PLASTIC		
4	NDC:86213-442-04	1893 mL in 1 BOTTLE, PLASTIC		
5	NDC:86213-442-05	3785 mL in 1 BOTTLE, PLASTIC		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/27/2026	

**Labeler** - Vetr, LLC (132219984)

## Establishment

Name	Address	ID/FEI	Business Operations
Vetr, LLC		132219984	manufacture, label

## Establishment

Name	Address	ID/FEI	Business Operations
Alivira Animal Health		650916617	api manufacture

Revised: 3/2026

Vetr, LLC