

MOTION SICKNESS RELIEF- meclizine hcl tablet
Kroger Company

Kroger 44-403A

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take first dose 1/2 to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- use by expiration date on package

Inactive ingredients

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments?

1-800-632-6900

Principal Display Panel

COMPARE TO the active ingredient in DRAMAMINE® LESS DROWSY*

NDC 30142-943-19

Kroger®
health

**UP TO
24
Hours**

Motion Sickness Relief

**Meclizine HCl 25 mg
Antiemetic**

AGES 12 YEARS AND OVER

HELPS PREVENT
, VOMITING
AND DIZZINESS DUE
TO MOTION SICKNESS

**OPEN HERE
TO VIEW
COMPLETE
PRODUCT
INFORMATION**

**TAMPER EVIDENT: DO NOT USE IF PRINTED TEAR
STRIP IS BROKEN OR MISSING**

*Dramamine® is a registered trademark of Medtech Products Inc.
50844 REV0423A40319

DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202

‡OUR PHARMACIST RECOMMENDED

TAMPER EVIDENT: DO NOT USE IF THIS SAFETY SEAL AROUND CAP IS BROKEN OR MISSING

TEAR HERE TO OPEN 8 TABLETS

No Ink
No Varnish

DISTRIBUTED BY THE KROGER CO.
CINCINNATI, OHIO 45202
OUR PHARMACIST RECOMMENDED

Questions or comments? Call 1-800-632-6900

Inactive ingredients
colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Other information
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ protect from heat and humidity
■ use by expiration date on package

Directions
■ do not take more than directed
■ take first dose ½ to 1 hour before starting activity
■ adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Keep out of reach of children. In case of overdose, get before use.
If pregnant or breast-feeding, ask a health professional

■ use caution when driving a motor vehicle or operating machinery
■ drowsiness
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ avoid alcoholic beverages
■ drowsiness may occur
When using this product

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
■ difficulty in urination due to enlargement of the prostate gland ■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis
Ask a doctor before use if you have

Do not use for children under 12 years of age unless directed by a doctor.
Warnings

■ vomiting, or dizziness associated with motion sickness
Uses for the prevention and treatment of nausea,

Mecizine HCl 25 mg.....Antiemetic

Drug Facts
Active ingredient
(in each tablet)
Purpose

TAMPER EVIDENT: DO NOT USE IF PRINTED TEAR STRIP IS BROKEN OR MISSING

*Dramamine® is a registered trademark of Medtech Products Inc.
50844 REV0423A40319



No Print /
No Varnish
Lot No.
&
Expiration
Date

NDC 30142-943-19





Kroger 44-403A

MOTION SICKNESS RELIEF

meclizine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-943
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: 008PUV3986) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:30142-943-19	8 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/03/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	06/03/2019	

Labeler - Kroger Company (006999528)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(30142-943)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(30142-943) , pack(30142-943)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(30142-943)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(30142-943)

Revised: 11/2025

Kroger Company