

**SODIUM BICARBONATE 10 GR (650 MG)- sodium bicarbonate tablet**  
**CitraGen Pharmaceuticals Inc.**

-----  
**Sodium Bicarbonate Tablets, USP 10gr (650 mg)**

***Drug Facts***

***Active ingredient (in each tablet)***

Sodium Bicarbonate 10 gr (650 mg)

***Purpose***

Antacid

***Uses***

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

***Warnings***

**Do not take** more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor before use if you have** a sodium restricted diet.

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

***Directions***

- do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- **adults 60 years of age and over:** 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours

- **adults under 60 years of age:** 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

***Other information***

**each tablet contains:** sodium 178 mg

store at room temperature 15° - 30° C (59° - 86° F)

***Inactive ingredients***

Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF

***Questions or comments?***

Phone: +1-510-249-9066 (9AM-5PM PST, Mon-Fri); e-mail: [info@citragenpharma.com](mailto:info@citragenpharma.com)

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Manufactured by:**

CitraGen Pharmaceuticals, Inc.,  
Fremont, CA 94538.

[www.citragenpharma.com](http://www.citragenpharma.com)

Rev. 03/18 R-00

***CitraGen Pharmaceuticals, Inc.***

NDC: 70369-001-01

**Sodium Bicarbonate Tablets, USP 10 gr (650 mg)**

**ANTACID**

1000 Tablets

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN



# Sodium Bicarbonate

Tablets, USP 10 gr (650 mg)

**ANTACID**

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

1000 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

<b>Drug Facts</b>	
<b>Active Ingredient (in each tablet)</b> Sodium Bicarbonate 10 gr (650 mg).....	<b>Purpose</b> Antacid
<b>Uses:</b> relieves: •acid indigestion •heartburn •sour stomach •upset stomach associated with these symptoms	
<b>Warnings</b> Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.	
Ask a doctor before use if you have a sodium restricted diet.	
Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.	
Stop use and ask a doctor if symptoms last more than 2 weeks.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> •do not use the maximum dosage for more than 2 weeks •tablets may be swallowed whole or dissolved in water prior to use •adults 60 years of age and over: 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours •adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours	
<b>Other information</b> •each tablet contains: sodium 178 mg •store at room temperature 15° - 30°C (59° - 86°F)	
<b>Inactive ingredients:</b> Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF	
<b>Questions or comments?</b> Phone: +1-510-249-9066, 9AM-5PM PST, Mon-Fri; e-mail: info@citragenpharma.com	

Rev. 03/18 R-00

3 70369 00101 8

Manufactured by:  
CitraGen Pharmaceuticals, Inc.,  
Fremont, CA 94538.  
www.citragenpharma.com

Lot No. :  
Exp. Date:

**CitraGen Pharmaceuticals, Inc.**

NDC: 70369-001-08

## Sodium Bicarbonate Tablets, USP 10 gr (650 mg)

**ANTACID**

120 Tablets



# Sodium Bicarbonate

Tablets, USP 10 gr (650 mg)

**ANTACID**

120 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

<b>Drug Facts</b>	
<b>Active Ingredient (in each tablet)</b> Sodium Bicarbonate 10 gr (650 mg).....	<b>Purpose</b> Antacid
<b>Uses:</b> relieves: •acid indigestion •heartburn •sour stomach •upset stomach associated with these symptoms	
<b>Warnings</b> Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.	
Ask a doctor before use if you have a sodium restricted diet	
Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.	
Stop use and ask a doctor if symptoms last more than 2 weeks.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> • do not use the maximum dosage for more than 2 weeks • tablets may be swallowed whole or dissolved in water prior to use • adults 60 years of age and over: 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours • adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours	
<b>Other information:</b> • each tablet contains: sodium 178 mg • store at room temperature 15° - 30°C (59° - 86°F)	
<b>Inactive ingredients:</b> Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF	
<b>Questions or comments?</b> Phone: +1-510-249-9066, (9AM-5PM PST, M-F); e-mail: info@citragenpharma.com	

Rev. 06/20 R-00

3 70369 00108 7

Manufactured by:  
CitraGen Pharmaceuticals, Inc.,  
Fremont, CA 94538.  
www.citragenpharma.com

Lot No. :  
Exp. Date:

## SODIUM BICARBONATE 10 GR (650 MG)

sodium bicarbonate tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70369-001
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4MONH37)	SODIUM BICARBONATE	650 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>HYDROGENATED COTTONSEED OIL</b> (UNII: Z82Y2C65EA)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	CG001
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70369-001-01	1000 in 1 BOTTLE; Type 0: Not a Combination Product	04/16/2018	
2	NDC:70369-001-08	120 in 1 BOTTLE; Type 0: Not a Combination Product	06/26/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	04/16/2018	

**Labeler** - CitraGen Pharmaceuticals Inc. (024949457)

**Registrant** - CitraGen Pharmaceuticals Inc. (024949457)

### Establishment

Name	Address	ID/FEI	Business Operations
CitraGen Pharmaceuticals Inc		024949457	manufacture(70369-001)

Revised: 1/2025

CitraGen Pharmaceuticals Inc.