BISMATROL- bismuth subsalicylate liquid Proficient Rx LP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bis matrol

Active ingredient (in each 15 mL tbsp)

Bismuth subsalicylate 262 mg

Purpose

Upset stomach reliever and anti-diarrheal

Uses

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from children pox or flu-like symptoms should not use this product. when using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- bloody or black stool
- an ulcer
- a bleeding problem

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children.

In case of overdose, get medical help or contact a Poison control center immediately.

Keep Out of Reach of Children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

- shake well before use
- for accurate dosing, use dose cup
- adults and children 12 years and over: 1 dose (2 tbsp or 30 mL) every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 tbsp or 240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- each Tbsp contains: sodium 5 mg, salicylate 130 mg, potassium 15 mg
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)
- TAMPER EVIDENT:Do not use if imprinted shrinkband is missing or broken.

Inactive ingredients

benzoic acid, D and C red 22, D and C red 28, flavor, hydroxy ethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

Principal Display Panel

Bismatrol

soothing, coating action provides

fast relief for heartburn, indigestion, nausea, upset stomach and diarrhea compare to the active ingredient in pepto-bismol[®] 8 FL OZ (236 mL) Relabeled by: Proficient Rx LP Thousand Oaks, CA 91320

ProficientRx	ProficientRx NDC 63187-651-08		Lot #:00000 Exp. 00/00/00 SN# MASTER		
Bismatrol 262mg /15mL		Bismatrol 262mg /15m 8 FL OZ (236 mL) Lot #:00000 NDC 63187-651-08	L Suspension SN#MASTER Exp:00/00/00		
8 FL OZ (236 mL) Suspension		Bismatrol 262mg /15m 8 FL OZ (236 mL)	Suspension		
Each 15mL contains: Bismuth subsalicyla Upset stomach reliever and anti-diarrhea		Lot #:00000 NDC 63187-651-08	SN#MASTER Exp:00/00/00		
See Bottle		Bismatrol 262mg /15m 8 FL OZ (236 mL) Lot #:00000 NDC 63187-651-08	Suspension SN#MASTER		
Product ID: RB065108		NDC 03107-031-00	Exp:00/00/00		
Dist. By: Major Pharmaceuticals 31778 Enterprise Drive, Livonia, MI 48150 U Avoid excessive heat (over 104°F or 40°C) Keep medication of	SA out of the reach of children	Relabeled By: P Thousand Oaks			

BISMATROL

bismuth subsalicylate liquid

Product Information					
Product T ype	HUMAN OTC DRUG	Item Code (Source)		NDC:63187-651(NDC:	0904-1313)
Route of Administration	ORAL				
A - 1' T	•				
Active Ingredient/Active Mo	lety				
Ingredient Name B			asis of Strength	Strength	
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8 YE)				IUTH SALICYLATE	262 mg in 15 mL
Inactive Ingredients					
Ingredient Name					Strength
BENZOIC ACID (UNII: 85KN0B0MIN	0				
BENZOIC ACID (UNII: 85KN0B0MIN D&C RED NO. 22 (UNII: 1678RKX8R	·				
	ў Т)				

PC	POTASSIUM HYDROXIDE (UNII: WZH3C48 M4T)						
W	WATER (UNII: 059QF0K00R)						
SA	ACCHARIN SO DIUM	1 (UNII: S	SB8ZUX40TY)				
SA	LICYLIC ACID (UN	NII: 0414	PZ4LPZ)				
DI	DIMETHICONE (UNII: 92RU3N3Y1O)						
XANTHAN GUM (UNII: TTV12P4NEE)							
Product Characteristics							
С	olor		pink	Score			
SI	ape		5	Size			
Fl	avor		WINTERGREEN	Imprint Code			
С	ontains						
Packaging							
#	Item Code		Package Description		Marketing Start Date	Marketing E	and Date
1	NDC:63187-651-08	236 mL	in 1 BOTTLE; Type 0: Not a Combination Produc	t	12/01/2018		
Marketing Information							
N	Iarketing Categor	y Ap	plication Number or Monograph Citation		Marketing Start Date	Marketing E	nd Date
	FC monograph final	part3			5/30/2008		
				-			

Labeler - Proficient Rx LP (079196022)

Establishment

Name	Address	ID/FEI	Business Operations
Proficient Rx LP		079196022	RELABEL(63187-651)

Revised: 11/2019

Proficient Rx LP