

ANTISEPTIC- medicated antiseptic spray spray
Whitebridge Pet Brands

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Medicated Antiseptic Spray

DRUG FACTS

Active Ingredients

Purpose

Benzalkonium Chloride 0.13% First Aid Antiseptic
First Aid Antiseptic

Uses

First aid to help decrease the chance of infection in minor cuts, scrapes and burns.

Warnings

For external use on dogs only. Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old.

Keep this and all pet products out of reach of children.

Directions

cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray as close as necessary to control the spray area. Spray small amounts of this product on the area 1 to 3 times daily. Wipe away excess drips, without touching the irritation. The area may be covered with loose sterile bandage that allows air to reach the irritation. If bandaged let dry first. Use an Elizabethan Collar (E-Collar), if necessary, to keep pet from chewing the bandage. Consult your veterinarian if not healing.

Other information

store at temperature between 68-80.6 F

Inactive ingredients

Alcohol (Denatured), Aloe Barbadensis Leaf Juice, Cetrimonium Chloride, Citric acid,

Denatonium Benzoate, Ethylhexylglycerin, Lavandula Angustifolia (Lavender) Oil, Methyl Salicylate, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Water (Aqua).

Dogswell Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.

DOGSWELL.COM

Facebook.com/Dogswell 888-559-8833

Distributed by Whitebridge Pet Brands,

St. Louis, MO 63141

2020 Whitebridge. All Rights Reserved.

NDC# 86131-203-08

Remedy Recovery

Dieline -----
 Safe -----
 Bleed -----

5"

3.5"

Drug Facts (continued)

Other information: Store at temperature between 49-59°F.

Active Ingredients: Alcohol (Denatured), Aloe Barbados Leaf Juice, Calcium Chloride, Citric Acid, Denatonium Benzoate, Ethylhexylglycerin, Lavandula Angustifolia Extract, Methyl Salicylate, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Water (Aqua).

Dogswell® Medicated Antiseptic: Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.

DOGSWELL.COM
 Facebook.com/Dogswell • 888-559-8833

REMEDY RECOVERY

DOGSWELL

VETERINARY FORMULA

MEDICATED ANTISEPTIC SPRAY
 for DOGS

KILLS GERMS PROTECTS & HEALS

For Clipper Burns, Minor Cuts, Bug Bites & Scratches

Net Contents: 118 ml (4 fl. oz.)

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.13%	First Aid Antiseptic

Dosage: First aid to help decrease the chance of infection in minor cuts, scrapes and burns.

Warnings:
 For external use on dogs only. Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old. Flammable. Keep away from fire or flame. Keep this and all pet products out of reach of children.

Directions: Cover your dog's eyes. Clean the affected area. Spray this far or seal away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray at close as necessary to control the spray area. Spray small amount of this product on the area 1 to 3 times daily. Wipe away excess drops without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar ("E-collar") if necessary, to keep pet from chewing the bandage. Consult your veterinarian if not healing.

5"

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.



DOGSWELL®

MEDICATED ANTISEPTIC SPRAY
for DOGS

KILLS GERMS PROTECTS & HEALS

For Clipper Burn, Minor Cuts, Bug Bites & Scratches

Net Contents: 236 ml. (8 fl. oz.)

DOGSWELL.COM
Facebook.com/Dogswell • 888-559-8833

92443088-43
0 12104 43008 9
Distributed by Whitebridge Pet Brands,
16105 Swingley Ridge Rd., Ste. 901
Chesapeake, MD 20747-9998
©2025 Whitebridge. All Rights Reserved.
NDC# 86131-203-08

Drug Facts	
Active Ingredient Benzalkonium Chloride 0.13%.....	Purpose First Aid Antiseptic
Uses First aid to help decrease the chance of infection in minor cuts, scrapes and burns.	
Warnings For external use on dogs only. Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old. Flammable, keep away from fire or flame Keep this and all pet products out of reach of children.	
Directions cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray as close as necessary to control the spray area. Spray small amount of this product on the area 1 to 3 times daily. Wipe away excess drips, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar (E-Collar), if necessary, to keep pet from chewing the bandage. Consult your veterinarian if not healing.	
Other information store at temperature between 68-80.6° F	
Inactive Ingredients Alcohol (Denatured), Aloe Barbadosia Leaf Juice, Cetrimonium Chloride, Citric Acid, Denatonium Benzoate, Ethylhexylglycerin, Lavandula Angustifolia (Lavender) Oil, Methyl Salicylate, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Water (Aqua).	

5.75"

- Safe Area (no text beyond this line)
- Trim Line
- Bleed

Dieline
 Safe
 Bleed

5"

3.5"

Drug Facts (continued)

Other Information Store at temperature between 49-59°F

Active Ingredients: Alcohol (Denatured), Aloe Barbadensis Leaf Juice, Calcium Chloride, Citric Acid, Benzalkonium Chloride, Chlorhexidine, Lysine Hydrochloride, Lysine, Methyl Salicylate, Phenylethanolamine, Potassium Sorbate, Sodium Benzoate, Water (Aqua).

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.

DOGSWELL.COM
 Facebook.com/Dogswell • 888-559-8833



0 12104 43004 1

©2013 Dogswell, LLC. All rights reserved.
 NDC# 86181-203-04



DOGSWELL®

VETERINARY FORMULA

MEDICATED ANTISEPTIC SPRAY
 for DOGS

**KILLS GERMS
 PROTECTS & HEALS**

For Clipper Burns, Minor Cuts,
 Bug Bites & Scratches

Net Contents: 118 mL (4 fl. oz.)

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.12%	First Aid Antiseptic

Dose:
 First aid to help decrease the chance of infection in minor cuts, scrapes and burns.

Warnings:
 For external use on dogs only. Do not use in the eyes or apply over large areas of the body. In case of eye or puncture wound, animal bite, or serious burn, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old. Flammable. Keep away from fire or flame. Keep this and all pet products out of reach of children.

Directions: cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray at least as necessary to control the spray area. Spray small amount of this product on the area 1 to 2 times daily. Wipe away excess strips, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar ("E-collar") if necessary to keep pet from chewing the bandage. Consult your veterinarian if not healing.

5"

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.



DOGSWELL®

MEDICATED ANTISEPTIC SPRAY
for DOGS

KILLS GERMS PROTECTS & HEALS

For Clipper Burn, Minor Cuts, Bug Bites & Scratches

Net Contents: 236 ml. (8 fl. oz.)

DOGSWELL.COM
Facebook.com/Dogswell • 888-559-8833

92443088-43
0 12104 43008 9
Distributed by Whitebridge Pet Brands,
16105 Swingley Ridge Rd., Ste. 901
Chesapeake, MD 20747-9998
©2025 Whitebridge. All Rights Reserved.
NDC# 86131-203-08

Drug Facts	
Active Ingredient Benzalkonium Chloride 0.13%.....	Purpose First Aid Antiseptic
Uses First aid to help decrease the chance of infection in minor cuts, scrapes and burns.	
Warnings For external use on dogs only. Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old. Flammable, keep away from fire or flame Keep this and all pet products out of reach of children.	
Directions cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray as close as necessary to control the spray area. Spray small amount of this product on the area 1 to 3 times daily. Wipe away excess drips, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar (E-Collar), if necessary, to keep pet from chewing the bandage. Consult your veterinarian if not healing.	
Other information store at temperature between 68-80.6° F	
Inactive Ingredients Alcohol (Denatured), Aloe Barbadosia Leaf Juice, Catrimonium Chloride, Citric Acid, Denatonium Benzoate, Ethylhexylglycerin, Lavandula Angustifolia (Lavender) Oil, Methyl Salicylate, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Water (Aqua).	

5.75"

- Safe Area (no text beyond this line)
- Trim Line
- Bleed

5"

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This **veterinary formula** kills germs and promotes healing from minor skin irritations.

VETERINARY FORMULA

REMEDY RECOVERY

DOGSWELL®

MEDICATED ANTISEPTIC SPRAY
for DOGS

KILLS GERMS PROTECTS & HEALS

For Clipper Burn, Minor Cuts, Bug Bites & Scratches

Net Contents: 236 ml. (8 fl. oz.)

DOGSWELL.COM
Facebook.com/Dogswell • 888-559-8833

92443088-43
0 12104 43008 9
Distributed by Whitebridge Pet Brands,
16105 Swingley Ridge Rd., Ste. 901
Chesapeake, MD 20747-9998
©2025 Whitebridge. All Rights Reserved.
NDC# 86131-203-08

Drug Facts	
Active Ingredient Benzalkonium Chloride 0.13%.....	Purpose First Aid Antiseptic
Uses First aid to help decrease the chance of infection in minor cuts, scrapes and burns.	
Warnings For external use on dogs only. Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old. Flammable, keep away from fire or flame Keep this and all pet products out of reach of children.	
Directions cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray as close as necessary to control the spray area. Spray small amount of this product on the area 1 to 3 times daily. Wipe away excess drips, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar (E-Collar), if necessary, to keep pet from chewing the bandage. Consult your veterinarian if not healing.	
Other information store at temperature between 68-80.6° F	
Inactive Ingredients Alcohol (Denatured), Aloe Barbadosia Leaf Juice, Cetrimonium Chloride, Citric Acid, Denatonium Benzoate, Ethylhexylglycerin, Lavandula Angustifolia (Lavender) Oil, Methyl Salicylate, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Water (Aqua).	

5.75"

- Safe Area (no text beyond this line)
- Trim Line
- Bleed

Medicated Antiseptic Spray

Dieline
 Safe
 Bleed

5"

3.5"

Drug Facts (continued)

Other Information Store at temperature between 68-80°F

Active Ingredients: Alcohol (Denatured), Aloe Barbadensis Leaf Juice, Calcium Chloride, Citric Acid, Benzalkonium Chloride, Chlorhexidine, Lysine Hydrochloride, Lysine, Methyl Salicylate, Phenylethanolamine, Potassium Sorbate, Sodium Benzoate, Water (Aqua).

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.

DOGSWELL.COM
 Facebook.com/Dogswell • 888-559-8833



0 12104 43004 1

©2013 Dogswell, LLC. All rights reserved.
 NDC# 86181-203-04



DOGSWELL®

VETERINARY FORMULA

MEDICATED ANTISEPTIC SPRAY
 for DOGS

**KILLS GERMS
 PROTECTS & HEALS**

For Clipper Burns, Minor Cuts,
 Bug Bites & Scratches

Net Contents: 118 mL (4 fl. oz.)

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.12%	First Aid Antiseptic

Dose:
 First aid to help decrease the chance of infection in minor cuts, scrapes and burns.

Warnings:
 For external use on dogs only. Do not use in the eyes or apply over large areas of the body. In case of eye or puncture wound, animal bite, or serious burn, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old. Flammable. Keep away from fire or flame. Keep this and all pet products out of reach of children.

Directions: cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray at least as necessary to control the spray area. Spray small amount of this product on the area 1 to 2 times daily. Wipe away excess strips, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar ("E-collar") if necessary to keep pet from chewing the bandage. Consult your veterinarian if not healing.

5"

++++++++++

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.

VETERINARY FORMULA

DOGSWELL.COM
Facebook.com/Dogswell • 888-559-8833

92443088-43
0 12104 43008 9
Distributed by Whitebridge Pet Brands,
16105 Swingley Ridge Rd., Ste. 901
Chesapeake, MD 20747-9998
©2025 Whitebridge. All Rights Reserved.
NDC# 86131-203-08



DOGSWELL®

MEDICATED ANTISEPTIC SPRAY
for DOGS

KILLS GERMS PROTECTS & HEALS

For Clipper Burn, Minor Cuts,
Bug Bites & Scratches

Net Contents: 236 ml. (8 fl. oz.)

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.13%	First Aid Antiseptic

Uses
First aid to help decrease the chance of infection in minor cuts, scrapes and burns.

Warnings
For external use on dogs only.
Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old.
Flammable, keep away from fire or flame.
Keep this and all pet products out of reach of children.

Directions cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray as close as necessary to control the spray area. Spray small amount of this product on the area 1 to 3 times daily. Wipe away excess drips, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar (E-Collar), if necessary, to keep pet from chewing the bandage. Consult your veterinarian if not healing.

Other information store at temperature between 68-80.6° F

Inactive Ingredients Alcohol (Denatured), Aloe Barbadosia Leaf Juice, Cetrimonium Chloride, Citric Acid, Denatonium Benzoate, Ethylhexylglycerin, Lavandula Angustifolia (Lavender) Oil, Methyl Salicylate, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Water (Aqua).

5.75"

- Safe Area (no text beyond this line)
- Trim Line
- Bleed

for DOGS

KILLS GERMS PROTECTS & HEALS

For Clipper Burn, Minor Cuts, Bug Bites & Scratches

Dieline
 Safe
 Bleed

5"

3.5"

Drug Facts (continued)

Other Information: Store at temperature between 49-59°F

Active Ingredients: Alcohol (Denatured), Aloe Barbadensis Leaf Juice, Calcium Chloride, Citric Acid, Benzalkonium Chloride, Chlorhexidine, Lysine Hydrochloride, Lysine, Methyl Salicylate, Phenylethanolamine, Potassium Sorbate, Sodium Benzoate, Water (Aqua).

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.

DOGSWELL.COM
 Facebook.com/Dogswell • 888-559-8833



0 12104 43004 1

100% Natural
 100% Vet Approved
 100% Made in USA
 NDC# 86181-203-04



DOGSWELL®

VETERINARY FORMULA

MEDICATED ANTISEPTIC SPRAY
 for DOGS

**KILLS GERMS
 PROTECTS & HEALS**

For Clipper Burns, Minor Cuts,
 Bug Bites & Scratches

Net Contents: 118 mL (4 fl. oz.)

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.12%	First Aid Antiseptic

Dose:
 First aid to help decrease the chance of infection in minor cuts, scrapes and burns.

Warnings:
 For external use on dogs only. Do not use in the eyes or apply over large areas of the body. In case of eye or puncture wound, animal bite, or serious burn, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old. Flammable. Keep away from fire or flame. Keep this and all pet products out of reach of children.

Directions: cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray at least as necessary to control the spray area. Spray small amount of this product on the area 1 to 2 times daily. Wipe away excess spray, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar ("E-collar") if necessary to keep pet from chewing the bandage. Consult your veterinarian if not healing.

5"

++++++++++

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.

VETERINARY FORMULA

DOGSWELL.COM
Facebook.com/Dogswell • 888-559-8833

92A43088-43
0 12104 43008 9
Distributed by Whitebridge Pet Brands,
16105 Swingley Ridge Rd., Ste. 901
Chesapeake, MD 20747-9998
©2025 Whitebridge. All Rights Reserved.
NDC# 86131-203-08



DOGSWELL®

MEDICATED ANTISEPTIC SPRAY

for DOGS

KILLS GERMS PROTECTS & HEALS

For Clipper Burn, Minor Cuts,
Bug Bites & Scratches

Net Contents: 236 ml. (8 fl. oz.)

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.13%	First Aid Antiseptic

Uses
First aid to help decrease the chance of infection in minor cuts, scrapes and burns.

Warnings
For external use on dogs only.
Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old.
Flammable, keep away from fire or flame
Keep this and all pet products out of reach of children.

Directions cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray as close as necessary to control the spray area. Spray small amount of this product on the area 1 to 3 times daily. Wipe away excess drips, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar (E-Collar), if necessary, to keep pet from chewing the bandage. Consult your veterinarian if not healing.

Other information store at temperature between 68-80.6° F

Inactive Ingredients Alcohol (Denatured), Aloe Barbadosia Leaf Juice, Cetrimonium Chloride, Citric Acid, Denatonium Benzoate, Ethylhexylglycerin, Lavandula Angustifolia (Lavender) Oil, Methyl Salicylate, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Water (Aqua).

5.75"

- Safe Area (no text beyond this line)
- Trim Line
- Bleed

Net Contents: 236 ml. (8 fl. oz.)

5"

+
+
+
+
+
+
+
+

Dogswell® Medicated Antiseptic Spray works fast to numb and relieve minor pain and reduce swelling. This veterinary formula kills germs and promotes healing from minor skin irritations.

VETERINARY FORMULA

DOGSWELL.COM
Facebook.com/Dogswell • 888-559-8833



DOGSWELL®

MEDICATED ANTISEPTIC SPRAY
for DOGS

KILLS GERMS PROTECTS & HEALS

For Clipper Burn, Minor Cuts, Bug Bites & Scratches

Net Contents: 236 ml. (8 fl. oz.)

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride 0.13%	First Aid Antiseptic

Uses
First aid to help decrease the chance of infection in minor cuts, scrapes and burns.

Warnings
For external use on dogs only.
Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a veterinarian. Stop use and ask a veterinarian if the condition persists or gets worse. Do not use longer than 1 week unless directed by a veterinarian. Do not use on dogs less than 12 weeks old.
Flammable, keep away from fire or flame
Keep this and all pet products out of reach of children.

Directions cover your dog's eyes. Clean the affected area. Spread the fur or coat away from the area to be sprayed. If necessary, clip the hair covering the irritation. Hold spray as close as necessary to control the spray area. Spray small amount of this product on the area 1 to 3 times daily. Wipe away excess drips, without touching the irritation. The area may be covered with a loose sterile bandage that allows air to reach the irritation. If bandaged, let dry first. Use an Elizabethan Collar (E-Collar), if necessary, to keep pet from chewing the bandage. Consult your veterinarian if not healing.

Other information store at temperature between 68-80.6° F

Inactive Ingredients Alcohol (Denatured), Aloe Barbadosia Leaf Juice, Cetrimonium Chloride, Citric Acid, Denatonium Benzoate, Ethylhexylglycerin, Lavandula Angustifolia (Lavender) Oil, Methyl Salicylate, Phenoxyethanol, Potassium Sorbate, Sodium Benzoate, Water (Aqua).

92443088-43



0 12104 43008 9

Distributed by Whitebridge Pet Brands,
16105 Swingley Ridge Rd., Ste. 901
Chesapeake, MD 20747-9998
©2025 Whitebridge. All Rights Reserved.
NDC# 86131-203-08

5.75"

- Safe Area (no text beyond this line)
- Trim Line
- Bleed

Dieline - - - - -
 Safe - - - - -
 Bleed - - - - -

5"

3.5"



ANTISEPTIC

medicated antiseptic spray spray

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86131-203
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

DENATONIUM BENZOATE (UNII: 4YK5Z54AT2)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETRIMONIUM CHLORIDE (UNII: UC9PE95IBP)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86131-203-04	118 g in 1 BOTTLE, SPRAY		
2	NDC:86131-203-08	236 g in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/01/2020	12/01/2028

Labeler - Whitebridge Pet Brands (138434316)

Registrant - Whitebridge Pet Brands (138434316)

Establishment

Name	Address	ID/FEI	Business Operations
Westwood Laboratories LLC.		832280635	api manufacture, manufacture

Revised: 1/2026

Whitebridge Pet Brands