

**MINERAL OIL- mineral oil liquid**  
**Meijer, Inc.**

-----  
**Meijer 831.000/831AA**  
**Mineral Oil**

**Adverse Reactions**

Distributed by Meijer Distribution, Inc.

Grand Rapids, MI 49544

www.meijer.com

**Active ingredient**

Mineral oil 99.9%

**Purpose**

Lubricant laxative

**Use**

for relief of occasional constipation (irregularity). Generally produces bowel movement in 6 to 8 hours.

**Warnings**

for this product

**Do not use**

- if you have difficulty swallowing
- in children under 6 years of age
- if you are pregnant
- for a period longer than week
- if you are bedridden or aged

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you are**

- presently taking a stool softener laxative

- taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

### **When using this product**

do not take with meals. Take only at bedtime.

### **Stop use and ask a doctor**

if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

### **If breast-feeding,**

ask a health professional before use

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- do not take with meals
- take only at bedtime
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 1 to 3 Tablespoons (15 to 45 mL)  
maximum 3 Tablespoons (45 mL) in 24 hours

children 6 to under 12 years of age - 1 to 3 teaspoons (5 to 15 mL) maximum 3  
teaspoons (15 mL) in 24 hours

children under 6 years of age - do not use, consult a doctor

### **Other information**

keep tightly closed. Protect from sunlight.

### **Inactive ingredients**

mixed tocopherols (added as a stabilizer)

### **Questions?**

1-888-593-0593

### **Principal display panel**

NDC 41250-831-43

meijer®

Mineral Oil U.S.P.

LUBRICANT LAXATIVE

For relief of occasional constipation

Odorless, Tasteless and Colorless

SEALED WITH PRINTED FOIL UNDER CAP FOR YOUR PROTECTION

16 FL OZ (1 PT) 473 mL



DIST. BY MEIJER DISTRIBUTION, INC.  
 GRAND RAPIDS, MI 49544 www.meijer.com

**Drug Facts**

**Active ingredient Purpose**  
 Mineral oil 99.9% Lubricant laxative

**Use** for relief of occasional constipation (irregularity). Generally produces bowel movement in 6 to 8 hours.

**Warnings**

**Do not use**

if you have difficulty swallowing if in children under 6 years of age if you are pregnant for a period longer than 1 week if you are bedridden or aged

**Ask a doctor before use if you have** abdominal pain, nausea, or vomiting noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you are** presently taking a stool softener laxative taking any other drug. Take product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**When using this product** do not take with meals. Take only at bedtime.

**Stop use and ask a doctor if you have** rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**Drug Facts (continued)**

If breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** do not take with meals take only at bedtime may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	1 to 3 Tablespoons (15 to 45 mL) maximum 3 Tablespoons (45 mL) in 24 hours
children 6 to under 12 years of age	1 to 3 teaspoons (5 to 15 mL) maximum 3 teaspoons (15 mL) in 24 hours
children under 6 years of age	do not use, consult a doctor

**Other information** keep tightly closed. Protect from sunlight.

**Inactive ingredients** mixed tocopherols (added as a stabilizer)

**Questions?** 1-888-593-0593

L0003516BE  
 PID 393286



**MINERAL OIL**

mineral oil liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-831
<b>Route of Administration</b>	ORAL, TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	999 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
TOCOPHEROL (UNII: R0ZB2556P8)	

**Packaging**

	Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-831-43	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/22/2004	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	12/22/2004		

**Labeler** - Meijer, Inc. (006959555)

**Registrant** - Nice-Pak Products, LLC (119091520)

**Establishment**

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(41250-831)

Revised: 2/2026

Meijer, Inc.