

**GERI-TUSSIN- guaifenesin liquid**  
**Geri-Care Pharmaceuticals, Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

In each 5 mL teaspoonful

Guaifenesin - 100 mg

**Purpose**

□Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Do not use**

- if you ever had an allergic reaction to any of the ingredients in this product

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** □cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away

**Directions**

- do not take more than 6 doses in a 24 hour period
- do not exceed recommended dose

---

adults and children 12 years and over

2 to 4 teaspoonfuls every 4 hours

children under 12 years

ask a doctor

---

**Inactive ingredients** □ artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

**Questions or comments? 1-800-540-3765**



NDC 57896-693-16

# GERI-TUSSIN

(Guaifenesin Oral Solution, USP)

LOOSENS AND RELIEVES  
CHEST CONGESTION

EXPECTORANT  
CHERRY MENTHOL FLAVOR

SUGAR FREE  
ALCOHOL FREE

Compare to the active ingredient of  
Robitussin®\*

16 FL OZ (473 mL)

### Drug Facts

**Active ingredient (in each 5mL teaspoonful)** Purpose  
Guaifenesin, USP 100mg.....Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

#### Warnings

**Do not use** ■ if you ever had an allergic reaction to any of the ingredients in this product

**Ask a doctor before use if you have** ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.


**Directions** ■ Do not take more than 6 doses in a 24 hour period  
■ Do not exceed recommended dose

adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours
children under 12 years	ask a doctor

**Other information** ■ **TAMPER-EVIDENT:** Do not use if foil seal over bottle opening is torn, broken, or missing ■ store at room temperature 15°- 30°C (59°-86°F) ■ protect from freezing ■ protect from light

**Inactive ingredients:** Artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

**Questions or comments? 1-800-540-3765**



#### FOR INSTITUTIONAL USE

Distributed by:  
GERI-CARE PHARMACEUTICALS CORP.  
1650 63rd Street  
Brooklyn, NY 11204  
Code#L-131 REV0419

\*This product is not manufactured or distributed by the owner of registered trademark of Robitussin®.

Lot#

Exp. Date:

## GERI-TUSSIN

guaifenesin liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-693
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MENTHOL (UNII: L7T10EIP3A)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-693-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/01/2019	

**Labeler** - Geri-Care Pharmaceuticals, Corp (611196254)

Revised: 11/2019

Geri-Care Pharmaceuticals, Corp