

**OHM RENAL TERRAIN- apis mellifica, aranea diadema, berberis vulgaris, cantharis, equisetum hyemale, hydrastis canadensis, juglans regia, kali bichromicum, mercurius solubilis, sarsaparilla, solidago virgaurea liquid**  
**OHM PHARMA INC.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**OHM RENAL TERRAIN**

ACTIVE INGREDIENTS (HPUS\*): Equal amounts of: Apis Mellifica 12X, Aranea Diadema 8X, Berberis Vulgaris 12X, Cantharis 7X, Equisetum Hyemale 7X, Hydrastis Canadensis 6X, Juglans Regia 7X, Kali Bichromicum 10X, Mercurius Solubilis 12X, Sarsaparilla 8X, Solidago Virgaurea 6X.

\*The letters "HPUS" indicate the components in this product are officially monographed in the Homeopathic Pharmacopeia of the United States.

USES: Temporarily relieves acute or chronic functional ailments of the kidneys and/or urinary track.\*\*

\*\*This statement has not been evaluated by the FDA.

It is based on documented Homeopathic Materia Medica.

**WARNINGS:**

IF PREGNANT OR BREAST-FEEDING, ask a health professional before use. If symptoms worsen or persist for more than 5 days, discontinue use and contact a health care professional.

KEEP OUT OF THE REACH OF CHILDREN.

DIRECTIONS: To open ampoule snap top up and away from you. Using pipette place entire content under the tongue, hold it for 30 seconds and swallow.

POSODOLOGY: Adults and children over 12 years: In acute conditions: 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four times per week, or as directed by a health professional.

Children under 12 years use 1/2 the adult dose.

Discard unused solution. Solution does not contain any preservatives.

Not for injection.

OTHER INFORMATION: Store at controlled room temperature. Tamper evident seal. Do not use if box seal is missing or broken.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067

Made in USA

[www.ohmpharma.com](http://www.ohmpharma.com)

Acute or chronic functional ailments of the kidneys and/or urinary track relief

NDC: 66096-181-06

OHM RENAL TERRAIN

HOMEOPATHIC MEDICINE

Pharmaceutical Grade. Professional use only.  
CONTENTS: 12 oral ampoules of 2.2 ml each.

NDC: 66096-181-06

## **OHM RENAL TERRAIN**

HOMEOPATHIC MEDICINE

Pharmaceutical grade. Professional use only.

CONTENTS: 12 oral ampoules of 2.2 ml each.

### **DRUG FACTS**

ACTIVE INGREDIENTS (HPUS\*): Equal amounts of:  
Apis Mellifica 12X, Aranea Diadema 8X, Berberis Vulgaris 12X,  
Cantharis 7X, Equisetum Hyemale 7X, Hydrastis Canadensis 6X,  
Juglans Regia 7X, Kali Bichromicum 10X, Mercurius Solubilis 12X,  
Sarsaparilla 8X, Solidago Virgaurea 6X.

USES: Temporarily relieves acute or chronic functional ailments  
of the kidneys and/or urinary track.\*\*

#### **WARNINGS:**

IF PREGNANT OR BREAST- FEEDING, ask a health professional  
before use. KEEP OUT OF THE REACH OF CHILDREN.  
If symptoms worsen or persist for more than 5 days, discontinue  
use and contact a health care professional.

### **DRUG FACTS (continued)**

DIRECTIONS: To open ampoule snap top up and away from you.  
Using pipette place entire content under the tongue, hold it for 30 seconds  
and swallow.

POSODOLOGY: Adults and children over 12 years: In acute conditions:  
1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four  
times per week, or as directed by a health professional.  
Children under 12 years: use 1/2 the adult dose.

Discard unused solution. Solution does not contain any preservatives.  
Not for injection.

\*The letters "HPUS" indicate the components in this product are officially  
monographed in the Homeopathic Pharmacopeia of the United States.

OTHER INFORMATION: Store at controlled room temperature.  
Tamper evident seal. Do not use if box seal is missing or broken.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067

\*The letters "HPUS" indicate the components in this product are officially  
monographed in the Homeopathic Pharmacopeia of the United States.



3 66096 18106 2

Lot:

Exp:

Made in USA

www.ohmpharma.com



**ohm**  
PHARMA

NDC: 66096-181-06

## **OHM-REN**

MEDICAMENTO HOMEOPATICO

Pharmaceutical grade. Professional use only.

CONTENTS: 12 oral ampoules of 2.2 ml each. PARA USO ORAL.

### **DRUG FACTS**

ACTIVE INGREDIENTS (HPUS): 100 ml contains:  
Apis Mellifica 12X, Aranea Diadema 8X, Berberis Vulgaris 12X,  
Cantharis 7X, Equisetum Hyemale 7X, Hydrastis Canadensis 6X,  
Juglans Regia 7X, Kali Bichromicum 10X, Mercurius Solubilis 12X,  
Sarsaparilla 8X, Solidago Virgaurea 6X; 0.09 ml each.

INDICACIONES: Venta bajo prescripción medica.

#### **WARNINGS:**

IF PREGNANT OR BREAST- FEEDING, ask a health professional  
before use. KEEP OUT OF THE REACH OF CHILDREN.  
If symptoms worsen or persist for more than 5 days, discontinue  
use and contact a health care professional.

INACTIVE INGREDIENTS: Isotonic sodium chloride solution.

### **DRUG FACTS (continued)**

DIRECTIONS: To open ampoule snap top up and away from you.  
Using pipette place entire content under the tongue, hold it for 30 seconds  
and swallow.

POSODOLOGY: Adults and children over 12 years: In acute conditions:  
1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four  
times per week, or as directed by a health professional.  
Children under 12 years: use 1/2 the adult dose.

Discard unused solution. Solution does not contain any preservatives.

CONDICIONES Y ADVERTENCIAS: Conservar el medicamento protegido  
del calor, luz y humedad. Almacenar a no mas de 30°C. Mantengase fuera  
del alcance de los niños. Hipersensibilidad a alguno de sus componentes.

R.S. INVIMA No: MH2010-0001615

Importado y Distribuido para Colombia por OHM PHARMA COLOMBIA Ltda  
Calle 37 Sur # 28 C 57, Medellin, Antioquia. Tel: (57) 4-379 5995

Mfg. By: OHM PHARMA, INC. / Mineral Wells, TX 76067



3 66096 18106 2

Lot:

Exp:

Made in USA

www.ohmpharma.com



**ohm**  
PHARMA



**ohm**  
**PHARMA**

**Exp:**

**OHM-REN**

**OHM Renal Terrain**

**Lot:**

**2.2 ml Drinkable Ampoule**

**OHM PHARMA INC., USA**

**Para Uso Oral**

**Reg INVIMA No: MH2010-0001615**



Your Partner in Homeopathy

**Description:**

Homeopathic medication. Please see box label.

**Instructions for opening:**

Please make sure that all content of the ampoule is below the narrow neck. Ampoules are pre-scored. It is not necessary to use an ampoule opener. If you are using one, push the narrow flanged end of the ampoule opener over the top of the ampoule until the flange snaps in place on the neck of the vial. Snap the ampoule top slightly upward and away from you. To withdraw the content, tilt the open ampoule, squeeze the bulb of the pipette and insert the tip into the ampoule. Slowly release the pressure on the bulb until content is withdrawn from ampoule. Content of ampoules may be placed directly from the pipette under the tongue, or content may be emptied into a glass with some filtered or purified water. The liquid should be retained in the mouth for 30 seconds in order to improve the absorption.

BE CAREFUL OF SHARP EDGES AFTER OPENING AMPOULE.

**Dosage form:**

Liquid ampoules. For package content please see box label.

**Active ingredients:**

Please see box label.

**Inactive ingredient:**

Please see box label.

**Pharmacological class:**

OTC homeopathic drug.

**Indications and usage:**

To be used according to standard homeopathic indications. Please see box label.

**Contraindications:**

Contraindicated in patients with a known hypersensitivity to any of its ingredients.

**Adverse reactions:**

In rare cases, patients with a hypersensitivity to any of the ingredients may experience an allergic reaction after administration.

**Precautions:**

No harmful or potentially hazardous side effects are known. Homeopathic drugs can be safely administered to children.

**Interactions with other medicines:**

None known.

**Drug abuse and dependence:**

Not applicable for homeopathic drugs.

**Warning:**

**Keep out of the reach of children. As with any drug if you are pregnant or nursing a baby, seek the advice of a health professional before using this homeopathic drug. If symptoms persist or worsen, discontinue use and contact a health professional.**

**Dosage:**

*Adults and children over 12 years:* In acute conditions: 1 ampoule every 12 hours. In chronic conditions: 1 ampoule one to four times per week, or as directed by a health professional. *Children under 12 years:* use half the adult dose.

**Administration:**

According to health care practitioner.

**Overdosage:**

Overdosage is extremely rare due to the nature of homeopathic drugs but care must be taken not to exceed the recommended dosage.

**Storage conditions:**

Store at controlled room temperature, between 59°F and 86°F (15°C and 30°C). Protect from direct light. Store the ampoule in the box until time of use. Avoid freezing and excessive heat. Discard any unused solution after the ampoule has been opened. Do not store opened ampoules.

SOLUTION DOES NOT CONTAIN ANY PRESERVATIVES.

**Last document revision:**

January 2015

**Manufacturer:**

OHM PHARMA INC.  
USA  
www.ohmpharma.com





Su Socio en Homeopatía

**Descripción:**

Medicamento Homeopático. Por favor vea la etiqueta en la caja.

**Instrucciones para abrir la ampolleta:**

Por favor asegúrese que el contenido de la ampolleta este por debajo del cuello angosto. Las ampolletas vienen con un precorte. No es necesario utilizar el tubillo plástico para abrir la ampolleta, si lo desea utilizar, presione la parte que tiene las presillas sobre la parte superior de la ampolleta hasta que las presillas lleguen al cuello angosto de la ampolleta. Presione el cuello en contra de usted y levemente hacia arriba. Para extraer el contenido ladee la ampolleta abierta, presione el bulbo del gotero e inserte la punta en la ampolleta. Lentamente libere la presión hasta que el contenido sea extraído. El contenido de la ampolleta puede ser colocado directamente debajo de la lengua o en un vaso con poca agua filtrada o destilada. La solución debe ser mantenida en la boca por 30 segundos para aumentar la absorción.

TENGA PRECAUCIÓN CON LOS BORDES AFILADOS DE LA AMPOLLETA UNA VEZ ABIERTA.

**Forma Farmacéutica:**

Ampolletas líquidas.  
Para contenido del empaque ver etiqueta en la caja.

**Ingredientes Activos:**

Ver etiqueta en la caja.

**Ingredientes Inactivos:**

Ver etiqueta en la caja.

**Clase Farmacológica:**

Medicamento Homeopático OTC.

**Indicaciones:**

Utilizar según indicaciones estándares para medicamentos homeopáticos. Ver etiqueta en la caja.

**Contraindicaciones:**

Contraindicado en pacientes con conocida hipersensibilidad a alguno de los componentes.

**Efectos Adversos:**

En casos excepcionales, pacientes con hipersensibilidad a algún componente pueden presentar una reacción alérgica posterior a la administración.

**Precauciones:**

No se conocen efectos perjudiciales o potencialmente nocivos.  
Los medicamentos homeopáticos pueden ser administrados con seguridad en niños.

**Interacción medicamentosa:**

Ninguna conocida.

**Abuso o dependencia:**

No es aplicable a los medicamentos homeopáticos.

**Advertencia:**

**Mantenga esta y todas las medicinas fuera del alcance de los niños.** Como con cualquier medicina si usted esta embarazada o lactando consulte a su medico. Si los síntomas persisten o empeoran, suspenda el uso y consulte a su medico.

**Posología:**

**Adultos y niños mayores de 12 años:** En general, 1 ampolleta de 1-3 veces al día o según sea ordenado por el medico.  
**Niños menores de 12 años:** La 1/2 de la dosis del adulto.

**Administración:**

Según prescripción médica.

**Sobredosis:**

Sobredosis es extremadamente inusual dada la característica del medicamento homeopático, pero se recomienda no exceder la dosis recomendada.

**Condiciones de Almacenamiento:**

Almacéne a temperatura entre 15°C and 30°C (59°F and 86°F). Proteger de la luz directa. Conserve la ampolleta en la caja hasta antes de administrarse. Evite congelar o exponer al medicamento a temperaturas extremas. Deseche cualquier residuo no administrado después de haber abierto la ampolleta. No almacene ampolletas abiertas.

ESTE MEDICAMENTO NO CONTIENE PRESERVATIVOS.

**Fecha de Expiración:**

Ver fecha de expiración impresa en cada ampolleta individual.

**Ultima Revisión del Documento:**

Enero 2015

**Manufacturado por:**

OHM PHARMA INC.  
USA  
www.ohmpharma.com



## OHM RENAL TERRAIN

apis mellifica, aranea diadema, berberis vulgaris, cantharis, equisetum hyemale, hydrastis canadensis, juglans regia, kali bichromicum, mercurius solubilis, sarsaparilla, solidago virgaurea liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:66096-181 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength           | Strength          |
|---|-----------------------------|-------------------|
| <b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)                           | APIS MELLIFERA              | 12 [hp_X] in 1 mL |
| <b>ARANEUS DIADEMATUS</b> (UNII: 6T6CO7R3Z5) (ARANEUS DIADEMATUS - UNII:6T6CO7R3Z5)                   | ARANEUS DIADEMATUS          | 8 [hp_X] in 1 mL  |
| <b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U) | BERBERIS VULGARIS ROOT BARK | 12 [hp_X] in 1 mL |

|   |                                  |                      |
|---|----------------------------------|----------------------|
| <b>LYTTA VESICATORIA</b> (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)                               | LYTTA VESICATORIA                | 7 [hp_X]<br>in 1 mL  |
| <b>EQUISETUM HYEMALE</b> (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)                               | EQUISETUM HYEMALE                | 7 [hp_X]<br>in 1 mL  |
| <b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)   | GOLDENSEAL                       | 6 [hp_X]<br>in 1 mL  |
| <b>JUGLANS REGIA LEAF</b> (UNII: 85HKB87105) (JUGLANS REGIA LEAF - UNII:85HKB87105)                             | JUGLANS REGIA LEAF               | 7 [hp_X]<br>in 1 mL  |
| <b>POTASSIUM DICHROMATE</b> (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LKY4BFN2V)                               | POTASSIUM DICHROMATE             | 10 [hp_X]<br>in 1 mL |
| <b>MERCURIUS SOLUBILIS</b> (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)                           | MERCURIUS SOLUBILIS              | 12 [hp_X]<br>in 1 mL |
| <b>SMILAX REGELII ROOT</b> (UNII: 2H1576D5WG) (SARSAPARILLA - UNII:2H1576D5WG)                                  | SMILAX REGELII ROOT              | 8 [hp_X]<br>in 1 mL  |
| <b>SOLIDAGO VIRGAUREA FLOWERING TOP</b> (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50) | SOLIDAGO VIRGAUREA FLOWERING TOP | 6 [hp_X]<br>in 1 mL  |

### Inactive Ingredients

| Ingredient Name                           | Strength |
|---|----------|
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) |          |

### Packaging

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66096-181-06 | 12 in 1 BOX   |                      |                    |
| 1 |                  | 2.2 mL in 1 AMPULE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 04/23/2015           |                    |

**Labeler** - OHM PHARMA INC. (030572478)

**Registrant** - OHM PHARMA INC. (030572478)

### Establishment

| Name            | Address | ID/FEI    | Business Operations    |
|-----------------|---------|-----------|------------------------|
| OHM PHARMA INC. |         | 030572478 | manufacture(66096-181) |