OXYGEN-		n gas
Ctws, LL	С	
Ovvden		

OXYGEN COMPRESSED USP LABEL OXYGEN, COMPRESSED USP UN1072

PRODUCED BY AIR LIQUEFACTION

OXYGEN 2

17033 (05/21)

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law required that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER**; MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustive material. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a wellventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52° C (125° F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL

CALIFORNIA TOLL & WELDING SUPPLY

CU. FT		
CONTENTS:	LTRS	
(951) 686-7822		
201 NORTH MAIN STRE	ET • RIVERSIDE, CA 9250)1



OXYGEN REFRIGERATES LIQUID USP LABEL

Oxygen, Refrigerated Liquid, U.S.P.

UN 1073

OXYGEN 2

Gross Wt. lbs. oz.

Net Wt. lbs. oz.

Size Contents Liters

Rx ONLY. WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction of resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDER, CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBELS IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only the equipment of compatible materials equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position.

Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID FIRST AID: IF ON SKIN: Thaw affected parts with lukewarm water. Do not


rub affected area. Get immediate medical advice/attention. **DO NOT REMOVE THIS PRODUCT LABEL**

CALIFORNIA TOLL & WELDING SUPPLY

RIVERSIDE, CA 92501

(951) 686-7822

CTW-13 E15



Rx ONLY. WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS RÉFRIGERATED GAS: MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety



OXYGEN

oxygen gas

Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:14208-532	
Route of Administration	RESPIRATORY (INHALATION)			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14208- 532-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
2	NDC:14208- 532-02	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
3	NDC:14208- 532-05	210 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
4	NDC:14208- 532-07	250 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
5	NDC:14208- 532-09	651 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
6	NDC:14208- 532-11	1728 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
7	NDC:14208- 532-12	102 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
8	NDC:14208- 532-13	150 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
9	NDC:14208- 532-14	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
10	NDC:14208- 532-03	400 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
11	NDC:14208- 532-04	660 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
	NDC 14200	SAFOT IN A CYCINDED THE O NEED COMMENTER		

12	NDC:14208- 532-06	3450 L In 1 CYLINDEK; Type U: NOT a Compination Product	01/01/1976	
13	NDC:14208- 532-08	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
14	NDC:14208- 532-10	8500 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
15	NDC:14208- 532-15	26660 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
16	NDC:14208- 532-16	86055 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
1 1	NDC:14208- 532-17	137688 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
18	NDC:14208- 532-18	154800 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
19	NDC:14208- 532-19	145340 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
20	NDC:14208- 532-20	154800 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
21	NDC:14208- 532-21	154800 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
22	NDC:14208- 532-22	172000 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
23	NDC:14208- 532-23	184164 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
24	NDC:14208- 532-24	197800 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
25	NDC:14208- 532-25	227900 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/1976	

Labeler - Ctws, LLC (070941877)

Registrant - Ctws, LLC (070941877)

Establishme	ent		
Name	Address	ID/FEI	Business Operations
Ctws, LLC		070941877	manufacture(14208-532)

Revised: 10/2023 Ctws, LLC