

EASYLAX- polyethylene glycol 3350 powder, for solution
VALU MERCHANDISERS COMPANY

BC PEG

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 grams (cap filled to the indicated “17 GRAMS” line)

Purpose

Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose , get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cup marked to contain 17 grams of powder when filled to the indicated “17 GRAMS” line
- adults and children 17 years of age and older:
 - fill to indicated “17 GRAMS” line in cap which is marked to indicate the correct dose 17 grams
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
- use no more than 7 days

- children 16 years of age or younger: ask a doctor

Other information

- store at 20° - 25°C (68° - 77°F)
- tamper-evident: do not use if foil seal under cap printed with “SEALED for YOUR PROTECTION” is missing, open or broken.

Inactive ingredients

none

For serious adverse events call:

1-888-710-0006

Package label

COMPARE TO THE ACTIVE INGREDIENT IN MIRALAX®*

Best Choice®

Original Prescription Strength
EasyLAX
Polyethylene Glycol 3350

Powder for Solution
Osmotic Laxative
Relieves Occasional Constipation (irregularity)
Softens Stool

- Dissolves in any beverage
- Sugar Free
- Unflavored grit-free powder

NET WT 8.3 oz (238 g) **14 ONCE DAILY DOSES**

*This product is not manufactured or distributed by the owner of the registered trademark MiraLAX®.

PROUDLY DISTRIBUTED BY:
VALU MERCHANTISERS, CO.
5000 KANSAS AVE, KANSAS CITY, KS 66106

**Best Choice,
100% Guaranteed**
www.bestchoicebrand.com

Rev. 01/18 7116

BEST CHOICE

UPC
0-70038-65105-X

Lot No.:
Exp. Date:

<p>Drug Facts (continued)</p> <p>Inactive ingredients none</p> <p>For serious adverse events call: 1-888-710-0006</p> <p>*This product is not manufactured or distributed by the owner of the registered trademark MiraLAX®.</p> <p>PROUDLY DISTRIBUTED BY: VALU MERCHANTISERS, CO. 5000 KANSAS AVE, KANSAS CITY, KS 66106</p> <p>Best Choice, 100% Guaranteed www.bestchoicebrand.com</p> <p>Tamper-evident: do not use if foil seal under cap printed with “SEALED for YOUR PROTECTION” is missing, open or broken.</p> <p>Rev. 01/18 7116</p>	<p>Lift Here</p> <p><i>Polyethylene Glycol 3350 increases the frequency of bowel movements and softens the stool</i></p> <p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredient (in each dose)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Polyethylene Glycol 3350, 17 grams (cap filled to the indicated “17 GRAMS” line).....</td> <td>Laxative</td> </tr> </tbody> </table> <p>Use</p> <ul style="list-style-type: none"> ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days <p>Warnings</p> <p>Allergy alert: Do not use if you are allergic to polyethylene glycol</p> <p>Do not use if you have kidney disease, except under the advice and supervision of a doctor.</p>	Active ingredient (in each dose)	Purpose	Polyethylene Glycol 3350, 17 grams (cap filled to the indicated “17 GRAMS” line).....	Laxative	<p>Drug Facts (continued)</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ nausea, vomiting, or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome <p>Ask a doctor or pharmacist before use if you are taking a prescription drug.</p> <p>When using this product you may have loose, watery, more frequent stools.</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none"> ■ do not take more than directed unless advised by your doctor ■ the bottle cap is a measuring cup marked to contain 17 grams of powder when filled to the indicated “17 GRAMS” line ■ adults and children 17 years of age and older: ■ fill to the indicated “17 GRAMS” line in cap which is marked to indicate the correct dose ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ use once a day ■ use no more than 7 days ■ children 16 years of age or younger: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store at 20° - 25°C (68° - 77°F) ■ tamper-evident: do not use if foil seal under cap printed with “SEALED for YOUR PROTECTION” is missing, open or broken.
Active ingredient (in each dose)	Purpose						
Polyethylene Glycol 3350, 17 grams (cap filled to the indicated “17 GRAMS” line).....	Laxative						

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-489
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-489-14	238 g in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090812	01/01/2018	

Labeler - VALU MERCHANDISERS COMPANY (868703513)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 12/2019

VALU MERCHANDISERS COMPANY