TOPCARE COUGH DM- dextromethorphan polistirex suspension Topco Associates LLC

Topco Associates LLC. Cough DM Drug Facts

Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide

Purpose

Cough suppressant

Uses

temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Allergy Alert: Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if

- side effects occur. You may report side effects to FDA at 1-800-FDA-1088.
- cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake bottle well before use
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

adults and children 12 years of	10 mL every 12 hours, not to exceed 20
age and over	mL in 24 hours
children 6 to under 12 years of	5 mL every 12 hours, not to exceed 10
age	mL in 24 hours
children 4 to under 6 years of	2.5 mL every 12 hours, not to exceed 5
age	mL in 24 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: sodium 5 mg
- store at 20° to 25°C (68° to 77°F)
- dosing cup provided

Inactive ingredients

artificial grape flavor, D&C Red #30 aluminum lake, FD&C Blue #1 aluminum lake, glycerin, high fructose corn syrup, methylparaben, polysorbate 80, polyvinyl acetate, povidone, propylparaben, purified water, sodium metabisulfite, sodium polystyrene sulfonate, sucrose, tartaric acid, tragacanth gum, triacetin, xanthan gum

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

COMPARE TO CHILDREN'S DELSYM® ACTIVE INGREDIENT

children's Cough DM

DEXTROMETHORPHAN POLISTIREX EXTENDED-RELEASE ORAL SUSPENSION COUGH SUPPRESSANT

Dosing Cup Included

OUR PHARMACISTS RECOMMEND

Contains Sodium Metabisulfite, a Sulfite That May Cause Allergic-Type Reactions

12 HOUR COUGH RELIEF

FOR CHILDREN & ADULTS Age 4+

GRAPE FLAVORED LIQUID

3 FL OZ (89 mL)

ALCOHOL-FREE

Day or Night



TOPCARE COUGH DM					
dextromethorphan polistirex suspe	nsion				
Product Information					
Product T ype	HUMAN OTC DRUG	Item Code (Source)		NDC:36800-899	
Route of Administration	ORAL				
Active Ingredient/Active Moi	ety				
Ingredient Name			Basis of Strength		Strength
DEXTROMETHO RPHAN HYDRO BRO MIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE		30 mg in 5 mL	

	its				
		Ingredient Name			Strength
D&C RED NO.30 (UNII:	2S42T2808	B)			
FD&C BLUE NO.1 (UN	II: H3R47K3T	BD)			
GLYCERIN (UNII: PDC6	A3C0OX)				
HIGH FRUCTOSE COR	N SYRUP (U	NII: XY6UN3QB6S)			
METHYLPARABEN (UN	III: A2I8C7HI	9T)			
POLYSORBATE 80 (UN	NII: 6OZP39Z	ZG8H)			
POLYVINYL ACETATE	E (UNII: 32K4	97ZK2U)			
PO VIDO NE, UNSPECIF	IED (UNII: FZ	Z989GH94E)			
PROPYLPARABEN (UN	II: Z8IX2SC1	.OH)			
WATER (UNII: 059QF0K					
SO DIUM METABISULF	,	,			
		ATE (UNII: 1699G8679Z)			
SUCROSE (UNII: C151H8					
TARTARIC ACID (UNII:					
TRAGACANTH (UNII: 29					
TRIACETIN (UNII: XHX3	,				
XANTHAN GUM (UNII: 7	ITV12P4NEE				
Product Character	ristics				
	ristics	PURPLE	Score		
Color	ristics	PURPLE	Score Size		
Color Shape	ristics	PURPLE GRAPE		ode	
Product Character Color Shape Flavor Contains	ristics		Size	ode	
Color Shape Flavor	ristics		Size	ode	
Color Shape Flavor	ristics		Size	ode	
Color Shape Flavor Contains	ristics		Size	ode	
Color Shape Flavor	ristics		Size	ode Marketing Start Date	Marketing End Dat
Color Shape Flavor Contains Packaging		GRAPE Package Description	Size		Marketing End Dat
Color Shape Flavor Contains	l in 1 CARTO	GRAPE Package Description	Size Imprint Co	Marketing Start Date	Marketing End Dat
Color Shape Flavor Contains	l in 1 CARTO	GRAPE Backage Description N	Size Imprint Co	Marketing Start Date	Marketing End Dat
Color Shape Flavor Contains	l in 1 CARTO	GRAPE Backage Description N	Size Imprint Co	Marketing Start Date	Marketing End Dat
Color Shape Flavor Contains Kale for the formation of th	l in 1 CARTO 39 mL in 1 B(GRAPE Package Description N OTTLE; Type 0: Not a Combir	Size Imprint Co	Marketing Start Date	Marketing End Dat
Color Shape Flavor Contains	l in 1 CARTO 39 mL in 1 B(rmation	GRAPE Package Description N OTTLE; Type 0: Not a Combir	Size Imprint Co	Marketing Start Date	Marketing End Date

Labeler - Topco Associates LLC (006935977)

Revised: 7/2020

Topco Associates LLC