

UBER NUMB- lidocaine hydrochloride liquid
UBERScientific, LLC

Uber Numb Spray

Drug Facts

Active Ingredients

Lidocaine HCL 5%

Purpose

Topical Anesthetic

Uses

Temporarily relieves pain, itching or swelling associated with anorectal disorders.

External Use Only.

Warnings:

Keep out of reach of children.

Do not use if pregnant or breast feeding. For external use only, if accidentally ingested, seek medical attention immediately. Do not use in large quantities, particularly over raw surfaces or blistered areas. Avoid contact with the eyes, if contact with the eyes occur, rinse with copious amounts of eyewash and seek medical attention immediately. Use on small area of skin to test for sensitivities prior to use.

Do not Use if:

- you have a history of seizures.
- you have been diagnosed with liver disease.
- you have an allergy to any of the ingredients listed. If a reaction or sensitivity occurs, discontinue use and seek medical attention immediately. If condition worsens or symptoms are persistent for more than five days, or recur after clearing up, consult with a medical professional immediately.

Directions:

Prior to using therapeutically, test on small area of skin for sensitivities and possible allergies, if adverse reaction occurs seek medical attention. Spray UberNumb anesthetic spray, sparingly, on affected area. The Area should begin to feel numbing anesthetic relief within two minutes. For continued numbing relief, reapply UberNumb sparingly as needed. If at any point, irritations or other sensitivities occur, discontinue use and seek medical attention Store in a cool dark place or refrigerate. Discard after expiration

date

Inactive Ingredients:

Purified Water, Propylene Glycol, Sodium Metabisulfite, Citric Acid, Epinephrine HCL, Diazolidinyl Urea, Methyl Paraben, Propyl Paraben, and Disodium EDTA.

Distributed by:

UberScientific TM 838 E High St. Ste 271 Lexington, KY 40502 302 566 -8237

Package Labeling:

UBER + SCIENTIFIC Doctor Formulated

**UBER
NUMB** TM

SPRAY

Fast Acting Pain Relief
Works Faster and Longer
Reduces Inflammation
Non - Oily Formula

4 fl oz

MADE IN USA

UBER [®]

Drug Facts

Active Ingredients	Purpose
Lidocaine HCL 5%	Topical Anesthetic

Uses
External Use Only. Temporarily relieves pain, itching or swelling associated with anorectal disorders.

Warnings:
Keep out of reach of children. Do not use if pregnant or breast feeding. For external use only, if accidentally ingested, seek medical attention immediately. Do not use in large quantities, particularly over raw surfaces or blistered areas. Avoid contact with the eyes, if contact with the eyes occur, rinse with copious amounts of eyewash and seek medical attention immediately. Use on small area of skin to test for sensitivities prior to use.

Do not Use if:

- you have a history of seizures.
- you have been diagnosed with liver disease.
- you have an allergy to any of the ingredients listed. If a reaction or sensitivity occurs, discontinue use and seek medical attention immediately. If condition worsens or symptoms are persistent for more than five days, or recur after clearing up, consult with a medical professional immediately.

Directions:
Prior to using therapeutically, test on small area of skin for sensitivities and possible allergies, if adverse reaction occurs seek medical attention. Spray UberNumb anesthetic spray, sparingly, on affected area. The Area should begin to feel numbing anesthetic relief within two minutes. For continued numbing relief, reapply UberNumb sparingly as needed.

If at any point, irritations or other sensitivities occur, discontinue use and seek medical attention

Store in a cool dark place or refrigerate. Discard after expiration date

Inactive Ingredients: Purified Water, Propylene Glycol, Sodium Metabisulfite, Citric Acid, Epinephrine HCL, Diazolidinyl Urea, Methyl Paraben, Propyl Paraben, and Disodium EDTA.

Distributed by: UberScientific TM
838 E High St. Ste 271
Lexington, KY 40502
302 566 -8237

MADE IN USA

www.uberscientific.com



UBER NUMB			
lidocaine hydrochloride liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71131-050

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EPINEPHRINE HYDROCHLORIDE (UNII: WBB047OO38)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71131-050-04	118.29 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	11/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/01/2017	

Labeler - UBERScientific, LLC (080459429)

Revised: 11/2023

UBERScientific, LLC