

**TIBETREE CHEEZHENG JOINT ANALGESIC PATCH- camphor patch**  
**Tibet Cheezheng Tibetan Medicine Co. Ltd**

-----  
**Tibetree Cheezheng Joint Analgesic Patch**

**Active ingredients**

Camphor 3%.....External analgesic

Do not use otherwise than as directed

**Keep out of reach of children**

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

**If pregnant**

If pregnant, breast feeding, glaucoma, prostate hypertrophy, ask a health professional before use

**Directions**

- Adults and children 12 years of age and older: remove protective film from the patch and apply it to the painful area
- Use 1 to 2 plasters every 24 hours
- Apply the patch to the affected area for 4 to 8 hours
- Do not apply to area with excessive hair. Adhesive patch may hurt skin upon removal.
- Children under 12 years of age: do not use or consult a doctor

**Other information**

store at room temperature, 10° to 30°C(50°F to 86°F)

**Inactive ingredients**

Aconitum Pendulum Radix. Borneolum Syntheticum, Methyl salicylate, Rubber, Zinc Oxide, Lanolin, Petroleum, Rosin

**Questions?**

1-888-915-6789

**Purpose**

External analgesic

**Do not use**

- on irritated or damaged skin
- sensitive skin
- if allergic to plaster

**When using this product**

- Avoid contact with the eyes or on mucous membrane

**Stop use and ask a doctor if**

- Condition worsens
- Symptoms persist for more than 3 days
- Symptoms clear up and occur again within a few days
- Excessive irritation of the skin develops
- Redness is present

**Uses**

For the temporary relief of pains

**Warnings**

For external use only

**Tibetree Cheezheng Joint Analgesic Patch PDP**

NDC 66506-188-01

ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་



宇妥·元丹贡布

**奇正**  
CHEEZHENG

**CHEEZHENG™ JOINT ANALGESIC PATCH**  
**關節止痛貼**

- Strong effect 強效
- Enhanced elasticity 高彈力
- Natural herbal formula 天然植物配方



6 PATCHES 片

Product of Tibet  
西藏產品

奇正 CHEEZHENG

奇正  
CHEEZHENG

**CHEEZHENG™ JOINT ANALGESIC PATCH**  
**關節止痛貼**

用法指導(How to use):



Remove protective film from patch  
沿S形切口揭除襯紙



Slightly stretch the patch  
手持兩側邊緣輕輕拉伸



Apply to affected area  
貼於患處後覆蓋乳膏



Flexible, highly adhesive patch  
貼敷後關節舒張靈活

Drug Facts Active Ingredients Purpose 成分 功用	藥品資料 主要成份 功用
<p><b>Uses</b> For the temporary relief of pain.</p> <p><b>Warnings</b> For external use only.</p> <p><b>Do not use</b> if on irritated or damaged skin, if sensitive skin, or if allergic to plaster.</p> <p><b>When using this product</b> Use cautiously with the known or suspected membrane.</p> <p><b>Stop use and ask a doctor if:</b> <ul style="list-style-type: none"> <li>Condition worsens.</li> <li>Symptoms persist for more than 3 days.</li> <li>Symptoms appear or get worse with use.</li> <li>Excessive irritation of the skin develops.</li> <li>Redness is present.</li> </ul> </p> <p><b>Directions</b> <ul style="list-style-type: none"> <li>Adults and children 12 years of age and older: remove protective film from the patch and apply to the painful area.</li> <li>Use 1 to 2 patches every 24 hours.</li> <li>Apply the patch to the affected area for 12 to 18 hours.</li> <li>Do not apply to areas with excessive heat. Adhesive patches may hurt skin upon removal.</li> <li>Discontinue use if you experience contact dermatitis.</li> </ul> </p> <p><b>Other information</b> <ul style="list-style-type: none"> <li>Store at room temperature, 10° to 30° C (50° to 86° F).</li> </ul> </p> <p><b>Inactive Ingredients</b> Aconitum Pendulum Radix, Biomedium Syntholicum, Methyl salicylate, Rubber, Zinc Oxide, Lanthanum Chloride, Iron.</p>	<p><b>Use</b> For temporary relief of pain.</p> <p><b>警告</b> 只供外用。</p> <p><b>不可用於</b> 已過敏或破損皮膚、敏感皮膚、或對膠布過敏。</p> <p><b>使用此產品時</b> 須小心使用。如有下列情況，請停止使用及諮詢醫師： <ul style="list-style-type: none"> <li>情況未好轉。</li> <li>症狀持續超過 3 天。</li> <li>症狀暫時又惡化。</li> <li>造成皮膚過敏。</li> <li>紅腫。</li> </ul> </p> <p><b>用法</b> <ul style="list-style-type: none"> <li>成人及十二歲以上兒童：將貼片上之保護膜，沿S形切口撕除。</li> <li>每貼敷 4 至 8 小時。</li> <li>將貼片貼於患處，貼敷時間為 12 至 18 小時。</li> <li>貼片貼於患處後，若貼片時可感覺刺痛，即應停止使用。</li> <li>十二歲以下兒童：勿用或請醫師。</li> </ul> </p> <p><b>其他資料</b> <ul style="list-style-type: none"> <li>請於室溫內，10°C 至 30°C (50°F 至 86°F) 保存。</li> </ul> </p> <p><b>非主要成份</b> 歐方龍膽根、乳片、水楊酸甲酯、橡膠、氧化銻、羊毛脂、凡士林、松香。</p>

Questions? +1-888-915-4789 問題? +1-888-915-4789

**Manufactured by:**  
Tibet Cheezheng Tibetan Medicine Co., Ltd.  
Address: No. 2, Dag Road, Bay District, Kashgar 860000, China  
Address: No. 1, Cheezheng Road, Yuhang Lanchow, Gansu 730000, China  
**Distributed by:**  
TCM Herbalway Inc.  
Address: Covina, CA 91724, USA  
Tel.: +1-888-915-4789  
**生產商:**  
西藏奇正藏藥股份有限公司  
地址: 中國西藏喀什市巴宜區德吉路2號  
甘肅奇正藏藥有限公司  
地址: 中國甘肅蘭州榆中奇正路1號  
**經銷商:**  
TCM Herbalway Inc.  
地址: Covina, CA 91724, USA  
電話: +1-888-915-4789



8 50064 25007 7

奇正 CHEEZHENG

Batch No:  
批號:  
Expire Date:  
有效期至:

NDC 66506-188-01

ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་

**奇正**  
CHEEZHENG

**CHEEZHENG™ JOINT ANALGESIC PATCH**  
**關節止痛貼**

- Strong effect 強效
- Enhanced elasticity 高彈力
- Natural herbal formula 天然植物配方



6 PATCHES 片

Product of Tibet  
西藏產品

NDC 66506-188-01

ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་

**奇正**  
CHEEZHENG

**CHEEZHENG™ JOINT ANALGESIC PATCH**  
**關節止痛貼**

- Strong effect 強效
- Enhanced elasticity 高彈力
- Natural herbal formula 天然植物配方



6 PATCHES 片

Product of Tibet  
西藏產品

NDC 66506-188-01

ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་

**奇正**  
CHEEZHENG

**CHEEZHENG™ JOINT ANALGESIC PATCH**  
**關節止痛貼**

- Strong effect 強效
- Enhanced elasticity 高彈力
- Natural herbal formula 天然植物配方



2 PATCHES 片

Product of Tibet  
西藏產品

NDC 66506-188-01

ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་  
ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་ལྷ་མོ་

**奇正**  
CHEEZHENG

**CHEEZHENG™ JOINT ANALGESIC PATCH**  
**關節止痛貼**

- Strong effect 強效
- Enhanced elasticity 高彈力
- Natural herbal formula 天然植物配方



2 PATCHES 片

Product of Tibet  
西藏產品



# TIBETREE CHEEZHENG JOINT ANALGESIC PATCH

camphor patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66506-188
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	3 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength

<b>ACONITUM PENDULUM ROOT</b> (UNII: 427F13FDK8)
<b>BORNEOL</b> (UNII: M89NIB437X)
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y)
<b>NATURAL LATEX RUBBER</b> (UNII: 2LQ0UUW8IN)
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)
<b>LANOLIN</b> (UNII: 7EV65EAW6H)
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)
<b>ROSIN</b> (UNII: 88S87KL877)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66506-188-02	2 in 1 PACKET	06/10/2024	
1		1.7 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:66506-188-01	3 in 1 BOX	06/11/2024	
2		1.7 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:66506-188-04	2 in 1 PACKET	06/10/2024	
3		1.7 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:66506-188-03	3 in 1 BOX	06/10/2024	
4		1.7 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/10/2024	

**Labeler** - Tibet Cheezheng Tibetan Medicine Co. Ltd (529074851)

Revised: 9/2024

Tibet Cheezheng Tibetan Medicine Co. Ltd