

TRIPLE ANTIBIOTIC- bacitracin zinc and neomycin and polymyxin b sulfate ointment
Melaleuca, Inc.

Triple Antibiotic Ointment

Active Ingredients (each gram contains:)

Bacitracin zinc 500 units

Neomycin 3.5 mg

Polymyxin B sulfate 10,000 units

Purpose

antibiotic

Uses

First aid to help prevent the risk of infection in minor

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use in the eyes or over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor

Stop use and ask a doctor if the condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1-3 times daily
- may be covered with a sterile bandage

Inactive ingredients: Melaleuca Oil (T36-C5 ^(R)), mineral oil, petrolatum

One-of-a-Kind Formula

The only formula that combines three antibiotics with the moisturizing properties of Melaleuca Oil.

Effective

Helps prevent bacterial infection in minor cuts, scrapes, and burns.

Moisturizing

Moisturizing ingredients rehydrate the skin.

EFFECTIVE—Helps prevent bacterial infection in minor cuts, scrapes, and burns.
MOISTURIZING—Moisturizing ingredients rehydrate the skin.
ONE-OF-A-KIND FORMULA—The only formula that combines three antibiotics with the moisturizing properties of Melaleuca Oil.



Melaleuca, Inc., Idaho Falls, ID 83402
 To order: 208-534-3000 • Melaleuca.com
 Made in the USA with thoughtfully selected globally sourced ingredients N° 139 02/23 U

Triple Antibiotic

OINTMENT

First aid antibiotic to protect against infection
 NET WT 0.5 OZ (14 g)

Drug Facts		Drug Facts (continued)	
Active ingredients (in each gram)		Warnings	
Bacitracin zinc 500 units	Purpose	For external use only	
Neomycin 3.5 mg	First aid antibiotic	Do not use in the eyes or over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor.	
Polyoxynin B sulfate 10,000 units	First aid antibiotic	Stop use and ask a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops. Do not use if you are allergic to any of the ingredients. Do not use longer than 1 week unless directed by a doctor.	
Uses			
first aid to help prevent the risk of infection in minor cuts, scrapes, and burns			

Drug Facts (continued)		Drug Facts (continued)	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Other information store at 15-30°C (59-86°F)	
Directions		Inactive ingredients Melaleuca Oil (136-65°), mineral oil, petrolatum	
<ul style="list-style-type: none"> ■ Clean the affected area ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1-3 times daily. May be covered with a sterile bandage. 			

One-of-a-Kind Formula / Formule unique en son genre

The only formula that combines three antibiotics with the moisturizing properties of Melaleuca Oil. / La seule formule à combiner trois antibiotiques aux propriétés hydratantes de l'Huile de melaleuca.

Effective / Efficace

Helps prevent infection in minor cuts, scrapes, and burns, / Aide à prévenir l'infection des coupures mineures, des égratignures et des brûlures.

Moisturizing Formula / Formule hydratante

Moisturizing ingredients rehydrate the skin. / Les ingrédients hydratants réhydratent la peau.



Dist. by / par: Melaleuca, Inc., Idaho Falls, ID 83402
Suite 317, 35-2855 Pembina Highway
Winnipeg, MB R3T 2H5
To order / Pour commander:
1-800-282-3000 • Melaleuca.com
Product of USA / Produit des É.-U., N° 139 10/15 C

 **Triple Antibiotic**
OINTMENT / ONGUENT

Topical antibiotic protection / Protection antibiotique maximale

14 g
DIN 02088339

First aid to help prevent infection in minor cuts, scrapes, and burns.

Directions: Clean affected area. Apply a small amount of this product (an amount equal to the surface area of the top of a finger) on the area one to three times daily as required. May be covered with a sterile bandage.

WARNING: For external use only. Avoid use near or contact with eyes. If contact with the eyes occurs, rinse thoroughly with water. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. Stop use and seek medical assistance if irritation occurs or if the condition persists or gets worse. Do not use longer than one week unless directed to do so by a doctor. Do not use over large areas. Keep out of the reach of children. In case of accidental ingestion, call a doctor immediately.

▼ Soulevez ici pour la version en français ▼

Medicinal Ingredients: Each gram contains Polymyxin B (as sulfate) 10,000 units, Bacitracin (as zinc) 500 units, and Gramicidin 0.25 mg.
Other Ingredients: Petrolatum, Mineral Oil, T36-C5™ MelaLeuca Oil.
 Store between 15°C and 30°C (59°F and 86°F)

Premiers secours pour aider à prévenir l'infection des coupures, éraflures et brûlures.

Mode d'emploi : Nettoyer la zone affectée. Appliquer une petite quantité de ce produit (une quantité égale à l'aire de surface de la partie supérieure d'un doigt) sur la zone une à trois fois par jour selon les besoins. Peut être recouvert d'un pansement stérile. **AVERTISSEMENT :** Pour usage externe seulement. Éviter l'utilisation à proximité de ou tout contact avec les yeux. En cas de contact avec les yeux, rincer abondamment avec de l'eau. En cas de plaies profondes ou perforantes, morsures d'animaux, ou des brûlures graves, consulter un médecin. Arrêtez l'utilisation et consulter un médecin si l'irritation se produit ou si le problème persiste ou empire. Ne pas utiliser plus d'une semaine, sauf sur avis du médecin. Ne pas utiliser sur de grandes surfaces. Garder hors de la portée des enfants. En cas d'ingestion accidentelle, appeler immédiatement un médecin.

Ingédients médicinaux : Chaque gramme contient 10 000 unités de polymyxine B (sulfate), 500 unités de bacitracine (comme le zinc), et 0.25 mg de gramicidine. **Autres ingrédients :** pétrolatum, huile minérale, T36-C5™ Huile de melaLeuca.
 Entreposer entre 15° et 30°C (59° et 86°F)

TRIPLE ANTIBIOTIC

bacitracin zinc and neomycin and polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54473-291
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 U in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K) POLYMYXIN B 10000 U in 1 g

Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54473-291-01	14 g in 1 TUBE; Type 0: Not a Combination Product	01/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	07/01/1995	

Labeler - Melaleuca, Inc. (139760102)

Establishment

Name	Address	ID/FEI	Business Operations
Melaleuca, Inc.		079711683	manufacture(54473-291)

Revised: 12/2025

Melaleuca, Inc.