CETIRIZINE HCL- cetirizine tablet Strategic Sourcing Services LLC

Drug Facts

Cetirizine HCl 10 mg

Antihistamine

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose,
- sneezing,
- itchy, watery eyes,
- itching of the nose or throat

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or an antihistamine containing hydroxyzine.

Ask a doctor before use ifyou have liver or kidney disease.

Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breastfeeding:

- If breastfeeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Cetirizine Hydrochloride Tablets, USP 10 mg

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor

children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20°C to 25°C (68°F to 77°F)
- do not use if imprinted foil inner seal on bottle is broken or missing.
- FDA approved organic impurities test procedure differs from USP

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, sodium starch glycolate, titanium dioxide.

Questions or comments?

Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

Manufactured by:

Glenmark Pharmaceuticals Limited

Pithampur, Madhya Pradesh 454775, India

Distributed by:

McKesson Corp. via SSSL

Memphis, TN 38141

www.fosterandthrive.com

Product of India

February 2025

Package/Label Principal Display Panel

Container label

NDC 70677-1279-5

10 mg - 300 Tablets

VALUE PACK NDC 70677-1279-5 FOSTER € Thrive™ ORIGINAL PRESCRIPTION STRENGTH All Day Allergy Cetirizine Hydrochloride Tablets USP, 10 mg ANTIHISTAMINE

Indoor & Outdoor Allergies 24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes

300 TABLETS

• Itchy Throat or Nose 10 MG EACH

Active ingredient (in each tablet)......Purpose
Cetirizine HCl 10 mg......Antihistamine
Uses temporarily relieves these symptoms due
to hay fever or other upper respiratory allergies:
• runny nose
• sneezing
• itchy, watery eyes

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquillizers or sedatives.

When using this product • drowsiness may occur • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness • be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breastfeeding:

ot recommended • if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions Adults and children 6 years and over: one 10 mg tablet once daily: do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor. Children under

65 years and over: ask a doctor. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.

or kidney disease: ask a doctor.

Other information • store between 20°C to 25°C (68°F to 77°F) • do not use if imprinted foil inner seal on bottle is broken or missing.
• FDA approved organic impurities test procedure differs from USP

Inactive ingredients colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, sodium starch glycolate, titanium dioxide.

Questions or comments?

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST.

©2023 McKesson Corporation Distributed by: McKesson Corp., via SSSL. Memphis, TN 38141 Money Back Guarantee www.fosterandthrive.com MP/DRUGS/25/9/2010 PE685500125-1 Rev. 1/25

Package/Label Principal Display Panel

Carton label

NDC 70677-1279-5

10 mg- 300 Tablets



10 MG EACH

Indoor and Outdoor Allergies

ANIMAISIHIINA Tablets USP, 10 mg Cetirizine Hydrochloride

All Day Allergy

ОВІСІИА В РРЕВСЕПРИ В ТРЕМЕНТОМ

Foster & Thrive"

NDC 70 671-579-5 COMPARE TO ZYRTEC® TABLETS
ACTIVE ING REDIENT*

VALUE PACK

VALUE PACK

NDC 70677-1279-5 COMPARE TO ZYRTEC® TABLE ACTIVE ING

Foster & Thrive™

ORIGINAL PRESCRIPTION STRENGTH

All Day Allergy

Cetirizine Hydrochloride Tablets USP, 10 mg

ANTIHISTAMINE

Indoor & Outdoor Allergies

- 24 Hour Relief of:
- · Runny Nose
- Itchy, Watery Eyes
 Itchy Throat or Nose

ACTUAL SIZE

300 TABLETS 10 MG EACH

PORTANT: READ ALL PRODUCT INFORMATIO Before Using. Keep this carton for Important information.

Drug Facts

Active ingredient (in each tablet) Purpose

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

runny nose sneezing litchy, watery eyes tching of the nose or throat

Warnings

Do not use if you ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives

When using this product

- drowsiness may occur
- avoid alcoholic drinks
 alcohol, sedatives, and tranquilizers may
- increase drowsiness

ORAL

Drug Facts (continued)

■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breastfeeding:

if breastfeeding: not recommended

if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose. get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions	
adults and children 6 years and over	one 10 mg tablet once daily: do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Drug Facts (continued)

Other information

- store between 20°C to 25°C (68°F to 77°F)
 do not use if imprinted foil inner seal on
- bottle is broken or missing
 FDA approved organic impurities test procedure differs from USP

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, sodium starch glycolate, titanium dioxide.


Questions or comments?

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

This product is not manufactured or distributed by Kenvue Brands LLC, distributor of Zyrtee Tablets, and/or Kenvue Inc., or UCB Biopharma SRL, owner of the registered trademark Zyrtee*, respectively. [Naither Kenvue Brands/UCB Biopharma nor Kenvue make or license this product.]

G2023 McResson Corporation
Distributed by McKesson Corp., via SSSL
Memphis, TM 38141
Money Back Guarantee
via McStern adhrive.com
Preduct of India
MP) Buck S259/2010
PE66531925-1





CETIRIZINE HCL

cetirizine tablet

Product Information

Route of Administration

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:70677-1279

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 640047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZ INE HYDROCHLORIDE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POVIDONE K30 (UNII: U725QWY32X)			
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

Product Characteristics			
Color	WHITE	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	C;17
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70677- 1279-2	1 in 1 CARTON	03/01/2025		
1		30 in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:70677- 1279-3	1 in 1 CARTON	03/01/2025		
2		60 in 1 BOTTLE; Type 0: Not a Combination Product			
3	NDC:70677- 1279-4	1 in 1 CARTON	03/01/2025		
3		90 in 1 BOTTLE; Type 0: Not a Combination Product			
4	NDC:70677- 1279-5	1 in 1 CARTON	03/01/2025		
4		300 in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078427	03/01/2025	

Labeler - Strategic Sourcing Services LLC (116956644)

Establishment			
Name	Address	ID/FEI	Business Operations
Glenmark Pharmaceuticals Limited		862603186	ANALYSIS(70677-1279, 70677-1279, 70677-1279, 70677-1279), MANUFACTURE(70677-1279, 70677-1279, 70677-1279)

Revised: 2/2025 Strategic Sourcing Services LLC