

**CETIRIZINE HCL- cetirizine tablet**  
**Strategic Sourcing Services LLC**

-----  
**Drug Facts**

Cetirizine HCl 10 mg

Antihistamine

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose,
- sneezing,
- itchy, watery eyes,
- itching of the nose or throat

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease.

Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breastfeeding:**

- If breastfeeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Cetirizine Hydrochloride Tablets, USP 10 mg**

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor

children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### ***Other information***

- store between 20°C to 25°C (68°F to 77°F)
- **do not use if imprinted foil inner seal on bottle is broken or missing.**
- FDA approved organic impurities test procedure differs from USP

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, sodium starch glycolate, titanium dioxide.

### ***Questions or comments?***

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

Manufactured by:

#### **Glenmark Pharmaceuticals Limited**

Pithampur, Madhya Pradesh 454775, India

#### **Distributed by:**

#### **McKesson Corp. via SSSL**

Memphis, TN 38141

[www.fosterandthrive.com](http://www.fosterandthrive.com)

#### **Product of India**

April 2025

### **Package/Label Principal Display Panel**

#### Container label

NDC 70677-1279-5

10 mg - 300 Tablets

<b>VALUE PACK</b>	
<p>NDC 70677-1279-5</p> <p><b>Foster &amp; Thrive™</b></p> <p><b>ORIGINAL PRESCRIPTION STRENGTH</b></p> <p><b>All Day Allergy</b></p> <p><b>Cetirizine Hydrochloride</b></p> <p><b>Tablets USP, 10 mg</b></p> <p><b>ANTIHISTAMINE</b></p> <p><b>Indoor &amp; Outdoor Allergies</b></p> <p><b>24 Hour Relief of:</b></p> <ul style="list-style-type: none"> <li>• Sneezing</li> <li>• Runny Nose</li> <li>• Itchy, Watery Eyes</li> <li>• Itchy Throat or Nose</li> </ul>	<p><b>300 TABLETS</b></p> <p><b>10 MG EACH</b></p>
<p><b>Active ingredient (in each tablet).....Purpose</b> Cetirizine HCl 10 mg.....Antihistamine</p> <p><b>Uses</b> temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none"> <li>• runny nose</li> <li>• sneezing</li> <li>• itchy, watery eyes</li> <li>• itching of the nose or throat</li> </ul> <p><b>Warnings</b> <b>Do not use</b> if you ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.</p> <p><b>Ask a doctor before use if you have</b> liver or kidney disease. Your doctor should determine if you need a different dose. <b>Ask a doctor or pharmacist before use if you are</b> taking tranquilizers or sedatives.</p> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>• drowsiness may occur</li> <li>• avoid alcoholic drinks</li> <li>• alcohol, sedatives, and tranquilizers may increase drowsiness</li> <li>• be careful when driving a motor vehicle or operating machinery</li> </ul> <p><b>Stop use and ask a doctor</b> if an allergic reaction to this product occurs. Seek medical help right away.</p> <p><b>If pregnant or breastfeeding:</b></p> <ul style="list-style-type: none"> <li>• if breastfeeding: not recommended</li> <li>• if pregnant: ask a health professional before use. ➡</li> </ul>	<p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p><b>Directions</b> <b>Adults and children 6 years and over:</b> one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. <b>Adults 65 years and over:</b> ask a doctor. <b>Children under 6 years of age:</b> ask a doctor. <b>Consumers with liver or kidney disease:</b> ask a doctor.</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• store between 20°C to 25°C (68°F to 77°F)</li> <li>• <b>do not use if imprinted foil inner seal on bottle is broken or missing.</b></li> <li>• FDA approved organic impurities test procedure differs from USP</li> </ul> <p><b>Inactive ingredients</b> colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, sodium starch glycolate, titanium dioxide.</p> <p><b>Questions or comments?</b> Call <b>833-358-6431</b> Monday to Friday 9:00am to 7:00pm EST.</p>
<p style="text-align: right;">©2023 McKesson Corporation</p> <p style="text-align: right;"><b>Distributed by:</b> McKesson Corp., via SSSL Memphis, TN 38141 Money Back Guarantee <a href="http://www.fosterandthrive.com">www.fosterandthrive.com</a> MP/DRUGS/25/9/2010 PE685500125-1 Rev. 1/25</p>	

## Package/Label Principal Display Panel

Carton label

NDC 70677-1279-5

10 mg- 300 Tablets

Indoor and Outdoor Allergies  
ANTIHISTAMINE  
300 TABLETS  
10 MG EACH

**All Day Allergy**  
ORIGINAL PRESCRIPTION  
STRENGTH  
Foster & Thrive™

NDC 70677-1279-5 COMPARE TO ZYRTEC® TABLETS  
ACTIVE INGREDIENT\*

**VALUE PACK**

NDC 70677-1279-5 COMPARE TO ZYRTEC® TABLETS  
ACTIVE INGREDIENT\*

Foster & Thrive™  
ORIGINAL PRESCRIPTION  
STRENGTH

# All Day Allergy

**Cetirizine Hydrochloride  
Tablets USP, 10 mg**  
ANTIHISTAMINE

Indoor & Outdoor Allergies  
24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

  
ACTUAL SIZE  
**300 TABLETS  
10 MG EACH**

**IMPORTANT: READ ALL PRODUCT INFORMATION  
BEFORE USING. KEEP THIS CARTON FOR  
IMPORTANT INFORMATION.**

**Drug Facts**

**Active ingredient (in each tablet) Purpose**  
Cetirizine HCl 10 mg.....Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes  
■ itching of the nose or throat

**Warnings**  
**Do not use** if you ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.  
**Ask a doctor before use** if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
**Ask a doctor or pharmacist before use** if you are taking tranquilizers or sedatives.

**When using this product**  
■ drowsiness may occur  
■ avoid alcoholic drinks  
■ alcohol, sedatives, and tranquilizers may increase drowsiness

**Drug Facts** (continued)

- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breastfeeding:**  
■ if breastfeeding: not recommended  
■ if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

<b>Directions</b>	
adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Drug Facts** (continued)

**Other information**  
■ store between 20°C to 25°C (68°F to 77°F)  
■ do not use if imprinted foil inner seal on bottle is broken or missing  
■ FDA approved organic impurities test procedure differs from USP

**Inactive ingredients**  
colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, sodium starch glycolate, titanium dioxide.

**Questions or comments?**  
Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

\*This product is not manufactured or distributed by Kenvue Brands LLC, distributor of Zyrtec® Tablets, and/or Kenvue Inc., or UCB Biopharma SRL, owner of the registered trademark Zyrtec®, respectively. [Neither Kenvue Brands/UCB Biopharma nor Kenvue make or license this product.]

©2023 McKesson Corporation  
Distributed by: McKesson Corp., via SSSL  
Memphis, TN 38141  
Money Back Guarantee  
www.fosterandthrive.com  
Product of India  
MP/BRUGS/25/9/2010  
PE645510/25-1  
Rev. 1/23

  
0 10839 96120 4





## CETIRIZINE HCL

cetirizine tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70677-1279
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg
---	--------------------------	-------

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

<b>Product Characteristics</b>			
<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	C;17
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1279-2	1 in 1 CARTON	03/01/2025	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:70677-1279-3	1 in 1 CARTON	03/01/2025	
2		60 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:70677-1279-4	1 in 1 CARTON	03/01/2025	
3		90 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:70677-1279-5	1 in 1 CARTON	03/01/2025	
4		300 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:70677-1279-1	1 in 1 CARTON	04/03/2025	
5		14 in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

ANDA	ANDA078427	03/01/2025	
------	------------	------------	--

**Labeler - Strategic Sourcing Services LLC (116956644)**

**Establishment**

Name	Address	ID/FEI	Business Operations
Glenmark Pharmaceuticals Limited		862603186	ANALYSIS(70677-1279, 70677-1279, 70677-1279, 70677-1279, 70677-1279) , MANUFACTURE(70677-1279, 70677-1279, 70677-1279, 70677-1279, 70677-1279)

Revised: 4/2025

Strategic Sourcing Services LLC