

CONTROLLING BALM WITH TEA TREE OIL- salicylic acid emulsion

CA-BOTANA INTERNATIONAL

Controlling Balm with Tea Tree Oil

Warnings:

For external use only.

Do not use on wounds or damaged skin

When using this product: use only as directed. Avoid contact with eyes. Do not bandage tightly

Stop use and ask a doctor if: redness is present. Irritation develops. Condition worsens or symptoms persist more than 7 days. Symptoms clear up and occur again within a few days.

Store at room temperature. Lot number and expiration date see crimp or see box.

cleanse the skin thoroughly with soft foam deep cleanse before applying. cover the entire affected area with a thin layer 1 to 2 times daily. because too much drying of the skin may occur, start with 1 application daily, then gradually increase to 2 times daily if needed or as directed by a doctor. if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Acrilates/Acrylamine Copolymer
Aloe barbadensis (Aloe vera) extract
Alpha Copper Tripeptide-4 TM
Argania Spinosa (Argan) extract
Benzyl Alcohol
Camellia sinensis (White tea) extract
Chamomilla recutita (Chamomile) extract
Cinnamomum Zeylanicum
Citrus medica lemonum (Lemon) Peel Oil
Copper Gluconate
Ethanol
Ethylhexylglycerin
Euterpe oleracea (Acai) extract
Ginkgo Biloba extract
Glycine
Hamamelis virginiana (Witchhazel) extract
Hypericum perforatum (St John's wort) extract
Juniperus communis (Juniper) extract
Lactic acid
Lavandula angustifolia oil
Malpighia glabra (Acerola) extract
Melaleuca Alternifolia (Tea tree) leaf oil
Olea europaea (Olive) leaf extract
Phenoxyethanol
Phosphatidylcholine
Pinus Taeda (Pine tree) extract
Polysorbate 20

Potassium Sorbate
Propanediol
Punica granatum (Pomegranate) extract
Rosa canina extract
Rosmarinus officinalis (Rosemary) extract
Sodium Hyaluronate
Sodium Hydroxide
Sodium PC
Tetra sodium
Vitis Vinifera (Grape) extract
Water (Aqua)
Xanthan Gum


Keep out of reach of children. If swallowed get medical help or contact a Posion Control Center immediately.

Enter section text here

Enter section text here


| Drug Facts | |
|---|----------------|
| Active ingredient | Purpose |
| Salicylic Acid 0.8% | Acne Treatment |
| Uses • clears acne pimples • helps prevent new acne pimples • penetrates pores to eliminate most acne blemishes, blackheads, and whiteheads | |
| Warnings For external use only | |
| Do not use • on broken skin • on large areas of the body | |
| When using this product • apply to affected areas only • do not use in or near eyes • using other topical acne drugs at the same time or right after use of this product may increase dryness or irritation of the skin. Only one drug should be used unless directed by a doctor. | |
| Stop use and ask a doctor if too much skin irritation or sensitivity develops or increases | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Directions • cleanse the skin thoroughly with Soft Foam Deep Cleanse before applying • cover the entire affected area with a thin layer 1 to 2 times daily • because too much drying of the skin may occur, start with 1 application daily, then gradually increase to 2 times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day | |
| Inactive ingredients: Acrilates/Acrylamine copolymer, Aloe barbadensis (Aloe vera) extract, Alpha copper tripeptide-4 TM, Argania spinosa (Argan) extract, Benzyl alcohol, Camellia sinensis (White tea) extract, Chamomilla recutita (Chamomile) extract, Cinnamomum zeylanicum, Citrus medica limonum (Lemon) peel oil, Copper gluconate, Ethanol, Ethylhexylglycerin, Euterpe oleracea (Açaí) extract, Ginkgo biloba extract, Glycine, Hamamelis virginiana (Witch hazel) extract, Hypericum perforatum (St. John's wort) extract, Juniperus communis (Juniper) extract, Lactic acid, Lavandula angustifolia oil, Malpighia glabra (Acerola) extract, Melaleuca alternifolia (Tea tree) leaf oil, Olea europaea (Olive) leaf extract, Phenoxethanol, Phosphatidylcholine, Pinus taeda (Pine tree) extract, Polysorbate 20, Potassium sorbate, Propanediol, Punica granatum (Pomegranate) extract, Rosa canina extract, Rosmarinus officinalis (Rosemary) extract, Sodium hyaluronate, Sodium hydroxide, Sodium PCA, Tetrasodium EDTA, Vitis vinifera (Grape) fruit cell extract, Water (Aqua), Xanthan gum. | |
| Other information: Store at room temperature. | |

NDC # 35192-018-07 REF #8050

 DOCTOR D. SCHWAB®

CONTROLLING BALM
WITH TEA TREE OIL


BAUME DE CONTRÔLE
BÁLSAMO CONTROLANTE


 ACNE +
OILY SKIN

8 FL. OZ. / 237 ML

FOR PROFESSIONAL USE ONLY / POUR USAGE PROFESSIONNEL UNIQUEMENT

A division of CA BOTANA • San Diego, CA 92121, USA
All Natural • Made in California • Not Tested on Animals
www.ca-botana.com





Package Label display panel

Drug Facts

| | |
|--------------------------|----------------|
| Active ingredient | Purpose |
| Salicylic Acid 0.8% | Acne Treatment |

Uses • clears acne pimples • helps prevent new acne pimples • penetrates pores to eliminate most acne blemishes, blackheads, and whiteheads

Warnings For external use only
Do not use • on broken skin • on large areas of the body
When using this product • apply to affected areas only • do not use in or near eyes • using other topical acne drugs at the same time or right after use of this product may increase dryness or irritation of the skin. Only one drug should be used unless directed by a doctor.
Stop use and ask a doctor if too much skin irritation or sensitivity develops or increases
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions • cleanse the skin thoroughly with Soft Foam Deep Cleanse before applying • cover the entire affected area with a thin layer 1 to 2 times daily • because too much drying of the skin may occur, start with 1 application daily, then gradually increase to 2 times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day


Inactive ingredients: Acrilates/Acrylamine copolymer, Aloe barbadensis (Aloe vera) extract, Alpha copper tripeptide-4 TM, Argania spinosa (Argan) extract, Benzyl alcohol, Camellia sinensis (White tea) extract, Chamomilla recutita (Chamomile) extract, Cinnamomum zeylanicum, Citrus medica lemonum (Lemon) peel oil, Copper gluconate, Ethanol, Ethylhexylglycerin, Euterpe oleracea (Açaí) extract, Ginkgo biloba extract, Glycine, Hamamelis virginiana (Witch hazel) extract, Hypericum perforatum (St. John's wort) extract, Juniperus communis (Juniper) extract, Lactic acid, Lavandula angustifolia oil, Malpighia glabra (Acerola) extract, Melaleuca alternifolia (Tea tree) leaf oil, Olea europaea (Olive) leaf extract, Phenoxethanol, Phosphatidylcholine, Pinus taeda (Pine tree) extract, Polysorbate 20, Potassium sorbate, Propandiol, Punica granatum (Pomegranate) extract, Rosa canina extract, Rosmarinus officinalis (Rosemary) extract, Sodium hyaluronate, Sodium hydroxide, Sodium PCA, Tetrasodium EDTA, Vitis vinifera (Grape) fruit cell extract, Water (Aqua), Xanthan gum.



Other information: Store at room temperature.

NDC # 35192-018-07

REF #8050




**DOCTOR D. SCHWAB®**



**CONTROLLING BALM
WITH TEA TREE OIL**


BAUME DE CONTRÔLE
BÁLSAMO CONTROLANTE

 **ACNE +
OILY SKIN**

8 FL OZ / 237 ML

FOR PROFESSIONAL USE ONLY / POUR USAGE PROFESSIONNEL UNIQUEMENT

A division of CA BOTANA • San Diego, CA 92121, USA
All Natural • Made in California • Not Tested on Animals
www.ca-botana.com



CONTROLLING BALM WITH TEA TREE OIL

salicylic acid emulsion

| Product Information | | | |
|--|----------------|--------------------|-------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:35192-018 |
| Route of Administration | TOPICAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | | Basis of Strength | Strength |
| SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) | | SALICYLIC ACID | 1.89 mg in 237 mg |
| Inactive Ingredients | | | |
| Ingredient Name | | | Strength |
| MELALEUCA ALTERNIFOLIA LEAF (UNII: G43C57162K) | | | |

| | |
|--|--|
| OLEA EUROPAEA LEAF (UNII: MJ95C3OH47) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| PINUS TAEDA BARK (UNII: 9I1F994SVG) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| PUNICA GRANATUM FLOWER (UNII: D9B634V4GP) | |
| ROSA CANINA FLOWER (UNII: 81MCR2UQ6Q) | |
| ROSEMARY (UNII: IJ67X351P9) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| VITIS VINIFERA FLOWERING TOP (UNII: 6TG3V35HTV) | |
| CINNAMON (UNII: 5S29HWU6QB) | |
| LEMON OIL (UNII: I9GRO824LL) | |
| COPPER GLUCONATE (UNII: RV823G6G67) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| ACAI (UNII: 46AM2VJ0AW) | |
| GINKGO (UNII: 19FUJ2C58T) | |
| GLYCINE (UNII: TE7660XO1C) | |
| HAMAMELIS VIRGINIANA BARK (UNII: IH3063S9MY) | |
| HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) | |
| JUNIPER BERRY OIL (UNII: SZH16H44UY) | |
| LACTIC ACID (UNII: 33X04XA5AT) | |
| LAVENDER OIL (UNII: ZBP1YXW0H8) | |
| MALPIGHIA EMARGINATA SEED (UNII: 1X7L93686M) | |
| WATER (UNII: 059QF0KO0R) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| PROPYLENE GLYCOL, (R)- (UNII: 602HN5L69H) | |
| 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (UNII: H026DM5V6U) | |
| ARGANIA SPINOSA LEAF (UNII: 51XV5WTF7E) | |
| GLATIRAMER ACETATE (UNII: 5M691HL4BO) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| COPPER (UNII: 789U1901C5) | |
| .ALPHA.,.ALPHA.-DIMETHYLBENZYL ALCOHOL (UNII: JE030BGE05) | |
| CAMELLIA SINENSIS FLOWER (UNII: 9I2BJY2J17) | |
| CHAMOMILE (UNII: FGL3685T2X) | |

| Packaging | | | | |
|-----------|------------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:35192-018-07 | 237 mg in 1 BOTTLE; Type 0: Not a Combination Product | 11/02/2017 | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M006 | 11/09/2014 | |

Labeler - CA-BOTANA INTERNATIONAL (106276728)

Registrant - RODOLFO UGELSTAD (106276728)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| CA-BOTANA INTERNATIONAL | | 106276728 | manufacture(35192-018) |

Revised: 7/2025

CA-BOTANA INTERNATIONAL