

STOPAIN CLINICAL CONTINUOUS- menthol liquid
Troy Manufacturing, Inc.

Stopain Clinical Continuous Spray

Drug Facts

Active Ingredient

Menthol 10.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

Contents under pressure: do not puncture or incinerate. Do not store at temperature above 120°F.

When using this product:

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

- apply directly onto affected area without the need to rub, massage or bandage
- repeat if necessary, but do not apply more than 4 times daily.

Children 12 years or younger: ask a doctor.

Other Information

- Store at room temperature.

Inactive Ingredients

boswellia serrata extract, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerine, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, water (USP).

Package Labeling:

Active Ingredient	Purpose
Menthol 10.0%	Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

Contents under pressure: do not puncture or incinerate. Do not store at temperatures above 120°F.

When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 2 years of age and older: ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use
Children under 2 years of age: do not use, consult a doctor

Other Information Store at room temperature

Inactive Ingredients boswellia serrata extract, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerin, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, water (USP)

Questions or comments? 1-800-201-7246

MADE IN USA

TROY HEALTHCARE

Manufactured for:
Troy Healthcare, LLC
130 Lions Drive
Hazleton, PA 18202
800-201-PAIN (7246)

©2025
Troy Healthcare, LLC
2-907 REV 03 / 0925

7 24909 95024 1

For more information visit StopainClinical.com

STOPAIN CLINICAL CONTINUOUS

menthol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63936-9504
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9504-4	118 mL in 1 CAN; Type 0: Not a Combination Product	01/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/01/2020	

Labeler - Troy Manufacturing, Inc. (160075248)**Registrant** - Troy Manufacturing, Inc. (160075248)**Establishment**

Name	Address	ID/FEI	Business Operations
Troy Manufacturing, Inc.		160075248	manufacture(63936-9504)