

**SINUS PLUS ALLERGY PE MAXIMUM STRENGTH- chlorpheniramine maleate,
phenylephrine hcl tablet
SUPERVALU INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equaline 44-462

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg
Phenylephrine HCl 10 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
 - sinus congestion and pressure
 - nasal congestion

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

1-855-423-2630

Principal Display Panel

EQUALINE®

NDC 41163-666-08

maximum strength
sinus + allergy PE

chlorpheniramine maleate 4 mg
(antihistamine)
phenylephrine HCl 10 mg
(nasal decongestant)

relieves:

- *sneezing, itchy eyes, runny nose*
- *sinus pressure & congestion*

24 tablets

PSEUDOEPHEDRINE FREE

actual size

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

50844

REV0319B46208

**DISTRIBUTED BY UNFI
PROVIDENCE, RI 02908 USA
855-423-2630**

EQUALINE®

maximum strength
sinus + allergy PE

NDC 41163-666-08

EQUALINE®

maximum strength
sinus + allergy PE

chlorpheniramine maleate 4 mg
(antihistamine)
phenylephrine HCl 10 mg
(nasal decongestant)

relieves:
• sneezing, itchy eyes, runny nose
• sinus pressure & congestion

24 tablets

PSEUDOEPHEDRINE FREE

actual size



TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BUSTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING

No print area
Lot no/Exp date

maximum strength
sinus + allergy PE

EQUALINE®

DISTRIBUTED BY UNFI
PROVIDENCE, RI 02908 USA
855-423-2630

**100% Quality
GUARANTEED**

50844 REV0319B46208

B-0019E-462-08-R
REV0319B46208

Drug Facts	
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION	
Active ingredients (in each tablet) Chlorpheniramine maleate 4 mg Antihistamine Phenylephrine HCl 10 mg Nasal decongestant	Uses temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies: ■ itchy, watery eyes ■ runny nose ■ itching of the nose or throat ■ nasal congestion ■ sneezing ■ sinus congestion and pressure
Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. Ask a doctor before use if you have ■ high blood pressure ■ heart disease ■ thyroid disease ■ diabetes ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland ■ a breathing problem such as emphysema or chronic bronchitis Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. Do not exceed recommended dosage ■ do not exceed recommended dosage ■ excitability may occur, especially in children ■ drowsiness may occur	
Directions adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. children under 12 years: do not use	Other information TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BUSTER IS TORN OR BROKEN store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) see end flap for expiration date and lot number inactive ingredients croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid
Drug Facts (continued) avoid alcoholic beverages ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery Stop use and ask a doctor if ■ symptoms do not improve within 7 days or occur with a fever ■ nervousness, dizziness, or sleepiness occur If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	Questions or comments? 1-855-423-2630

Equaline 44-462

SINUS PLUS ALLERGY PE MAXIMUM STRENGTH

chlorpheniramine maleate, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-666
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;462
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-666-08	1 in 1 CARTON	06/09/2005	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/09/2005	

Labeler - SUPERVALU INC. (006961411)

Establishment

Name	Address	ID/FEI	Business Operations

LNK International, Inc.		832867837	manufacture(41163-666) , pack(41163-666)
-------------------------	--	-----------	--

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(41163-666)

Revised: 1/2023

SUPERVALU INC.