

**CIRCLE K MULTI-SYMPTOM SINUS RELIEF- acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet**  
**Lil' Drug Store Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Circle K ® Multi-Symptom Sinus Relief**

**Drug Facts**

<b>Active ingredients (in each tablet)</b>	<b>Purpose</b>
Acetaminophen 325 mg	Pain reliever
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

**Uses**

- For the temporary relief of:
  - sinus congestion and pressure
  - nasal congestion
  - headache
  - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily relieves nasal congestion due to the common cold, hay fever and other upper respiratory allergies

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

**Allergy alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

## Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## Ask a doctor before use if you have

- liver disease
- heart disease
- diabetes
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

## Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

## When using this product

- **do not exceed recommended dosage**

## Stop use and ask a doctor if

- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or is accompanied by a fever, rash or persistent headache
- nervousness, dizziness or sleeplessness occur.

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

adults and children 12 years and over	<ul style="list-style-type: none"><li>▪ take 1-2 tablets every 4 hours as needed</li><li>▪ do not take more than 12 tablets in 24 hours, or as directed by a doctor</li></ul>
--	---

children under 12 years of age	▪ consult a doctor
--------------------------------	--------------------

### **Other information**

- store at room temperature 59-86°F (15-30°C)
- avoid excessive heat and humidity

### **Inactive ingredients**

FD&C red #40, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide <sup>1</sup>, sodium starch glycolate, starch, stearic acid

1 may contain

### **Questions or comments?**

call toll-free **1-877-507-6516 (M-F 8AM-4:30PM CST)**

**Proudly distributed by Circle K Stores Inc.**

### **PRINCIPAL DISPLAY PANEL - 4 Tablet Pouch Carton**

Compare to the Active Ingredients in  
Tylenol® Sinus Severe †

CIRCLE K ®

Multi-  
Symptom

Sinus

severe  
congestion

Acetaminophen, Guaifenesin and Phenylephrine HCl  
Pain Reliever, Expectorant, Nasal Decongestant

Non-Drowsy Relief of

- Chest & Nasal Congestion
- Sinus Pressure

ACTUAL SIZE

4 Tablets

2 POUCHES, 2 TABLETS PER POUCH

Compare to the Active Ingredients in  
Tylenol® Sinus Severe†

**CIRCLE K**

Multi-Symptom **Sinus** severe congestion

Acetaminophen, Guaifenesin and Phenylephrine HCl  
Pain Reliever, Expectorant, Nasal Decongestant



ACTUAL SIZE

**Non-Drowsy Relief of**  
- Chest & Nasal Congestion  
- Sinus Pressure

**4 Tablets**  
2 POUCHES, 2 TABLETS PER POUCH

Multi-Symptom Sinus 4 Tablets



**DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!**

**Drug Facts**

Active ingredients (in each tablet)	Purpose
Acetaminophen 325 mg	Pain reliever
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

**Uses**

- For the temporary relief of:
  - sinus congestion and pressure
  - headache
  - helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
  - temporarily relieves nasal congestion due to the common cold, hay fever and other upper respiratory allergies
- nasal congestion
- minor aches and pains

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**LIFT PANEL FOR CONTINUED DRUG FACTS**

Multi-Symptom **Sinus**

**CIRCLE K**



Multi-Symptom Sinus 4 Tablets

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- |                                       |  |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none"> <li>■ take 1-2 tablets every 4 hours as needed</li> <li>■ do not take more than 12 tablets in 24 hours, or as directed by a doctor</li> </ul> |
| children under 12 years of age        | <ul style="list-style-type: none"> <li>■ consult a doctor</li> </ul>   |

**Other information**

- store at room temperature 59-86°F (15-30°C)
- avoid excessive heat and humidity

**Inactive ingredients** FD&C red #40, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide\*, sodium starch glycolate, starch, stearic acid \*may contain

**Questions or comments?**

call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

Product manufactured for: Lil' Drug Store Products, Inc., 9300 Earhart Lane SW Cedar Rapids, IA 52404 www.lildrugstore.com 57442C-US-10-18

Proudly distributed by Circle K Stores Inc.

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol® Sinus Severe.



**Drug Facts (continued)**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- diabetes
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin

**When using this product**

- do not exceed recommended dosage

**Stop use and ask a doctor if**

- pain, nasal congestion or cough gets worse or lasts more than 7 days
  - fever gets worse or lasts more than 3 days
  - redness or swelling is present
  - new symptoms occur
  - cough comes back or is accompanied by a fever, rash or persistent headache
  - nervousness, dizziness or sleeplessness occur.
- These could be signs of a serious condition.

# CIRCLE K MULTI-SYMPTOM SINUS RELIEF

acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-5744
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	FR14
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5744-2	2 in 1 CARTON	12/30/2018	11/13/2023
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-5744-8	8 in 1 CARTON	12/30/2018	04/26/2024
2		2 in 1 POUCH; Type 0: Not a Combination Product		

3	NDC: 60715-5744-3	3 in 1 CARTON	10/15/2019	04/30/2024
3		2 in 1 POUCH; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part341		12/07/2015	04/30/2024

**Labeler** - Lil' Drug Store Products, Inc. (093103646)

Revised: 7/2021

Lil' Drug Store Products, Inc.