IO DIP 10- iodine solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container. Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Directions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh IO Dip 10, dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh IO Dip 10, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh IO Dip 10, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh IO Dip 10, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: IO Dip 10 is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

FIRST AID

IN CASE OF EYE CONTACT: Rinse with plenty of water.

IN CASE OF SKIN CONTACT: Rinse with water.

IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

IF INHALED: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

A&L Laboratories

IO Dip 10™

Sanitizing Teat Dip

- An aid in reducing the spread of organisms which may cause mastitis
- Does not contain Nonylphenol Ethoxylate (NPE)

ACTIVE INGREDIENT:

Iodine 1.0%

SKIN CONDITIONING SYSTEM:

(contains glycerin, propylene glycol)......10.0%

TOTAL: 100.0%

NET CONTENTS: 56.8 L (15 US GAL)

6301430

Manufactured by

Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392

© 2015 Ecolab USA Inc. · All rights reserved

Made in United States

761175/5300/0315

- · An aid in reducing the spread of organisms which may cause mastitis
- Does not contain Nonviphenol Ethoxylate (NPE)

ACTIVE INGREDIENT: SKIN CONDITIONING SYSTEM:

(contains glycerin, propylene glycol) ...

FOR INDUSTRIAL USE ONLY KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE

DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container. Udder Preps: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Directions for Teat Dipping
Pre-Milk Dipping: Before each cow is milked, and using fresh 10 Dip 10, dip each teat full-length into the teat dip cup. Wipe teats stories are reported to the control towers.

teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh IO Dip 10, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not

Post-Milk Dipping: Using fresh 10 Dip 10, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh 10 Dip 10, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Before each cow is milked, and using fresh 10 Dip 10, spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh 10 Dip 10, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PERCAUTION: 10 Dip 10 is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

Wash bands throughly after family in a family in a family and included to the milking and the programment of the p

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

wash nanos thoroughny after handling, bet medical advice/attention if yo FIRST AID IN CASE OF EYE CONTACT: Rinse with plenty of water. IN CASE OF SKIN CONTACT: Rinse with water. IF SWALLOWED: Rinse mouth, 6et medical attention if symptoms occur. IF INHALDED: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1800 328 0026. If located outside the United States and Canada, call collect 1651 222 5352 (number is in the US).

Ayuda a evitar la proliferación de organismos que pueden causar mastitis
 No contiene Etoxilatos de nonilfenol

PARA USO INDUSTRIAL SOLAMENTE

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USA HUMANO

INSTRUCCIONES:

IMPORTANTE: No lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a collizar producto sin usar en el contenedor original. Preparado para ubres: Si se realiza un paso de limpieza de ubres antes del ordeño, asegúrese de limpiar los pezones con una solución para ilimpieza de ubres adecuada y procedimientos de limpieza apropiados. Los pezones deben secarse con toallas de uso único.

<u>Instrucciones para el sellado de pezones</u> **Sellado del pezón previo al ordeño:** Antes de ordeñar cada vaca, bañe toda la superficie de cada pezón en un recipiente que contenga IO Dip 10 fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche. Sellado del pezón posterior al ordeño: Bañe toda la superficie de cada pezón en un recipiente que contenga IO Dip 10 fresco.

Sellado del pezon posterior al ordenos: Bane toda la superricia de cada pezon en un recipiente que contença lo Un ju irresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo. Instrucciones para el rociado de pezones. Rociado previo al ordeño: Antes de ordenar cada vaca, rocíe toda la superficie de cada pezón con 10 Dip 10 fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche. Rociado de pezones posterior al ordeño: Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con 10 Dip 10 fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado excensibles.

Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por

Uso Expandido: Al terrescar a las vacas, comience con un dano antiseptico de sus pezones dos veces por dia por aproximadamente 10 días antes de parír.

PRECAUCIÓN: 10 Dip 10 no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario. Consulte con su Representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

Lavarse las manos cuidadosamente después de la manipulación. Consultar a un médico si la persona se encuentra mal.

PRIMEROS AUXILIOS
EN CASO DE CONTACTO CON LOS OJOS: Enjuaque con mucha aqua.

EN CASO DE CONTACTO CON LA PIEL: Enjuague con aqua.

EN CASO DE INGESTIÓN: Enjuague la boca. Consultar un médico si los síntomas aparecen.

EN CASO DE INHALACIÓN: Consultar un médico si los síntomas aparecen.

LEA LA HOJA DE DATOS DE SEGURIDAD ANTES DE USAR ESTE PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

Manufactured by Manufactured by Ecolab Inc. - 370 Wabasha Street N - St Paul MN 55102-1390 USA - tel: 1 800 392 3392 @ 2015 Ecolab USA Inc. - All rights reserved Made in United States 761175/5300/0315

NET CONTENTS: 56.8 L (15 US GAL)

6301430



IO DIP 10

iodine solution

Product Information					
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-534		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety Basis of Strength Ingredient Name Strength IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) **IODINE** 10 mg in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:47593-534-16	18900 mL in 1 PAIL				
2	NDC:47593-534-17	56800 mL in 1 DRUM				
3	NDC:47593-534-21	208000 mL in 1 DRUM				
4	NDC:47593-534-44	1150000 mL in 1 CONTAINER				

Marketing Information					
ion Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	06/04/2015				
	ion Number or Monograph Citation	Citation Date			

Labeler - Ecolab Inc. (006154611)

Revised: 9/2025 Ecolab Inc.