

CAREALL ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet
New World Imports, Inc

Drug Facts

Acetaminophen 500 mg

Pain reliever / Fever reducer

In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

For the temporary relief of minor aches and pains associated with: the common cold, headache, toothache, muscular aches, backache, minor pain from arthritis, premenstrual and menstrual cramps

Temporarily reduces fever

Liver Warning:This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert:Acetaminophen may cause severe skin reactions. Symptoms may include skin reddening, blisters, rash.

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you haveliver disease

Ask a doctor or pharmacist before use if youare taking the blood thinning drug warfarin

Stop use and ask a doctor if:

- Pain gets worse or lasts for more than 10 days
- Fever gets worse or lasts for more than 3 days
- New symptoms occur
- Redness or swelling is present

These could be signs of a serious condition

If pregnant or breast-feeding,ask a health professional before use.

Do not exceed recommended dosage.

Do not use more than directed (see overdose warnings)

Adults and children 12 years of age and older:

- Take 2 caplets every 6 hours while symptoms last.
- Do not take more than 6 caplets in 24 hours, unless directed by a doctor.
- Do not use more than 10 days unless directed by a doctor.

Children under 12 years of age: consult a doctor

Corn Starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

NDC 51824-099-01

CAREALL
Acetaminophen
 For Adults

Extra Strength

► Pain Reliever
 ► Fever Reducer

*Compare to the active ingredient of Extra Strength Tylenol®



100 500mg Caplets

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each Caplet) Purpose
 Acetaminophen 500mg.....Pain reliever/fever reducer

Uses For the temporary relief of minor aches and pains associated with: ■ the common cold ■ headache ■ backache ■ minor pain from arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.
Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Drug Facts (continued on inside)

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc. owner of the registered trademark Extra Strength Tylenol®.
 Distributed By:
 CareALL Products, 160 Athens Way, Nashville, TN 37228
 www.careallproducts.com



Drug Facts (continued)

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product
Ask a doctor before use if you have liver disease
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed (see overdose warning)
Adults and children 12 years and over ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not take for more than 10 days unless directed by a doctor

Children under 12 years of age Consult a doctor

Other information ■ store between 20°-25°C (68°-77°F)

Inactive ingredients com starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

CAREALL ACETAMINOPHEN EXTRA STRENGTH			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-099
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white (White)	Score	no score
Shape	OVAL (Oval)	Size	18mm
Flavor		Imprint Code	AZ;328
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-099-24	24 in 1 CASE	11/28/2023	
1	NDC:51824-099-01	100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/28/2023	

Labeler - New World Imports, Inc (075372276)

Revised: 12/2025

New World Imports, Inc