MECLIZINE HCL 25 MG- meclizine hydrochloride tablet, chewable RPK Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meclizine HCl 25 mg Chewable Tablets

Active ingredient (in each chewable tablet)

Meclizine HCl, USP 25 mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness due to motion sickness

Warnings

Do not use in children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children.

In case of overdose, get medical help or contact the poison control center immediately.

Directions

- Dosage should be taken one hour before travel starts.
- Adults and children 12 years of age and older: Chew 1-2 tablets once daily or as directed by a
 doctor
- **Children under 12 years:** do not give this product to children under 12 years of age unless directed by a doctor.

Other information

- store at room temperature
- Phenylketonurics: Contains phenylalanine 0.28 mg per tablet
- Do not use if imprinted safety seal under cap is broken or missing

Inactive ingredients

aspartame, croscarmellose sodium, dextrose, FD&C Red #40 Lake, magnesium stearate, maltodextrin,

microcrystalline cellulose, natural and artificial flavors, silicon dioxide, sodium sulfate, sugar, tricalcium phosphate.

Questions or comments?

If you have any questions or comments or to report an adverse event, please contact (800) 795-9775.

Distributed by: Plus Pharma, Commack, NY 11725

*Plus Pharma is not affiliated with the owner of the registered trademark Bonine®.

When using this product

- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

Meclizine 25mg Chewtabs



MECLIZINE HCL 25 MG

meclizine hydrochloride tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53002-7650(NDC:51645-994)
Route of Administration	ORAL		


Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MECLIZINE HYDRO CHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg	

Inactive Ingredients			
Ingredient Name	Strength		
ASPARTAME (UNII: Z0H242BBR1)			
SUCROSE (UNII: C151H8 M554)			
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)			

DEXTROSE, UNSPECIFIED FORM (UNII: IY9 XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
SO DIUM SULFATE (UNII: 0 YPR65R21J)	
TRICALCIUM PHO SPHATE (UNII: K4C08XP666)	

Product Characteristics			
Color	pink (Uncoated)	Score	2 pieces
Shape	ROUND (Biconvex)	Size	8 mm
Flavor	RASPBERRY	Imprint Code	21G
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53002-7650-1	10 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2018	
2	NDC:53002-7650-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2018	
3	NDC:53002-7650-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2018	



Labeler - RPK Pharmaceuticals, Inc. (147096275)

Establishment				
Name	Address	ID/FEI	Business Operations	
RPK Pharmaceuticals, Inc.		147096275	RELABEL(53002-7650), REPACK(53002-7650)	

Revised: 10/2018 RPK Pharmaceuticals, Inc.