

**VICHY LABORATOIRES MINERAL 89 BROAD SPECTRUM SPF 30 SUNSCREEN-  
avobenzene, homosalate, octisalate and octocrylene cream  
L'Oreal USA Products Inc**

-----

**Drug Facts**

**Active ingredients**

Avobenzene 3%

Homosalate 5%

Octisalate 5%

Octocrylene 7.2%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

● **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## Other information

- protect the product in this container from excessive heat and direct sun
- store at 68 - 77° F (20 - 25°C)

## Inactive ingredients

water, glycerin, silica, propanediol, dimethicone, niacinamide, alcohol denat., titanium dioxide, glyceryl stearate, PEG-100 stearate, mica, tranexamic acid, stearic acid, palmitic acid, ammonium polyacryloyldimethyl taurate, squalene, hydroxyacetophenone, dicaprylyl carbonate, steareth-100, caprylyl glycol, xanthan gum, dimethicone/vinyl dimethicone crosspolymer, citric acid, butylene glycol, synthetic fluorophlogopite, trisodium ethylenediamine disuccinate, tocopherol, sodium hyaluronate, myristic acid, tin oxide, mineral salts

## Questions or comments?

Call toll free **1-877-378-4249**

Monday - Friday (9 a.m. to 5 p.m. EST)

www.vichy.com



DERMATOLOGIST TESTED  
ALLERGY-TESTED  
NON-COMEDOGENIC  
SUITABLE FOR ALL SKIN TYPES  
FRAGRANCE-FREE

**LIGHTWEIGHT TEXTURE:**  
Fresh, lightweight texture easily  
glides on and is quickly absorbed  
into the skin. For all skin types and  
phototypes. No white cast.

**FORMULATION COMMITMENTS**



**Drug Facts**

Active ingredients	Purpose
Avo benzene 3%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7.2%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, glycerin, silica, propanediol, dimethicone, niacinamide, alcohol denat., titanium dioxide, glyceryl stearate, PEG-100 stearate, mica, tranexamic acid, stearic acid, palmitic acid, ammonium polyacryloyldimethyl taurate, squalane, hydroxyacetophenone, dicaprylyl carbonate, steareth-100, caprylyl glycol, xanthan gum, dimethicone/vinyl dimethicone crosspolymer, citric acid, butylene glycol, synthetic uorphlogpote, trisodium ethylenediamine disuccinate, tocopherol, sodium hyaluronate, myristic acid, tin oxide, mineral salts

**Questions or comments?**

1-877-378-4249  
Monday - Friday (9 a.m. - 5 p.m. EST)

Formula 689167 13

FIL V70032539/23

**EXPOSOME SCIENCE:**  
Daily exposure to UV rays weaken the skin's moisture barrier and accelerates the skin's daily loss of water, minerals, lipids, vitamins, and hyaluronic acid.

**VICHY SOLUTION:**  
A unique concentration of skin's vital elements as well as UVA/UVB protection, in a lightweight & non-greasy cream to help protect against daily aggressors. Skin hydration is boosted and retained for up to 72 hours. Skin appears radiant and skin tone is improved.

[Hyaluronic Acid].....	0.1%
[Vichy Volcanic Water Minerals].....	6.4 mg
[Vitamins B3 & E].....	2.1%
[Squalane].....	0.5%

**APPLICATION:**

Apply 3 pumps onto your face every morning for broad spectrum SPF 30 sunscreen protection against the sun's UVA and UVB rays. Must reapply at least every 2 hours for sunscreen protection.



**USA DISPOSAL ADVISORY:**

Vichy encourages recycling this paper carton, cap, bottle, and pump to foster good waste management habits.

50 ml / 1.69 FL. OZ.

Distribution reserved to agreed VICHY suppliers.  
L'Oréal USA S/D Inc., New York, NY 10001  
VICHY CAI/CAF 03 Vichy France  
TSA 75000 93584 ST OUEN CEDEX FR  
Made in France [www.vichyusa.com](http://www.vichyusa.com)

50 ml

1.69 FL. OZ.

FACING



3 337875 879170

3612623803080

www.vichy.com



DERMATOLOGIST TESTED  
ALLERGY-TESTED  
NON-COMEDOGENIC  
SUITABLE FOR ALL SKIN TYPES  
FRAGRANCE-FREE

**LIGHTWEIGHT TEXTURE:**  
Fresh, lightweight texture easily  
glides on and is quickly absorbed  
into the skin. For all skin types and  
phototypes. No white cast.

**FORMULATION COMMITMENTS**



**Drug Facts**

Active ingredients	Purpose
Avo benzene 3%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7.2%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, glycerin, silica, propanediol, dimethicone, niacinamide, alcohol denat., titanium dioxide, glyceryl stearate, PEG-100 stearate, mica, tranexamic acid, stearic acid, palmitic acid, ammonium polyacryloyldimethyl taurate, squalane, hydroxyacetophenone, dicaprylyl carbonate, steareth-100, caprylyl glycol, xanthan gum, dimethicone/vinyl dimethicone crosspolymer, citric acid, butylene glycol, synthetic uorphlogopite, trisodium ethylenediamine disuccinate, tocopherol, sodium hyaluronate, myristic acid, tin oxide, mineral salts

**Questions or comments?**

1-877-378-4249  
Monday - Friday (9 a.m. - 5 p.m. EST)

Formula 689167 13

FIL V70032539/23

**EXPOSOME SCIENCE:**  
Daily exposure to UV rays weaken the skin's moisture barrier and accelerates the skin's daily loss of water, minerals, lipids, vitamins, and hyaluronic acid.

**VICHY SOLUTION:**  
A unique concentration of skin's vital elements as well as UVA/UVB protection, in a lightweight & non-greasy cream to help protect against daily aggressors. Skin hydration is boosted and retained for up to 72 hours. Skin appears radiant and skin tone is improved.

[Hyaluronic Acid].....	0.1%
[Vichy Volcanic Water Minerals].....	6.4 mg
[Vitamins B3 & E].....	2.1%
[Squalane].....	0.5%

**APPLICATION:**

Apply 3 pumps onto your face every morning for broad spectrum SPF 30 sunscreen protection against the sun's UVA and UVB rays. Must reapply at least every 2 hours for sunscreen protection.



**USA DISPOSAL ADVISORY:**

Vichy encourages recycling this paper carton, cap, bottle, and pump to foster good waste management habits.

50 ml / 1.69 FL. OZ.

Distribution reserved to agreed VICHY suppliers.  
L'Oréal USA S/D Inc., New York, NY 10001  
VICHY CAI/CAF 03 Vichy France  
TSA 75000 93584 ST OUEN CEDEX FR  
Made in France [www.vichyusa.com](http://www.vichyusa.com)

**VICHY**  
LABORATOIRES



50 ml

1.69 FL. OZ.

FACING



3 337875 879170

3612623803080

www.vichy.com



DERMATOLOGIST TESTED  
ALLERGY-TESTED  
NON-COMEDOGENIC  
SUITABLE FOR ALL SKIN TYPES  
FRAGRANCE-FREE

**LIGHTWEIGHT TEXTURE:**  
Fresh, lightweight texture easily glides on and is quickly absorbed into the skin. For all skin types and phototypes. No white cast.

**FORMULATION COMMITMENTS**



**Drug Facts**

Active ingredients	Purpose
Avo benzene 3%	Sunscreen
Homosalate 5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7.2%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
- apply generously 15 minutes before sun exposure
  - reapply at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating
  - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats and sunglasses
    - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, glycerin, silica, propanediol, dimethicone, niacinamide, alcohol denat., titanium dioxide, glyceryl stearate, PEG-100 stearate, mica, tranexamic acid, stearic acid, palmitic acid, ammonium polyacryloyldimethyl taurate, squalane, hydroxyacetophenone, dicaprylyl carbonate, steareth-100, caprylyl glycol, xanthan gum, dimethicone/vinyl dimethicone crosspolymer, citric acid, butylene glycol, synthetic uorphlogopite, trisodium ethylenediamine disuccinate, tocopherol, sodium hyaluronate, myristic acid, tin oxide, mineral salts

**Questions or comments?**

1-877-378-4249  
Monday - Friday (9 a.m. - 5 p.m. EST)

Formula 689167 13

FIL V70032539/23

**EXPOSOME SCIENCE:**  
Daily exposure to UV rays weaken the skin's moisture barrier and accelerates the skin's daily loss of water, minerals, lipids, vitamins, and hyaluronic acid.

**VICHY SOLUTION:**  
A unique concentration of skin's vital elements as well as UVA/UVB protection, in a lightweight & non-greasy cream to help protect against daily aggressors. Skin hydration is boosted and retained for up to 72 hours. Skin appears radiant and skin tone is improved.

[Hyaluronic Acid].....	0.1%
[Vichy Volcanic Water Minerals].....	6.4 mg
[Vitamins B3 & E].....	2.1%
[Squalane].....	0.5%

**APPLICATION:**  
Apply 3 pumps onto your face every morning for broad spectrum SPF 30 sunscreen protection against the sun's UVA and UVB rays. Must reapply at least every 2 hours for sunscreen protection.



**USA DISPOSAL ADVISORY:**

Vichy encourages recycling this paper carton, cap, bottle, and pump to foster good waste management habits.

50 ml / 1.69 FL. OZ.

Distribution reserved to agreed VICHY suppliers.  
L'Oréal USA S/D Inc., New York, NY 10001  
VICHY CAI/CAF 03 Vichy France  
TSA 75000 93584 ST OULEN CEDEX FR  
Made in France [www.vichyusa.com](http://www.vichyusa.com)



50 ml 1.69 FL. OZ.

FACING



3 337875 879170  
3612623803080

# VICHY LABORATOIRES MINERAL 89 BROAD SPECTRUM SPF 30 SUNSCREEN

avobenzene, homosalate, octisalate and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-917
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	72 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>GLYCERYL 1-STEARATE</b> (UNII: 258491E1RZ)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TRANEXAMIC ACID</b> (UNII: 6T84R30KC1)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>AMMONIUM POLYACRYLOYLDIMETHYL TAURATE</b> (UNII: F01RIY4371)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>STEARETH-100</b> (UNII: 4OH5W9UM87)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNQ)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

**MYRISTIC ACID** (UNII: 0I3V7S25AW)

**STANNIC OXIDE** (UNII: KM7N50LOS6)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-917-01	1 in 1 CARTON	07/01/2024	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2024	

**Labeler** - L'Oreal USA Products Inc (002136794)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosmetique Active Production		282658798	manufacture(49967-917) , pack(49967-917)

Revised: 7/2024

L'Oreal USA Products Inc