

OXYGEN- oxygen gas
Richmond Oxygen Company Inc.

Oxygen

Oxygen Shoulder label

RICHMOND OXYGEN COMPANY

11009 Richardson Road, Ashland, VA 23005


804-798-2525

OXYGEN, COMPRESSED USP UN 1072 OXYGEN 2 DO NOT REMOVE THIS PRODUCT LABEL. 13672 (04/06)

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. **DANGER: CONTAINS GAS UNDER PRESSURE. OXIDIZER. VIGOROUSLY ACCELERATES COMBUSTION.**

Keep valves and fittings free from grease and other combustibles. Open valve slowly and close after each use. Keep away from heat, fumes or sparks. Transport, store, and use with adequate ventilation. Use only equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow prevention device in the piping. Cylinder temperature should not exceed 52°C (125° F). Always secure cylinder in an upright position. Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7

FOR CHEMICAL EMERGENCY INVOLVING THIS PRODUCT, CALL INFOTRAC 1-800-535-5053



Oxygen Body Label

RICHMOND OXYGEN

COMPANY

OXYGEN, COMPRESSED USP, UN1072 OXYGEN 2

DO NOT REMOVE THIS LABEL **OXYGEN 2** PRODUCED BY AIR
LIQUEFACTION

Medical Gas

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patient's ho have stopped breathing, unless use in conjunction with resuscitative equipment.

DANGER: CONTAINS GAS UNDER PRESSURE. OXIDIZER. VIGOROUSLY ACCELERATES COMBUSTION.

Keep valves and fittings free from grease and other combustibles. Open valve slowly and close valve after each use. Keep away from heat, flames, or sparks. Transport, store, and use with adequate ventilation. Use only equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow preventive device in the piping. Cylinder temperature should not exceed 52° C (125° F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7

Contents:

	Cylinder type	Liters	
AA	M4	114L	_____
A	M6	165L	_____
B	ML6	170L	_____
	M7	210L	_____
C	M9	249L	_____
D	MD	416L	_____
DD	M22	650L	_____
E	ME	685L	_____

RICHMOND OXYGEN COMPANY


11009 Richardson Road, Ashland, VA 23005

Phone: 804-798-2525

RICHMOND OXYGEN COMPANY

OXYGEN COMPRESSED USP, UN1072

**DO NOT
REMOVE
THIS LABEL**



Produced By
Air Liquefaction



Medical Gas

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentration of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

**DANGER: CONTAINS GAS UNDER PRESSURE.
OXIDIZER. VIGOROUSLY ACCELERATES COMBUSTION.**

Keep valve and fittings free from oil, grease, and other combustibles. Open valve slowly and close after each use. Keep away from heat, flames, or sparks. Transport, store, and use with adequate ventilation. Use only equipment cleaned for oxygen service and rated for cylinder pressure. Use a backflow prevention device in the piping. Cylinder temperature should not exceed 52°C (125°F). Always secure cylinder in an upright position. Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7

contents:

	Cylinder Type	Liters	
AA	M4	114L	<input type="checkbox"/>
A	M6	165L	<input type="checkbox"/>
B	ML6	170L	<input type="checkbox"/>
	M7	210L	<input type="checkbox"/>
C	M9	249L	<input type="checkbox"/>
D	MD	416L	<input type="checkbox"/>
DD	M22	650L	<input type="checkbox"/>
E	ME	685L	<input type="checkbox"/>

RICHMOND OXYGEN COMPANY
11009 Richardson Road, Ashland, VA 23005
Phone: 804-798-2525

Oxygen Refrigerated

OXYGEN, REFRIGERATED LIQUID, USP UN1073

OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING USP

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction of resuscitative equipment.

Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the *Federal Food, Drug, and Cosmetic Act*.

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDER, CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBELS IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a backflow preventive device in the piping. Use only the equipment of compatible materials equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE. CAS: 7782-44-7

FIRST AID FIRST AID: IF ON SKIN: Thaw affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Lot Number:

Contents:

Expiration Date:

Richmond Oxygen

11009 Richardson Road

Ashland, VA 23005

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

REFRIGERATED LIQUID, USP

UN 1073



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

USP

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-447

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE FROSTBITE, BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a backflow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressures. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position.



IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Lot Number:

Contents:

Expiration Date:



Richmond Oxygen
11009 Richardson
Road
Ashland, VA 23005

DO NOT REMOVE THIS PRODUCT LABEL

PRINTED BY BATHURSTMAN MFG, INC.
www.richrdm.com

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59534-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59534-001-01	113 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	

2	NDC:59534-001-02	170 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
3	NDC:59534-001-03	165 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
4	NDC:59534-001-04	210 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
5	NDC:59534-001-05	248 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
6	NDC:59534-001-06	425 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
7	NDC:59534-001-07	640 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
8	NDC:59534-001-08	680 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
9	NDC:59534-001-09	1724 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
10	NDC:59534-001-10	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
11	NDC:59534-001-11	3512 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
12	NDC:59534-001-12	6882 L in 1 CYLINDER; Type 0: Not a Combination Product	05/02/1992	
13	NDC:59534-001-13	141991 L in 1 DEWAR; Type 0: Not a Combination Product	05/02/1992	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206023	05/02/1992	

Labeler - Richmond Oxygen Company Inc. (112967955)

Registrant - Richmond Oxygen Company (112967955)

Establishment

Name	Address	ID/FEI	Business Operations
Richmond Oxygen Company		112967955	manufacture(59534-001)

Revised: 11/2023

Richmond Oxygen Company Inc.