

**THE CELLIN SC BB CREAM SPF 25 PA - titanium dioxide cream**  
**Cellinbio Co Ltd**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**The Cellin SC BB Cream SPF25 PA**

**Drug Facts**

Titanium Dioxide 6.39%  
Octinoxate 3.00%  
Zinc Oxide 1.92%

**Purpose**

Sunscreen

**Keep out of Reach of Children**

Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.

**Indication & Usage**

Directions

- Apply generously and evenly 15-20 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply every 1-2 hours after towel drying, swimming or perspiring.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

**Warnings**

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging  
For external use only

Do not use on damaged or broken skin. If sun irritation develops or increases.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts

**Dosage & Administration**

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures(see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Inactive Ingredient**

WATER, CYCLOPENTASILOXANE, GLYCERIN, CYCLOMETHICONE, DIPROPYLENE

GLYCOL, PEG-10 DIMETHICONE, TALC, HEXYLDECYL MYRISTOYL METHYLAMINOPROPIONATE, ISOPROPYL ISOSTEARATE, NIACINAMIDE, DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE/HEXASTEARATE/HEXAROSINATE, DISTEARDIMONIUM HECTORITE, MAGNESIUM SULFATE, PORTULACA OLERACEA EXTRACT, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, C12-14 PARETH-3, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SILICA, PHENOXYETHANOL, DIMETHICONE, METHICONE, PALMITIC ACID, ALUMINUM HYDROXIDE, ALUMINUM STEARATE, ETHYLHEXYLGLYCERIN, TOCOPHERYL ACETATE, ADENOSINE, SODIUM HYALURONATE, SOLUBLE COLLAGEN, FULLERENES, HUMAN ADIPOCYTE CONDITIONED MEDIA EXTRACT, ARCTIUM LAPPA ROOT EXTRACT, PHELLINUS LINTEUS EXTRACT, BUTYLENE GLYCOL, GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT, CHAMOMILLA RECUTITA (MATRICARIA) FLOWER EXTRACT, DEFINED CELL CULTURE MEDIA 2, GLYCINE SOJA (SOYBEAN) SPROUT EXTRACT, SCUTELLARIA BAICALENSIS ROOT EXTRACT, PUERARIA THUNBERGIANA ROOT EXTRACT, CNIDIUM OFFICINALE ROOT EXTRACT, PAEONIA LACTIFLORA ROOT EXTRACT, ALOE BARBADENSIS LEAF JUICE, 1,2-HEXANEDIOL, GLYCERYLAMIDOETHYL METHACRYLATE/STEARYL METHACRYLATE COPOLYMER, XANTHAN GUM, CARBOMER, POLYSORBATE 20, METHYLINOSITOL, ASCORBYL HYALURONATE, PALMITOYL DIPEPTIDE-17, PALMITOYL PENTAPEPTIDE-4, CI 77492, CI 77499, CI 77491, FRAGRANCE

**The Cellin SC BB Cream SPF25 PA**

The Cellin SC BB Cream SPF25 PA  
 Net WT. 1.01 FL OZ (30ml)

<p><b>THE CELLIN</b>  <b>SC B.B CREAM</b>  <b>SPF25, PA++</b></p>		<p><b>Drug Facts (continued)</b></p>									
<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active ingredient</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Titanium Dioxide 6.38%</td> <td>Sunscreen</td> </tr> <tr> <td>Ocinoxale 3.00%</td> <td>Sunscreen</td> </tr> <tr> <td>Zinc Oxide 1.92%</td> <td>Sunscreen</td> </tr> </tbody> </table>		Active ingredient	Purpose	Titanium Dioxide 6.38%	Sunscreen	Ocinoxale 3.00%	Sunscreen	Zinc Oxide 1.92%	Sunscreen	<p><b>Other information</b>            ■ Protect this product from excessive heat and direct sun. Store below 30°C</p>	
Active ingredient	Purpose										
Titanium Dioxide 6.38%	Sunscreen										
Ocinoxale 3.00%	Sunscreen										
Zinc Oxide 1.92%	Sunscreen										
<p><b>Uses</b> ■ Helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.</p>		<p><b>Inactive ingredients</b>            WATER, CYCLOPENTASILOXANE, GLYCERIN, CYCLOMETHICONE, DIPROPYLENE GLYCOL, PEG-10 DIMETHICONE, TALC, HEXYLDECYL MYRISTOYL METHYLAMINOPROPIONATE, ISOPROPYL ISOSTEARATE, NIACINAMIDE, DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE/HEXASTEARATE/HEXAROSINATE, DISTEARDIMONIUM HECTORITE, MAGNESIUM SULFATE, PORTULACA OLERACEA EXTRACT, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, C12-14 PARETH-3, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SILICA, PHENOXYETHANOL, DIMETHICONE, METHICONE, PALMITIC ACID, ALUMINUM HYDROXIDE, ALUMINUM STEARATE, ETHYLHEXYLGLYCERIN, TOCOPHERYLACETATE, ADENOSINE, SODIUM HYALURONATE, SOLUBLE COLLAGEN, FULLERENES, HUMAN ADIPOCYTE CONDITIONED MEDIA EXTRACT, ARCTIUM LAPPA ROOT EXTRACT, PHELLINUS LINTEUS EXTRACT, BUTYLENE GLYCOL, GLYCYRRHIZA GLABRA (LICORICE) ROOT EXTRACT, CHAMOMILLA RECUTITA (MATRICARIA) FLOWER EXTRACT, DEFINED CELL CULTURE MEDIA 2, GLYCINE SOJA (SOYBEAN) SPROUT EXTRACT, SCUTELLARIA BAICALENSIS ROOT EXTRACT, PUERARIA THUNBERGIANA ROOT EXTRACT, CNIDIUM OFFICINALE ROOT EXTRACT, PAEONIA LACTIFLORA ROOT EXTRACT, ALOE BARBADENSIS LEAF JUICE, 1,2-HEXANEDIOL, GLYCERYLAMIDOETHYL METHACRYLATE/STEARYL METHACRYLATE COPOLYMER, XANTHAN</p>									
<p><b>Warnings</b>  <b>Skin Cancer/Skin Aging Alert:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging</p>											
<p><b>For external use only</b></p>											
<p><b>Do not use</b> on damaged or broken skin. If sun irritation develops or increases.</p>											
<p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p>											
<p><b>Stop use and ask a doctor</b> if rash or irritation develops and lasts</p>											
<p><b>Keep out of reach of children</b> if swallowed, not medical</p>											

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply generously and evenly 15-20 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply every 1-2 hours after towel drying, swimming or perspiring.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

GUM, CARBOMER, POLYSORBATE 20, METHYLINOSITOL, ASCORBYL HYALURONATE, PALMITOYL DIPEPTIDE-17, PALMITOYL PENTAPEPTIDE-4, CI 77482, CI 77499, CI 77491, FRAGRANCE

Questions or comments?

1-213-325-2780



**Shelf Life 3 years**

**Net WT. 1.01 FL. OZ (30ml)**

**[Distributed by] NRC USA INC.**

3700 Wilshire BLVD Suite 300 Los Angeles, CA 90010 USA

[www.nrc-usa.com](http://www.nrc-usa.com) [Call] us at 213-325-2780

**[Manufacturer] Kolmar Korea Co., Ltd.**

12-11, Sandan-gil, Jeonui-myeon, Sejong-si, Korea



**Made in Korea**

## THE CELLIN SC BB CREAM SPF 25 PA

titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76 173-1100
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	6.39 g in 30 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.00 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.92 g in 30 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CYCLOMETHICONE (UNII: NMQ347994Z)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
TALC (UNII: 7SEV7J4R1U)	
HEXYLDECYL MYRISTOYL METHYLAMINOPROPIONATE (UNII: 1959TW0O9A)	
ISOPROPYL ISO STEARATE (UNII: C671XB9Y7T)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MAGNESIUM SULFATE (UNII: DE08037SAB)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
PURSLANE (UNII: M6S840WXG5)	
C12-14 PARETH-3 (UNII: 93RY22U87E)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
PALMITIC ACID (UNII: 2V16EO95H1)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ADENOSINE (UNII: K72T3FS567)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUCKMINSTERFULLERENE (UNII: NP9U26B839)	
ARCTIUM LAPPA ROOT (UNII: 597E9B3Z3)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
CHAMOMILE (UNII: FGL3685T2X)	
SOYBEAN (UNII: L7HT8F1ZOD)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
PUERARIA MONTANA VAR. LOBATA ROOT (UNII: PET93F4I3C)	
CNIDIUM OFFICINALE ROOT (UNII: 8S3OZD358J)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
METHYLINOSITOL (UNII: TF9HZN9T0M)	
PALMITOYL PENTAPEPTIDE-4 (UNII: KK181SM5JG)	

Product Characteristics			
Color	white (black)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76 173-1100-2	1 in 1 BOX		
1	NDC:76 173-1100-1	30 g in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/28/2013	

**Labeler** - Cellinbio Co Ltd (557803737)**Registrant** - Cellinbio Co Ltd (557803737)**Establishment**

Name	Address	ID/FEI	Business Operations
Cellinbio Co Ltd		557803737	relabel(76 173-1100)

**Establishment**

Name	Address	ID/FEI	Business Operations
KOLMAR KOREA CO LTD		687846360	manufacture(76 173-1100)

Revised: 8/2013

Cellinbio Co Ltd