

SALICYLIC ACID- medicated callus removers patch

SELECT BRAND DISTRIBUTORS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Select Brands Medicated Callus Removers

Active ingredient

Salicylic acid 40%

☐ *Purpose*

Callus remover

☐ *Uses*

- for the removal of calluses
- relieves pain by removing calluses

☐ *Warnings*

☐ For external use only.

☐ Do not use

- if you are a diabetic
- have poor blood circulation
- on irritated skin, on any area that is infected or reddened

☐ Stop use and ask a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

☐ *Directions*

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit callus
- apply adhesive side down of medicated patch onto callus
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)
- may soak callus in warm water for 5 minutes to assist in removal

Other information

store between 15°C to 30°C (59°F to 86°F)

☐ *Inactive ingredients*

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-888-423-0139

Principal Display Panel


select brand
Callus Removers
Salicylic Acid

Callus removal treatment

Protects against pressure and pain

6 Pads

4 Medicated Patches



CLEAR AREA

TOP

select brand
the lower price name brand

LOT #
EXP DATE:

Drug Facts

Active ingredient Purpose
Salicylic acid 40%.....Callus remover

Uses
■ for the removal of calluses
■ relieves pain by removing calluses

Warnings
For external use only.
Do not use
■ if you are diabetic
■ if you have poor blood circulation
■ on irritated skin or any area that is infected or reddened
If discomfort persists see your doctor or podiatrist.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ wash affected area and dry thoroughly
■ if necessary, cut medicated patch to fit callus
■ apply adhesive side down of medicated patch onto callus
■ cover medicated patch with pad
■ after 48 hours, remove medicated patch
■ repeat procedure every 48 hours as needed for up to 14 days (until callus is removed)
■ may soak callus in warm water for 5 minutes to assist in removal
■ continued wearing of pad (without patch) will help prevent recurrence of calluses

Other information
store between 15° and 30°C (59° and 86°F)

Inactive ingredient
rubber-based adhesive

Questions? Call 1-866-964-0939



DISTRIBUTED BY:
SELECT BRAND DISTRIBUTORS
PINE BLUFF, AR 71603 USA
AC (870) 535-3635
MADE IN USA
*This product is not manufactured or distributed by Schering-Plough, owners of the registered trademark Lotrimin Dr. Scholl's®.

Callus removal
treatment
Protects against
pressure and pain

*Compare to Dr. Scholl's®

6 PADS
4 MEDICATED PATCHES

BOTTOM

EYE
MARK

CLEAR AREA

EYE
MARK

SALICYLIC ACID

medicated callus removers patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:15127-096
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 4

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
VINYL ACETATE (UNII: L9MK238N77)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15127-096-04	4 in 1 PACKAGE; Type 0: Not a Combination Product	12/27/2017	12/31/2020

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358F	12/27/2017	12/31/2020

Labeler - SELECT BRAND DISTRIBUTORS (012578514)

Revised: 12/2019

SELECT BRAND DISTRIBUTORS